AUTHOR INDEX

AAP Subcommittee on Neonatal Hyperbilirubinemia, 763
Abacıoğlu, H., 329
Abbott, M., 1237
Abbott, M.B., e2
Abbott, R.A., 703
Abdalla, A., 416
Abdel-Kahlik, M.K., 416
Abrahamowicz, M., e35
Abramson, J., 220
Abramson, J.S., 1392
Abzug, M.J., 1129
Academic Achievement in Children With Hemophilia Study Group, e105
Ackelsberg, J., 54
Ackerman, M.J., 8
Ackerman, S.J., e102
Ackerson, L., 719
Adamkin, D., 359
Adams, R.C., e43
Adderson, E.E., e18
Adinoff, A.D., e69
Adler, N.E., e31
Agabiti, N., 1149
Agarwal, R., 1006
Ager, J., e34
Agran, P.F., e45
Aitken, M.E., 591
A-Kader, H.H., 416
Akar, E., 215
Akar, N., 215
Alaimo, K., 44
Alario, A.J., e29, 1233
Alden, E., 1392
Alder, S.C., 856
Alessandrini, E.A., 103, 520, e23
Algur, N., 956
Allen, A., e35
Allen, A.C., 1055
Allen, D.B., 1234
Allred, E.N., 525
Alonso, M., 608
Alpern, E.R., 520, e23
Alsgaard, P.K., 1238
ALSPAC Study Team, e49
Altman, K.L., e4
Alvarado, S., 305
Aly, H.Z., 759
Amin, D., e111
Amirav, I., 389
Anaclerio, S., 217
Anderson, C., e45
Anderson, S., e71
Andersson, S., 686, e12
Anemona, A., e81
Angulo-Kinzler, R.M., e84
Antelman, G., e67
Anthony, J.C., 1309
Anthony, K.K., e47
Antwi, K.Y., 613
Aras, G., e89
Arifeen, S., e67
Arko, M.K., 1304
Armstrong, G.L., 1123
Aron, Z., 818
Aronson, J., 608
Arshad, S.H., e33
Arthur, P., 613
Arvin, A.M., 223, 230
Ashworth, A., e66
Assendelft, W.J.J., 1047
Atchison, J., 495
Atkins, M., 883
Atomoxetine ADHD Study Group, e83
Atreya, C.D., e37
Attia, M.W., 1275
Auestad, N., 359, 372
August, G., 883
Ayers, S., 597
Ayton, G., 1297

Babyn, P., e55
Bachur, R.G., 311
Baculard, A., e86
Bagati, A., 1280
Baker, C.J., 1392
Baker, M.D., 103
Ball, H.L., 1239
Ball, J.A., 297
Baltimore, R.S., 1094
Bandstra, E.S., 1309
Baqui, A., e67
Barajas, R.G., e88
Barrett, N.L., e59
Barrington, K.J., 525, 949
Baskin, L.S., e7
Bates, N., 473
Bauchner, H., 845
Baum, M., e6
Baumeister, F.A.M., 1187
Beal, A.C., 906
Becker, S., e67
Beck-Sague, C.M., 1045
Behm, M.O., 482
Bell, B.P., e78
Bell, C., 1006
Bell, L.M., 520, e23
Bellisle, F., 218
Belongia, E.A., 575
Belshe, R.B., e24
Benjamin, D.K., e3
Benjamin, D.K., Jr, e3
Benninga, M.A., e9
Bental, Y., 819
Berenson, G.S., 712
Berger, W., e36
Bergfors, E., e115
Berglund, L., e50
Bergman, D.A., 1234
Bermudez, L.O., 264
Bernard-Bonnin, A.-C., 382
Bertrais, S., 111
Bertrand, J., 1155
Besser, R.E., 305
Best, D., e103
Bethel, R., 636
Betkerur, A., 1304
Beutler, J., 1053
Bhandari, V., 13
Bhaskar, B., 661
Bhutani, V.K., 31
Bianchi, A., 473
Bibb, W.F., e59
Bier, D.M., 1287
Bilgin, K., 1383
Bilker, W.B., 103
Binns, H.J., 1364
Bisgaard, H., e48
Black, R., e67
Black, R.E., 1280
Black, S.B., e112
Blackwell, M., 928
Blackwood, R.A., e39
Blair, P.S., 1239
Blanco, M.M., 819
Blatter, M., 372
Blondel, B., e35
Blumenthal, D., 283
Boeckxstaens, G.E., e9
Boehles, H., e21
Boer, L.M.-d., 856
Bogen, D., 823
Bogle, M.L., 372
Bohlke, K., e112
Bordley, W.C., e41, e42
Bornstein, M.H., 372
Bosenberg, A., 1006
Bosshard, N.U., 495
Botash, A.S., e53
Botteron, K.N., e14
Bouch, B., 1237
Boulé, M., e86
Boutry, M., 823
Bove, F., 1155
Boyer, E.W., e77
Boykan, R., 1388
Boyle, C., 1155
Boyle, C.A., 728
Bradford, D., 856
Bradley, J.S., 223, 230, 1169
Brady, R.E., 1237
Brashear, A., 1062
Bratton, D.L., e48
Braveman, P.A., 719
Bréart, G., e35
Breiman, R.F., e37
Brenner, R.A., 85, 661
Brent, D., e1
Brent, R.L., 1048
Bridge, J., e1
Brink, S., 1175
Brinkman, C.D., e59
Brodsky, N., 13
Brody, D.J., 40
Bronzetti, G., e114
Brook, I., e17
Brooks, J.G., 522
Brooks, R.G., 584
Brown, L., e85
Brown, M.J., 158, e77
Brownlee, C., e110
Brugman, E., 893
Brunekreef, B., 943
Brunelle, R., 1175
Bruner, H.J., 129
Buchacz, K., e72
Budania, J., 181
Budetti, P., 913
Bukstein, O., 883
Bull, M.J., 1391
Büller, H.A., e9
Burchfield, D.J., 181
Burger, J., e80
Burks, W., 372
Burr, S., 1045
Burrows, E., 152, 407
Buscarino, C., 123
Busch, R., 1187
Butterfield, J.H., e93
Buzzetti, R., 211
Bye, B.V., 91
Bye, M.R., 820
Byington, C.L., e18

Cabrera, L., e87
Calhoun, D.A., 181
Cama, R., 448
Cameron, P., 1297
Camfield, C.S., 1080
Camfield, P.R., 1080
Campbell, C., 1364
Campbell, M.J., 597
Campbell, R.K., 1048
Campo, J.V., e1
Caouette, G., 271
Capra, A.M., 719
Capraro, G.A., 1332
Carney, P., e39
Carpenter, S.C., e46
Carroll, J., 129
Carroll, K., 856, e18
Carroll, M.C., 485
Carroll-Pankhurst, C., 1239
Cartter, M.L., e59
Cassidy, S.B., e92
Cassidy, W.M., 317
Castillo, M., 359
Castillo-Durán, C., 1366
Castro-Rodríguez, J.A., 878
Caulfield, L., e67
Caulfield, L.E., 1280
Causino, N., 283
Cederqvist, K., 686
Centeno, G., 448
Cerny, F.J., e44
Cervia, J.S., e72
Chakrabarti, S., e58
Chalett, J.M., 1233
Chambers, H., 1062
Chan, L.S., 239, 248
Chandramouli, V., e111
Chang, C.-h., 426
Chang, H.-G.H., 54
Chang, R.-K.R., 217
Chang, Y., 283
Charpak, N., 1072
Charpak, Y., 1072
Chawla, N., 677
Chen, R.T., e112
Chesney, R.W., 1349, 1392
Chess, P.R., 468
Chiappetta, L., e1
Chitwood, D.C., 1309
Chiu, S.S., e63
Cho, I., e24
Choi, S.S., 866
Christakis, D.A., 1047
Christensen, R.D., 181
Christenson, J.C., e18, e75
Christian, C.W., 769
Christmann, L., 1385
Churchill, S.S., 1309

AUTHOR INDEX

AAP Subcommittee on Neonatal Hyperbilirubinemia, 763
Abacıoğlu, H., 329
Abbott, M., 1237
Abbott, M.B., e2
Abbott, R.A., 703
Abdalla, A., 416
Abdel-Kahlik, M.K., 416
Abrahamowicz, M., e35
Abramson, J., 220
Abramson, J.S., 1392
Abzug, M.J., 1129
Academic Achievement in Children With Hemophilia Study Group, e105
Ackelsberg, J., 54
Ackerman, M.J., 8
Ackerman, S.J., e102
Ackerson, L., 719
Adamkin, D., 359
Adams, R.C., e43
Adderson, E.E., e18
Adinoff, A.D., e69
Adler, N.E., e31
Agabiti, N., 1149
Agarwal, R., 1006
Ager, J., e34
Agran, P.F., e45
Aitken, M.E., 591
A-Kader, H.H., 416
Akar, E., 215
Akar, N., 215
Alaimo, K., 44
Alario, A.J., e29, 1233
Alden, E., 1392
Alder, S.C., 856
Alessandrini, E.A., 103, 520, e23
Algur, N., 956
Allen, A., e35
Allen, A.C., 1055
Allen, D.B., 1234
Allred, E.N., 525
Alonso, M., 608
Alpern, E.R., 520, e23
Alsgaard, P.K., 1238
ALSPAC Study Team, e49
Altman, K.L., e4
Alvarado, S., 305
Aly, H.Z., 759
Amin, D., e111
Amirav, I., 389
Anaclerio, S., 217
Anderson, C., e45
Anderson, S., e71
Andersson, S., 686, e12
Anemona, A., e81
Angulo-Kinzler, R.M., e84
Antelman, G., e67
Anthony, J.C., 1309
Anthony, K.K., e47
Antwi, K.Y., 613
Aras, G., e89
Arifeen, S., e67
Arko, M.K., 1304
Armstrong, G.L., 1123
Aron, Z., 818
Aronson, J., 608
Arshad, S.H., e33
Arthur, P., 613
Arvin, A.M., 223, 230
Ashworth, A., e66
Assendelft, W.J.J., 1047
Atchison, J., 495
Atkins, M., 883
Atomoxetine ADHD Study Group, e83
Atreya, C.D., e37
Attia, M.W., 1275
Auestad, N., 359, 372
August, G., 883
Ayers, S., 597
Ayton, G., 1297

Babyn, P., e55
Bachur, R.G., 311
Baculard, A., e86
Bagati, A., 1280
Baker, C.J., 1392
Baker, M.D., 103
Ball, H.L., 1239
Ball, J.A., 297
Baltimore, R.S., 1094
Bandstra, E.S., 1309
Baqui, A., e67
Barajas, R.G., e88
Barrett, N.L., e59
Barrington, K.J., 525, 949
Baskin, L.S., e7
Bates, N., 473
Bauchner, H., 845
Baum, M., e6
Baumeister, F.A.M., 1187
Beal, A.C., 906
Becker, S., e67
Beck-Sague, C.M., 1045
Behm, M.O., 482
Bell, B.P., e78
Bell, C., 1006
Bell, L.M., 520, e23
Bellisle, F., 218
Belongia, E.A., 575
Belshe, R.B., e24
Benjamin, D.K., e3
Benjamin, D.K., Jr, e3
Benninga, M.A., e9
Bental, Y., 819
Berenson, G.S., 712
Berger, W., e36
Bergfors, E., e115
Berglund, L., e50
Bergman, D.A., 1234
Bermudez, L.O., 264
Bernard-Bonnin, A.-C., 382
Bertrais, S., 111
Bertrand, J., 1155
Besser, R.E., 305
Best, D., e103
Bethel, R., 636
Betkerur, A., 1304
Beutler, J., 1053
Bhandari, V., 13
Bhaskar, B., 661
Bhutani, V.K., 31
Bianchi, A., 473
Bibb, W.F., e59
Bier, D.M., 1287
Bilgin, K., 1383
Bilker, W.B., 103
Binns, H.J., 1364
Bisgaard, H., e48
Black, R., e67
Black, R.E., 1280
Black, S.B., e112
Blackwell, M., 928
Blackwood, R.A., e39
Blair, P.S., 1239
Blanco, M.M., 819
Blatter, M., 372
Blondel, B., e35
Blumenthal, D., 283
Boeckxstaens, G.E., e9
Boehles, H., e21
Boer, L.M.-d., 856
Bogen, D., 823
Bogle, M.L., 372
Bohlke, K., e112
Bordley, W.C., e41, e42
Bornstein, M.H., 372
Bosenberg, A., 1006
Bosshard, N.U., 495
Botash, A.S., e53
Botteron, K.N., e14
Bouch, B., 1237
Boulé, M., e86
Boutry, M., 823
Bove, F., 1155
Boyer, E.W., e77
Boykan, R., 1388
Boyle, C., 1155
Boyle, C.A., 728
Bradford, D., 856
Bradley, J.S., 223, 230, 1169
Brady, R.E., 1237
Brashear, A., 1062
Bratton, D.L., e48
Braveman, P.A., 719
Bréart, G., e35
Breiman, R.F., e37
Brenner, R.A., 85, 661
Brent, D., e1
Brent, R.L., 1048
Bridge, J., e1
Brink, S., 1175
Brinkman, C.D., e59
Brodsky, N., 13
Brody, D.J., 40
Bronzetti, G., e114
Brook, I., e17
Brooks, J.G., 522
Brooks, R.G., 584
Brown, L., e85
Brown, M.J., 158, e77
Brownlee, C., e110
Brugman, E., 893
Brunekreef, B., 943
Brunelle, R., 1175
Bruner, H.J., 129
Buchacz, K., e72
Budania, J., 181
Budetti, P., 913
Bukstein, O., 883
Bull, M.J., 1391
Büller, H.A., e9
Burchfield, D.J., 181
Burger, J., e80
Burks, W., 372
Burr, S., 1045
Burrows, E., 152, 407
Buscarino, C., 123
Busch, R., 1187
Butterfield, J.H., e93
Buzzetti, R., 211
Bye, B.V., 91
Bye, M.R., 820
Byington, C.L., e18

Cabrera, L., e87
Calhoun, D.A., 181
Cama, R., 448
Cameron, P., 1297
Camfield, C.S., 1080
Camfield, P.R., 1080
Campbell, C., 1364
Campbell, M.J., 597
Campbell, R.K., 1048
Campo, J.V., e1
Caouette, G., 271
Capra, A.M., 719
Capraro, G.A., 1332
Carney, P., e39
Carpenter, S.C., e46
Carroll, J., 129
Carroll, K., 856, e18
Carroll, M.C., 485
Carroll-Pankhurst, C., 1239
Cartter, M.L., e59
Cassidy, S.B., e92
Cassidy, W.M., 317
Castillo, M., 359
Castillo-Durán, C., 1366
Castro-Rodríguez, J.A., 878
Caulfield, L., e67
Caulfield, L.E., 1280
Causino, N., 283
Cederqvist, K., 686
Centeno, G., 448
Cerny, F.J., e44
Cervia, J.S., e72
Chakrabarti, S., e58
Chalett, J.M., 1233
Chambers, H., 1062
Chan, L.S., 239, 248
Chandramouli, V., e111
Chang, C.-h., 426
Chang, H.-G.H., 54
Chang, R.-K.R., 217
Chang, Y., 283
Charpak, N., 1072
Charpak, Y., 1072
Chawla, N., 677
Chen, R.T., e112
Chesney, R.W., 1349, 1392
Chess, P.R., 468
Chiappetta, L., e1
Chitwood, D.C., 1309
Chiu, S.S., e63
Cho, I., e24
Choi, S.S., 866
Christakis, D.A., 1047
Christensen, R.D., 181
Christenson, J.C., e18, e75
Christian, C.W., 769
Christmann, L., 1385
Churchill, S.S., 1309

Chyou, P.-H., 575
Cimo, S., 677
Ciofi degli Atti, M.L., e81
Clancy, R.R., 61
Clark, B.D., 432
Clark, M., e71
Clemens, J.D., 661
Clement, A., e86
Clements, H., 703
Close, N.C., 934
Clyman, R.B., e10, e46
Cneude, F., e26
Coats, D.K., e74
Cobb, B.K., e85
Cochran, J., 158
Cohen, A., 1099
Cohen, A.P., 818
Cohen, J., 671
Colborn, D.K., e1
Colditz, G.A., e31
Coleman, J.M., 647
Coleman-Phox, K., 719
Colman, G.J., 1135
Combs, J.T., 1387
Comfort, K., 1050
Connor, S.L., 359
Connor, W.E., 359
Cook, J.T., 677
Cook, L.J., 631
Cool, V.A., e105
Cooper, A., e98
Corbett, R.J.T., 1103
Corbo, G.M., 1149
Corey, L., 230
Corredor, J., 671
Corvaglia, L., e114
Coté, C.J., 824, 1006, 1053
Courcoulas, A.P., 326
Courtney, S.E., 682
Covington, C., e34
Coyle, D., 382
Coyne-Beasley, T., 823
Crater, D.D., e97
Cravero, J., 1006
Cronan, K.M., 1275
Crone, K., e101
Crosby, R.A., e85
Crowley, M.R., e27
Cruickshank, L., 1388
Culbert, S., e54
Cunniff, C., 1384
Cunningham-Rundles, C., 493
Curran, C., 1297
Cvijanovich, N.Z., 631
Czernichow, P., 111

Dalton, M., 1256
D'Amico, R., 211
Dankner, W.M., e72
Dansereau, L.M., e29
Darden, P.M., 1263
Darmstadt, G.L., 216
Darwish, H.Z., 1325
Das, A., 661, 934
Das, U.G., 1012
d'Athis, P., e73
Davidson, A.J., e46
Davidson, P.J., 1006
Davies, S., e85
Davis, P., 354, 1383
Davis, P.J., 1006
Davis, R.L., 1, e112
Davkin, O., 819
Dbiol, e81
Dean, J.M., 631, e75
Deckelbaum, R.E., e50
Decouflé, P., 728, 1155
Deeb, L.C., 1175
Degraeuwe, P.L.J., 1383
Deheeger, M., 218
de Hoog, M., 1089
de Jongste, J.C., 468, 943
de Jong-van den Berg, L.T.W., e25
de Klerk, A., 395, 761
de Klerk, R.K., 761
Delaney-Black, V., e34
Dell'Orco, V., 1149
Del Vecchio Eric R.Sundel, M.T., 1236
Dempsey, C., e111
Dennehy, P.H., e102
den Ouden, L., 1269
deRegnier, R.-A.O., 525, 647
Desai, M.M., e78
Desmarquest, P., e86
Desposito, F., e22
DeStefano, F., e112
De Vivo, D.C., 129
Dhingra, U., 1280
Diaz, P.S., 223, 230
DiClemente, R.J., e85
Di Donato, R., 217, 1384
Diego, M., 1053
Diehl, N.N., e4
Diette, G.B., 432
Dietz, W.H., 712
Di Fiore, J.M., 1304
Digilio, M.C., 1384
Di Lorenzo, C., e1
DiMario, F.J., Jr, 765
Dinghra, P., 1280
Dingman, D.W., e59
Dinh, A., 471
Dinulos, J.G., 216
DiTraglia, J., 520
Dittus, R.S., e99
Dobrez, D., 913
Dobson, V., 372
Dodd, D.A., e80
Donato, H., 217
Donfield, S.M., e105
Donovan, E.F., 934
Dooley, J.M., 1080
Dorosty, A., 218
Dörr, H.G., e96
Dötsch, J., e96
Douglas, J., e40
Dover, G., 823
Dowell, S.F., 1
Doyle, L., 1383
Doyle, L.W., 134
Drevon, C.A., e82
Driver, C.P., 473
Drolet, B.A., 485
Drummond, G.S., 25, 1374
D'Sa, R., 1046
Duer, A., e90
Duff, S.B., e102
Duggan, A., 823
Dul, M.J., 1143
Duman, N., 329
Dummer, J.S., e80
du Plessis, A.J., 1211
Durbin, D.R., e109
Durmowicz, A.G., 443
Dyer-Friedman, J., e88

Earl, D.L., e32
Easley, K.A., 1287
Eckholdt, H., e8
Ector, W., 1263
Edwards, K.M., e80, e99, 1004
Egreteau, L., e26
Ehrenkranz, R.A., 934
Eichenwald, E.C., 928
Ekbom, A., e70
Elbourne, D., 597
El Hassan, N.O., 468
Eliakim, A., e113
El-Karaksy, H.M., 416
El Koofy, N.M., 416
Ellenbogen, R.G., 636
Elliott, G.R., e90
Elliott, J.A., 820
El-Regal, M.E., 416
Elvers, B.H., 1320
Emans, S.J., 333
Emerling, F.G., e43
Emmett, P.M., 218, e49
Emmons, K.M., 18
Emmrich, P., 1187
England, B., e78
Epstein, L.H., e44
Erenberg, G., 820
Erickson, J.R., 372
Erickson, M.J., 98
Errázuriz, G., e21
Escobar, G.J., 719
Escudier, E., e86
Espinosa, R.E., 698
Esteban, E., 40
Esterl, E.A., 1129
Esterly, N.B., 485
European Collaborative Study, 116
Evans, J.L., 18
Evans, R.S., e75
Everaert, A.M., 1238

Fair, M., 591
Faldella, G., e114
Fanaroff, A.A., 31
Far, M.D., 264
Faries, D., e83
Fava, J.L., 18
Feder, H.M., Jr, 1367
Feingold, M., 1384
Feldman, K.W., 636
Felner, E.I., 735
Fenster, D.L., 817
Ferrari, E., 1062
Ferrari, L.R., 1006
Ferris, T.G.G., 283, 906
Fewtrell, M.S., 703
Field, T., 1053
Fierson, W.M., 1385
Figueroa de C., Z., 1072
Filho, M.B., e66
Finer, N.N., 949
Finkelstein, J.A., 1
Finley, G.A., 1006
Finnoff, J.T., e4
Fischer, M., e60
Fiscus, S.A., e3
Fisher, E.S., 426
Fisher, M.C., 1392
Fisher-Medina, J., 671
Fitzgerald, K., 359, 372
Fitzsimon, C., 317
Fleisher, G.R., 835
Fleming, P., 1239
Flores, G., 1052
Fombonne, E., e58
Forastiere, F., 1149
Ford, C.A., e103
Ford, H.R., 326
Forste, R., 291
Fowler-Taylor, A., e36
Franchi, L.M., 448, e48
Frazier, A.L., e31
Freedman, D.S., 712
Freedman, M.A., 1241
Freeman, J.M., 178, 824, 898
Frenkel, L.M., 223
Friedman, A., e19
Frigoletto, F., Jr, 1099
Frigoletto, F.D., 818
Frongillo, E.A., Jr, 44
Fry, A.M., e60
Funanage, V., e15

Gaffney, P., e1
Gahagan, S., e39
Gale, R., 31
Ganes, T., e82
Garbutt, J.M., 1387
Garcia de Yebenes Prous, J., 1062
Garcia-Lopez, M., 819
Gardner, M.J., 326
Garrison, M.M., 1047
Gartner, J.C., Jr, e1
Gassaway, J., 851
Gaynor, J.W., 61
Geggel, R.L., 1384
Geller, R., 123
Geltman, P.L., 158
Gephart, H., 71
Gerber, M.A., e37, 1392
Gerritsen, J., 943
Gershel, J.C., 421
Gerstmann, D.R., 617
Gessner, B.D., 923
Giammanco, A., e81
Gibson, R.A., 465
Gidley, M., e60
Gil, K.M., e47
Gilman, R.H., 448, e87
Ginsberg, H.N., e50
Girgin, N., e89
Glaser, B., e88
Glass, R.I., 54
Gleich, G.J., e93
Gobel, J.W., 220
Goetzl, L., 1099
Goin, J.E., 61
Goldfield, G.S., e44
Goldie, S.J., 438
Goldman, L., 466
Goldmuntz, E., e104
Goldstein, A., e108
Gomes, J.S., 677
Gomez-Duarte, C., 608
Gomperts, E.D., e105
Goodman, D.C., 426
Goodman, E., 333, e30, e31
Gordon, K.E., 1080
Gortmaker, S.L., 906
Gottesman, G., e113
Gozal, D., 693
Grady, M.S., 636
Graff, G.R., 1391
Graham, J.D., 438
Graham, J.M., Jr, e32
Granath, F., e70
Grant, P., 1009
Gray, P.H., 142
Greenhill, L.L., 883
Greensher, J., 1236
Greer, F.R., 1117
Griffin, M.R., e99
Groh-Wargo, S., 359
Grossman, D.C., 636
Gruber, W.C., 223, 230
Gruskin, A., 1392
Guerra, B., e114
Guevara, J., 71
Gunay-Aygun, M., e92
Gunn, V.L., e52
Gupta, N., e36
Gutierrez, K., 223, 230

Guttormsen, A.B., 624
Guyer, B., 1241

Habib, R.H., 682
Hadler, J.L., e59
Haelyon, U., e108
Hagan, J.F., Jr, 1206
Hagenfeldt, L., e68
Hahn, J., 163
Hahn, J.S., e95
Hakim, E., e33
Hakim, R.B., 91
Hall, P.T., 163
Hall, R., 359
Hall, R.T., 372
Halonen, M., 878
Halpern, G.J., 215
Halsey, N., 123, 466
Halter, R., 372
Hammerman, C., 31, 956
Hammond, S.K., 18
Hamner, A., e106
Hamon, I., e26
Handler, E.G., 584
Haney, M., 584
Hanna, G.L., e14
Harlan, C., e42
Harper, M.B., 311, 835
Harrington, K., e85
Harrison, M.R., e7
Hartmann, E.E., 359
Haruda, F.D., 1050
Hashman, N., e16
Hawe, E.M., e50
Hayer, C., e90
Hayes, D.L., 698
Heath, A.C., e14
Heath, B.W., 1052
Heath, J., 1389
Hedayat, K.M., 965
Hedges, T.R., III, 477
Heeger, S., e92
Heeren, T., 872
Heffner, L.J., 818
Hegarty, T.W., e111
Heijnen, M.-L.A., 943
Heise, S., e97
Helfaer, M.A., 769
Helland, I.B., e82
Hemingway, C., 898
Hendley, J.O., 851
Henne, T., e5
Hennequin, Y., 1238
Henriksen, T.B., 342
Henry, M., e95
Herbert, R., e97
Herkenrath, P., e107
Herman-Giddens, M.E., 347
Hernandez-Reif, M., 1053
Herndon, D.N., 1162
Herr, S.M., 866
Hertz, A.R., e111
Hessl, D., e88
Heyman, M.B., e90
Hicks, P., 584
Hickson, G.B., e99
Higham, M., 1
Hill, T.D., 98
Hindiyeh, M., e18
Hingson, R., 872
Hinman, A.R., 821
Hirasing, R.A., 893
Hirsch, L.J., 129
Hirtz, D.G., 61
Hjelle, B., e27
Hoffinger, S.A., e2
Hoffman, J.R., e20
Hogan, J.W., e29
Holberg, C.J., 878
Holcombe, J.H., 1175
Holl, J., 913
Holmes, A.E., 40
Holmes, L.B., e64
Holmes, N., e7
Homer, C.J., 1362
Hoots, W.K., e54
Hope, P., 597
Horn, S.D., 851
Houck, C.S., 1006
Howard, R.T., e59
Howse, J., 821
Hoyen, C., 1143
Hoyert, D.L., 1241
Huang, B., 333, e30, e31
Hudgins, L., e95
Hudziak, J.J., e14
Hughes, M.D., e72
Huie, S.M., 1094
Hulsey, T.C., e97
Humphries, S.E., e50
Hunsberger, S.L., e105
Hurley, J., 13
Hutchinson, C., 395
Hutin, Y.J.F., e78
Huttly, S.R.A., e66
Huysman, M.W.A., 468
Hymowitz, N., e8

Iacuzio, D., e24
Innis, S.M., 372
Ioannidis, J.P.A., e57
Irken, G., 329
Isaacman, D.J., 354
Isaacs, E., 703
Isasi, C.R., e50
Ives, G.C., 923

Jacobs, J., 359
Jacobs, J.R., 372
Jacobs, M.L., 61
Jacobs, R.F., 223, 230, 591
Jak, A., 818
Janisse, J., e34
Janowsky, J., 359
Järvenpää, A.-L., e12
Jean-Louis, F., e53
Jeck, N., e5
Jenkins, S., e90
Jenner, M., 1175
Jennett, P., 584
Jetton, J.R., 1269
Jewell, I.K., 297
Johnson, A., 597
Johnson, D.R., 1180
Johnson, L.H., 31
Johnson, R.M., 823
Jolivet-Landreau, I., e73
Jones, M., 354
Jong, G.W., 1089
Joseph, K.S., e35, 1055
Joyce, T.J., 1135

Kaestner, R., 1135
Kahn, J.A., 333
Kain, Z.N., 1006
Kalakanis, L.E., e44
Kalayci, A.G., e89
Kallan, M.J., e109
Kaminer, K., 354
Kanegaye, J.T., 1169
Kansu, A., e89
Kaplan, E.L., 1180
Kaplan, M., 31, 956
Kaplowitz, P.B., 347
Kappas, A., 25, 1374
Karjoo, M., 416
Kassis, I., e16
Kattwinkel, J., 522
Katz, M., 821
Kautiainen, H., e12
Kawachi, I., e31
Kazacos, K.R., e93
Kazahaya, K., e94
Kearns, G.L., 482
Keckley, C., e106
Keenan, M.E., 522
Kelly, A.M., 698
Kelly, N., 1050
Kelsey, D., e83
Kempe, A., e111
Kempley, S.T., 216
Kendig, J.W., e116
Kendrick, K., e83
Kennedy, C.R., 597
Kenney, S.R., 1304
Kenyon, T.A., 305
Kerkhof, M., 943
Keshavarz, R., e38
Kessel, I., 819
Kessler, E.P., 85
Keyes, L., e41
Keyes-Elstein, L., e42
Khalaf, M.N., 13
Khan, L.K., 712
Kiell, J., 223, 230
Kieslich, M., e21
Kieszak, S.M., 40
Kilmarx, P.H., e13
Kim, D., 1364
Kimball, A., e18
Kimberlin, D.W., 223, 230
King, W.J., 382
Kirby, R.S., 653
Kirby, W.C., 1046
Kita, H., e93
Kitson, H., 1175
Klassen, T.P., 382
Klaus, G., e5
Klein, M.J., e54
Klinnert, M.D., e69
Klitzner, T.S., 217
Kloeblen-Tarver, A.S., 526
Knodel, E., 949
Knorr, B., e48
Knutsson, N., e115
Kocoshis, S., e1
Koenigsberger, D.Y., 129
Kohli-Kumar, M., e56
Koman, L.A., 1062
Kombo, L.A., e37
Konrad, M., e5
Konrad, R., e40
Koopman, L.P., 943
Korattana, S., e13
Korgenski, E.K., e18
Korones, S.B., 934
Kotb, A., 416
Kotb, M.A., 416
Kowdley, K.V., 960
Kramer, J.M., e39
Kramer, M.S., e35, 1055
Krause, P.J., 123
Krauss, A., 1304
Kredich, D.W., e47
Krilov, L.R., e102
Krolik, E., e108
Kucuk, O., e89
Kuhlthau, K., 906
Kumar, D., 1117
Kumar, M., 223, 230
Kunkel, N., e110
Kuntz, K.M., 255, e101
Kuppermann, N., 520
Kurbegov, A.C., 402
Kuroda, M.M., 129
Kurtin, P.S., 264

Labbé, J., 271
Lacerda da Silva, N., e66
Lagergård, T., e115
Lahiri, T., e62
Lai, S.Y., e94
Laiprasert, J.A., e91
Lakeman, F.D., 223, 230
Lalwani, K., 817
Lanari, M., e114
Landini, M.P., e114
Landsverk, J., e10
Lang, J.M., 818, 1099
Lang, R., e79
Lannon, C., e41
Laptook, A.R., 1103
Laraque, D., 1391
Larroque, B., 111
Larsson, A., e68
LaRussa, P., e39
Lary, J.M., 728
Laskowski, E.R., e4
Lassus, P., 686
Lau, J., e57
Lau, Y.L., e63
Lawless, S.T., 827
Lawrence, R.A., 1239
Lazzarotto, T., e114
Leary, J., 856
Leber, S.M., e39
LeBlanc, J., 382
Leclerc, B., e73
Leddy, T., e29
Lee, G.M., 835
Leef, K., e15
Lefebvre, J.C., e47
Léger, J., 111
Lemons, J.A., 934
Leon, S., 913
Leonhardt, A., e5
LeSouef, P., e48
Leung, D.Y.M., e69
Leuthner, S.R., 653
Levaux, H.P., 317
Levine, S.R., 421
Leviton, A., 525
Leyva, M., 448
Liberati, A., 211
Liebelt, E.L., e52
Lieberman, E., 818, 1099
Lieu, T.A., 719
Lightdale, J.R., e90
Lima, M.C., e66
Limpakarnjanarat, K., e13
Limperopoulos, C., 1325
Lin, A.E., 1045
Lin, C.-Y., 223, 230
Lindsey, J.C., e72
Lind-White, C., e90
Lingappa, J., e60
Linzer, M., e40
Lippincott, E., 291
Lipshultz, S.E., 1287
Lira, P.I.C., e66
Liska, A., e26
Little, G.A., 426
Liu, S., 1055
Lloyd, J.S., 928
Lloyd-Puryear, M.A., e22
Locke, R., e15
Lombard, K.A., 1390
Lorenz, J.M., 1269
Lo Sasso, A., 913
Low, J.F.A., 1162
Lozano, P., 71
Luberti, A.A., e111

Lucas, A., 359, 703
Lucassen, P.L.B.J., 1047
Luce, B.R., e24
Luder, E., 1287
Lurie, P., e60
Lynn, H.S., e105
Lyon, J.L., 856

MacFadyen, U.M., 703
Macharoni, L.M., e47
MacKenzie, T., e111
MacMahon, J.R., 31
MacSween, J., 1080
Madagame, E., 575
Madan, A., e95
Mafilios, M.S., e102
Magera, M.J., e19
Magill, M.K., 856
Mahboubi, S., e94
Mahle, W.T., 61
Mainzer, H.M., 297
Maisels, M.J., 31, e116
Maisi, P., 686
Majnemer, A., 1325
Makhoul, I.R., e16
Makrides, M., 465
Malik, T., e98
Mallmann, R., e5
Malloy, M., 522
Maloney, S., 608
Malviya, S., 824
Mancuso, T.J., 1006
Manganello, J.A., 283
Mangano, M.F., 522
Mann, M., e22
Mann, N.C., 631
Manopaiboon, C., e13
Maples, P.G., e116
Marcoux, S., 1055
Marcus, C., e68
Marcuse, E., 1389
Marcuse, E.K., 79
Marcy, S.M., 239, 248, e24, e112
Marg, W., e5
Margeson, D., 359
Margolis, H.S., 1123
Margolis, P.A., e41, e42
Maria, Z., 818
Marino, B., 217, 1384
Marino, R.V., 1236
Markestad, T., 624
Markson, L., 432
Marques, N.M., e66
Mars, A., 1155
Marshall, J.R., 1374
Martier, S., e34
Martin, H., e61
Martin, R.J., 1304
Martinez, F.D., 878
Martinez-Mir, I., 819
Mason, J.D., 354
Mason, W., 239, 248
Mast, E.E., 1123
Mastrantonio, P., e81
Mastro, T.D., e13
Mata, M.B., 1009
Matis, J., e26
Matthews, S., e33
Mattison, D.R., 1048
Maxwell, L.G., 824, 1006
Mayer, J.R., 519
Mayoral, C.E., 1236
McAlary, M., e36
McBurnett, K., 883
McCarthy, T.A., e59
McCool, F.D., e91
McCullough, J., 181
McDonald-McGinn, D., e104
McElhinney, D.B., e104
McFee, R.B., 1388
McGaurn, S.A., 61
McGoon, M.D., 698
McGowan, K.K., e23
McGowan, K.L., 520
McGraw, T., 817
McGuirk, C.K., e64
McKinney, R.E., Jr, e3
McMillan, C.O., 769
McPhee, S.J., 1051
McWaters, D.S., 1237
Medina, L.S., 255, e101
Medsger, A.R., 297
Meek, J.I., 1094
Meiron, L., 818
Meissner, H.C., 1000, 1392
Mell, L., 71
Melville, C., 216
Melzer, S.M., 79
Mena, P., 359
Mendelman, P.M., e24
Menon, V.P., 1280
Merchant, J.R., 647
Merchant, R.C., e38
Merewood, A., 677
Merkus, P.J.F.M., 468
Metlay, J.P., 1
Metzl, J.D., 421
Meyer, M.P., 395
Meyers, A., 821
Meza, R., e87
Michele, T.M., e48
Michelson, D., e83
Mieczkowski, T.A., 297
Milgrom, H., e36
Millepied, M.C., e86
Miller, A., 617
Miller, K.S., e28
Miller, L.C., 1050
Miller, L.W., 677
Miller, M.D., 8
Miller, M.J., 1304
Miller, T.L., 1287
Miller, W.C., e3, e103
Miller, Z., 1, 216
Millsaps, M., 181
Mimouni, A., 215
Minton, S.D., 617
Miroshnik, I., 1
Mizejewski, G.J., 1370
Mock, P.A., e13
Modlin, J., 220
Moeller-Hartmann, W., e21
Moertel, C.L., e93
Mogielnicki, N.P., 820
Molloy, P.T., 1062
Molteni, R.A., 79
Monroe, A.D., 18
Monsen, A.-L.B., 624
Montalto, M.B., 372
Montenegro-James, S., 448
Moore, J.J., 1117
Moore, M., 525
Moran, C., 1263
Morley, C.J., 1383
Morley, R., 703
Morrow, C.E., 1309
Morse, C.G., e97
Morse, D.L., 54
Morse, K., 584
Morse, M., e3
Mortimer, E.A., Jr, 1239
Morton, S.C., 239, 248
Moses, S., 211
Mostafa, H., 416
Mottice, S., e18
Mower, W.R., e20
Moye, J., e72
Mrazek, D.A., e69
Mullett, C.J., e75
Mullooly, J.P., e112
Mulvey, H.J., 1388
Munson, D.P., 1374
Murguía de Sierra, T., 223, 230
Murphy, J.D., 61
Murphy, R., 493
Murphy-Smith, M.M., 677
Murray, D.L., 1392
Murray, K.F., 960
Murray, T., 1367

Nadler, E.P., 326
Nakamura, H., 31
National Institute of Allergy Infectious Diseases Collaborative Antiviral Study Group, 223, 230
National Institutes of Health Consensus Development Panel, 972
Nayak, A., e36
Needlman, R., 823
Neijens, H.J., 943
Nelms, R., 1297
Nelson, E.C., e14
Nelson, H.S., e69
Nelson, K., e40
Nelson, M., 264
Nerenberg, L.T., 1233
Nesin, M., 359
Neuringer, M., 359
Newhouse, M.T., 389
Newman, L.A., e106
Newman, T.B., 522
Ng, K., 1297
Ng, M., 827
Nguyen, D.M., e2
Nguyen, H.H., e48
Nguyen, T.T.H., 432
Nicholson, S., 1045
Nicolson, S.C., 61
Nieman, F.H.M., 1383
Niskar, A.S., 40
Noordam, K., 1320
Nordenskjöld, A., e70
Nordenström, A., e68
Nordli, D.R., Jr, 129
Nordstrom-Klee, B., e34
Norman, M., e61
Norwood, W.I., 61
Nupponen, I., e12

Oakley, G.P., Jr, 1048
Obel, C., 342
Oberhelman, R., 448
O'Brien, K.L., 1094
O'Callaghan, M.J., 142
O'Connor, D., e15
O'Connor, D.L., 359
Odouli, R., 719
Ofir, A.Y., 1309
Ogden, B., 617
Oh, W., 31
Ohls, R.K., 934
Ohlsson, A., 1055
Okoro, C.A., e112
Olander, B., e61
Oleske, J.M., e72
Olson, C.M., 44
Olson, D.M., 163
Omar, S.A., 1238
Onorato, I.M., 305
Orav, E.J., 1287
Ören, H., 329
O'Riordan, M.A., e92
Osborn, M.J., 698
Osganian, S., 845
Otten, B.J., 1320
Overpeck, M.D., 85
Overturf, G.D., e27, 1392
Owens, J.A., e51
Özkan, H., 329

Pakiz, B., 305
Palmer, C.S., e24
Palop, V., 819
Paluch, R.A., e44
Palumbo, D., 883
Pammer, W., 584
Pandit, P.B., 682
Paneth, N., 525, 1269
Pangano, M., 525
Papa, I., e114
Papadimitriou, A., e65
Parad, R., 525
Pardou, A., 1238
Parenti, D., 123
Parker, A.P.J., 221
Parkinson, G.W., e43
Parsonnet, J., e87
Pasel, K., e5
Pass, K.A., 1370
Passaro, D.J., e87
Pauchard, J.-Y., e26
Paulozzi, L.J., 728
Pavia, A.T., e18
Paysse, E.A., e74
Payton, M.J., 395
Pedan, A., 1
Pedlow, S.E., 347
Peiris, M., e63
Pelcer, M., 1238
Pelham, W., 883
Pellissier, J.M., 317
Perham-Hester, K.A., 923
Perlman, J.M., 1339
Perlman, K., 1175
Perrin, J.M., 283, 906
Perry, K.A., 103
Persson, S., e70
Perucci, C.A., 1149
Perzanowski, M., e97
Petersen, M.C., e106
Pham, B., 382
Philipp, B.L., 677
Picchio, F.M., e114
Pickering, L., e98
Pickering, L.K., e37, 1392
Pierucci, R.L., 653
Pillas, D.J., 898
Pirzadeh, R., 965
Pistelli, R., 1149
Pitetti, R.D., 866
Platt, M.W., 1239
Platt, R., 1
Platt, R.W., e35
Platts-Mills, T., e97
Pless, I.B., 382
Poehling, K.A., e99, 1004
Pohlandt, U.T.F., 212
Polaner, D.M., 1006
Polkey, C.E., 221
Pollack, R.J., 1393
Pollak, A., 1390
Pollard, R., e98
Pollard, S., e36
Pomeranz, A., e113
Pomeroy, S.L., 255
Pons, G., e73
Ponsford, J., 1297
Pope, D.W., Jr, 693

Porter, C.-b.J., 8, 698
Porter, S., 647
Posselt, H.G., e21
Powell, D.A., 223, 230
Pressman, B.D., e20
Price, M.R., e69
Prober, C.G., 1392
Pulliam, P.N., 1275
Pyon, K.H., 682
Pyzik, P.L., 898

Qiu, W., 372
Quan, L., e110
Quattlebaum, T.G., 1263

Rabinowitz, S., 671
Rabow, M.W., 1051
Racine, A.D., 1135
Radford, A., 766, 1045
Rajakumar, K., e76
Ramos, M.M., e27
Rang, M., 1062
Rascher, W., e96
Rathaus, V., e113
Rathore, M., 223, 230
Rauch, F., e107
Raupp, P., 217
Raymund, M., 297
Razvi, S., 493
Reading, J., 856
Reed, K.D., 575
Reef, S.E., 1389
Refsum, H., 624
Rehan, V.K., e91
Reijneveld, S.A., 893
Reilly, J.J., 218
Reinalter, S.C., e5
Reiss, A.L., e88
Reiss, T.F., e48
Rendo, P., 217
Rennels, M., 220
Rennels, M.B., 1392
Repo, H., e12
Resto, M., e15
Reunanen, K., 686
Reyes, A., II, 1046
Rhein, F., e22
Rice, L.J., 1006
Rich, M., 179
Rich, W., 949
Richardson, D.K., 818, 928
Rieger-Wettengl, G., e107
Rifas-Shiman, S.L., 1
Riggert, D., 1389
Rimensberger, P., 212
Rimsza, L.M., 181
Rinaldo, P., e19
Ringer, S.A., 1099
Rivara, F.P., 79
Robbins, J.B., e115
Robertson, R.L., 1211
Robinson, D.P., 1391
Robinson, R.O., 221
Robitaille, Y., 382
Rockoff, M.A., 1006
Rodewald, L., e98
Rodgers, G.C., Jr, e100
Roemmich, J.N., e44
Roger, G., e86
Rogers, H., 584
Rogers, I.S., e49
Rohane, P., e36
Rohlicek, C., 1325
Rolinski, B., 1187
Rolland-Cachera, M.F., 218
Romano, M.J., 471
Romeo, B., e26
Root, L., 1062
Rosefsky, J.B., 1236
Rosenbaum, P., 152
Rosenberg, R.B., e27
Rosenblatt, B., 1325
Rosenfeld, S., 1062
Rosenfeld, W., 1236
Rosenstein, N.E., e60
Rothbaum, B., e85
Rothermel, H., 477
Rothwell, A., 1297
Rotschild, A., 819
Roudot-Thoraval, F., e86
Rowlands, L.A., 591
Rubin, C., 40
Rubin, D.M., 769
Rubin, L.P., e91
Ruchelli, E., e94
Ruder, R.O., e32
Ruiz-Peláez, J.G., 1072
Russman, B., 1062
Rutledge, S.L., 495

Saarem, K., e82
Saari, T.N., 1392
Sack, J., e108
Saigal, S., 152, 407
Saiman, L., 608
Salazar, G.E., 448
Salhadar, A., 1238
Sallee, F.R., e83
Salmaso, S., e81
Salmon, A., 395
Salsbury, B., e59
Salvator, A., 1143
Salvioli, G.P., e114
Samore, M.H., 856
Sande, M.A., 856
Sanford, A.P., 1162
San Gabriel, P., 608
Sanocka, U., 525
Santanello, N., e48
Sargent, J.D., 1256
Sasidharan, P., 1012
Saugstad, O.D., e82, 1203
Savarese, A., 1006
Sazawal, S., 1280
Scarfone, R.J., 1332
Schanberg, L.E., e47
Schauseil-Zipf, U., e107
Schellmoser, S., e96
Schimmel, K.J.M., 1089
Schirm, E., e25
Schlager, T.A., e71
Schmink, S., e60
Schmitt, H.J., e79
Schmitz, T.L., 448
Schneerson, R., e115
Schoen, E.J., 211
Schoenau, E., e107
Schonfeld, W.H., 317
Schuchat, A., 1094
Schulte, J., 608
Schulte, J.M., 305
Schwab, J., e8
Schwartz, B., 575
Schwartz, S., e92
Schwartzman, J.D., 820
Schwarz, D.F., 103
Schwarz, S.M., 671
Seage, G.R., III, e72
Seashore, M.R., e19
Seid, M., 264
Seidel, W.T., 129
Seidman, D., 820
Seidman, D.S., 31
Seikaly, M.G., e6
Sekhar, R.V., e54
Semama, D.S., e26
Servais, L., 1238
Serwint, J.R., e52
Severina, E., 856
Seyberth, H.W., e5
Shah, M.N., e20
Shah, S.S., e94
Shalak, L., 1103
Shalowitz, M., 913
Shankaran, S., 934
Shannon, M., e77
Shapiro, A.D., e105
Shapiro, C.N., e78
Sharek, P.J., 1234
Shaw, K.N., 103, 520, e23
Shea, S., e50
Shearer, W.T., 1287
Sheba, M.F., 416
Sheehan, M.G., 163
Sheen, P., 448
Shekelle, P., 239, 248
Shelton, M., 223, 230
Shenai, J.P., 212
Sheriff, S.K., 317
Sherman, H.B., e111
Shevell, M.I., 1325
Shinefield, H.R., e112
Shlasko, E., 493
Shohat, M., 215
Shoshana, C., 818
Shugerman, R., e40, e110, 636
Siegel, B., e90
Siegel, R.M., 98
Sikand, V.K., 123
Silver, E.J., 277
Simon, H., e20
Simon, J., 1392
Simon, P., e29
Simons-Morton, B.G., 661
Simpson, P.M., 591
Singer, L., 359
Singer, L.T., 372
Singhal, A., 703
Sionean, C., e85
Skinner, E.A., 432
Slap, G.B., 333, e30
Sleasman, J.W., 223, 230
Slora, E.J., 347
Small, E., 421
Smit, H.A., 943
Smith, B.P., 1062
Smith, G.S., 85
Smith, K., 845
Smith, L., e82
Smith, P.F., 54
Smith, R.D., 1045
Smout, R., 851
Sokol, R.J., e34
Solheim, E., 624
Soliemanzadeh, P., 1169
Solvoll, K., e82
Søndergaard, C., 342
Sondheimer, J.M., 402
Sood, B., e34
Sood, S.K., 123
Soong, S.-J., 223, 230
Sorsa, T., 686
Soul, J.S., 1211
Soumerai, S.B., 1
Southall, D.P., 766, 1045
Spear, M., e15
Spencer, L.S., e18
Spencer, M., 1175
Spencer, T., e83
Speroff, T., e99
Spies, M., 1162
Spiller, H.A., e100
Spivak, H., 1391
Spray, T.L., 61
Srinivasan, S.R., 712
Stabrey, A., e107
Stage III Working Group, e81
Starc, T., e50
Stark, A.R., 934
Steele, B.W., 1309
Steere, A.C., 477
Stefanelli, P., e81
Steffen, M., 617
Stehbens, J.A., e105
Stein, R.E.K., 277
Steinberg, S., e39
Steiner, J.F., e46
Steinmann, B., 495
Stephenson, T., 359, 703
Stern, D.A., 878
Steven, J.M., 61
Stevens, R., e42
Stevenson, D.K., 31
Stevens-Simon, C., 1045
Stoddard, R.A., 617
Stoll, B.J., 934
Stone, M.B., 856
Stoskopf, B., 152
Stoskopf, B.L., 407
Strathearn, L., 142
Strauss, A.W., e19
Streiner, D.L., 152, 407
Strobino, D.M., 1241
Stuart, J., e41, e42
Stukel, T.A., 426
Sujov, P., e16
Sullivan, B.J., 575
Sun, J.W., 949
Supawitkul, S., e13
Super, D.M., 1117
Susser, M., 525
Suttie, J.W., 1117
Swanson, J., 883
Szabo, J., 359

Taha, S.H., e52
Tait, A.R., 824
Takata, G.S., 239, 248
Talmud, P.J., e50
Tamalet, A., e86
Taminiau, J.A.J.M., e9
Taranger, J., e115
Tariq, S.M., e33
Taussig, H.N., e10
Taussig, L.M., 878
Taylor, A., e88
Taylor, D.N., e87
Tchervenkov, C., 1325
Templin, T., e34
Tenenbein, M., 382
Tervahartiala, T., 686
Thompson, M.J., 448
Thompson, W., 163
Thornton, S.A.W.P.S., 1233
Tibboel, D., 1089
Tidwell, M., 1009
Ting, A., 1287
Tobi, H., e25
Todd, R.D., e14
Toltzis, H., 1143
Toltzis, P., 1143
Tomasz, A., 856
Tompkins, C., 526
Tonetta, S., e105
Tonnelier, S., e73
Tonniges, T.F., e22
Tozzi, A.E., e81
Tran, T., 928
Tréluyer, J.M., e73
Trent, R., e45
Triant, R., 845
Trollfors, B., e115

Trotter, T., 1384
Truffert, P., e26
Trumble, A.C., 85
Tsai, W.C., e39
Tse, C.Y.C., e63
Turkel, C., 1062
Tutlewski, B., e107
Tyson, J.E., 1269
Tzika, A.A., 1211

Uauy, R., 1366
Ueland, P.M., 624
Ulrich, B.D., e84
Ulrich, D.A., e84
Uziel, Y., e113

Vaccine Safety Datalink Team, e112
Vadheim, C.M., e112
Vain, N., 217
Valaes, T., 25, 175
Valente, S., 1149
Valentine, M., e3
Valera, C., 448
Valley, R., 1006
Van Baarle, M., 1320
van den Anker, J.N., 1089
Van der Kamp, H.J., 1320
van der Plas, R.N., e9
van Ginkel, R., e9
van Griensven, F., e13
Van Hoecke, C., 123
Van Howe, W.L.M.R.R.S., 522
Van Marter, L.J., 525
Van Sickle, D., e11
van Strien, R.T., 943
Vargas, J.H., 1287
Varni, J.W., 264
Vasarhelyi, S.M.B., 1390
Vassilopoulou-Sellin, R., e54
Velicer, W.F., 18
Veligeti, H., 354
Venczel, L.V., e78
Venturi, V., e114
Verkerk, P.H., 1320
Vermeulen, J.H., e48
Vermeylen, D., 1238
Vermont Oxford Network Steroid Study Group, 741
Vertz, P.D., e78
Viccellio, P., e20
Vitiello, B., 983
Vivier, P.M., e29
Voepel-Lewis, T., 824
Vollmer, M., e5
Vollset, S.E., 624
Volpe, J.J., 1050, 1211
von Kries, R., e79
Vreman, H.J., 31
Vulto, A.G., 1089

Waisman, D., 819
Walcott, J.M., 1062
Wald, E.R., 866
Wallach, M., e91
Walsh, M., 1143
Walton-Haynes, L., e45
Waltz, D.A., e62
Wang, M., 693
Wang, R.Y., e32
Ward, J.I., e112
Warda, R., 416
Warman, K.L., 277
Wasserman, R.C., 347
Waterworth, D.M., e50
Watterson, J., e93
Wedell, A., e68
Weese-Mayer, D.E., 519
Weichbold, V., 1111
Weigl, J., e79
Weiner, L.B., 223, 230, 1392
Weinstein, M., e55
Weintraub, D.L., e2
Weintraub, Z., 819
Weiss, J., 291
Weller, S., 230
Welzl-Mueller, K., 1111
Wen, S.W., e35, 1055
Wernicke, J., e83
Wernovsky, G., 61
Westgate, M.-N., e64
Wheeler, J.G., 591
Whitaker, D.J., e28
White, J., 1385
White, P.C., 735
Whitley, R.J., 223, 230, 1392
Wickizer, T., 71
Widness, J.A., 1390
Wijga, A., 943
Wilens, T., 883
Wilker, R.E., 928
Williams, A., 1045
Williams, E.A., e74
Williams, G.C., e74
Williams, R., e40, 1392
Willinger, M., 522
Willmott, C., 1297
Willson, D.F., 851
Wilson, M., 823
Wingood, G.M., e85
Winn, D., e45
Winner, P., 817
Winston, F.K., e109
Wisbeck, J., e88
Wisborg, K., 342
Wisseh, S., e42
Wiswell, T.E., 211, 522
Wittenberg, E., 438
Wojczynski, M., 1123
Wolach, B., e113
Wolf, S.E., 1162
Wolff, M.C., e24
Wolraich, M.L., 883
Wong, C., 719
Wong, R.J., 31
Wood, B.M., 584
Wood, D.O., 142
Wood, J., e19
Wood, K., 617
Woolf, A., e77
Woolliever, D.E., 1238
Working Group on TB in Peru, 448
Worwa, C., 647
Wright, A.L., 878, e11
Wright, L.L., 934
Wu, A.W., 432
Wysoker, A., 821

Xue, L., 1309

Yalcinkaya, F., 215
Yan, L., e24
Yang, R.J., 519
Yaramis, A., 1383
Yeargin-Allsopp, M., 1155
Yeung, C.Y., 31
Yeung, G., 613
Young, B.W.Y., 31
Young, N.L., e13
Young, P.C., 999
Yueng-Yue, K.A., 485
Yun, J., e84
Yusuf, H., e98

Zackai, E.H., e104
Zadell, A., 1304
Zakocs, R., 872
Zalani, S., 1175
Zanella, F., e21
Zangwill, K.M., e24
Zaparackas, Z., 519
Zehavi, T., e113
Zell, E.R., 305
Zemon, V., 359
Zepf, K., e96
Zerr, D.M., 1389
Zetts, L., 1143
Zhang, W., 1287
Zhou, J., 608
Ziebold, C., e79
Zietz, H., e54
Zimand, E., e85
Zimmerman, L., 1389
Zimmerman, R.K., 297
Zito, J.M., e25
Zivkovic, M., 264
Zlotkin, S., 613, e55
Zorc, J.J., 1332
Zwass, M., 1006

SUBJECT INDEX

Abdominal pain, adult outcomes of pediatric recurrent abdominal pain, e1, 167
Access to health care, effects of Medicaid managed care on health care use: infant emergency department and ambulatory services, 103
Accidents. *See* Injuries
Acetaminophen
  antipyretic efficacy of initial 30 mg/kg loading dose of acetaminophen versus 15 mg/kg maintenance dose, e73, 997
  toxicity in children (committee statement), 1020
Acetazolamide, randomized, controlled trial of acetazolamide and furosemide in posthemorrhagic ventricular dilation in infancy: follow-up at 1 year, 597
Acne, minocycline and pseudotumor cerebri (letter), 519
Activated charcoal, evaluation of administration in the home, e100, 1355
Acyclovir
  natural history of neonatal herpes simplex virus infections in acyclovir era, 223
  safety and efficacy of high-dose intravenous acyclovir in management of neonatal herpes simplex virus infection, 230
Acyl-dehydrogenase deficiency, very long chain, diagnosis from infant's newborn screening card, e19, 173
Adolescents
  adoption as risk factor for attempted suicide during adolescence, e30, 458
  age of drinking onset and involvement in physical fights after drinking, 872
  alcohol use and abuse (committee statement), 185
  assessment and management of acute pain in infants, children and adolescents (committee statement), 793
  association of foster care or kinship care with adolescent sexual behavior and first pregnancy, e46, 753
  atomoxetine in treatment of children and adolescents with attention-deficit/hyperactivity disorder, e83, 1197
  children who return home from foster care: 6-year prospective study of behavioral health outcomes in adolescence, e10, 170
  creatine use among young athletes, 421
  does parental disapproval of smoking prevent adolescents from becoming established smokers?, 1256
  earlier onset of puberty in girls: relation to increased body mass index and race, 347
  economic evaluation of 2-dose hepatitis B vaccination regimen for, 317
  estimated prevalence of noise-induced hearing threshold shifts among children 6 to 19 years of age: Third NHANES, 1988–1994, United States, 40
  how much activity do youth get? quantitative review of heart-rate measured activity, e44, 752
  human immunodeficiency virus postexposure prophylaxis for adolescents and children, e38, 463
  infection with Sin Nombre hantavirus: clinical presentation and outcome in children and adolescents, e27, 457
  intention to return for Papanicolaou smears in adolescent girls and young women, 333
  migraine treatment (letter), 817
  perceptions of social status: development and evaluation of a new indicator, e31, 459
  physical growth and current health status of infants who were of extremely low birth weight and controls at adolescence, 407
  predictors of mother–adolescent discussions about condoms, e28, 458
  prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infection in pediatric private practice, e103, 1356
  prevention of hepatitis B in (letter), 1392
  prospective study of psychological distress and sexual risk behavior among black adolescent females, e85, 1197
  rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection, e13, 171
  rates of pediatric and adolescent injuries by year of age, e45, 752
  safety and immunogenicity of recombinant *Borrelia burgdorferi* outer surface protein A vaccine against Lyme disease in healthy children and adolescents: randomized controlled trial, 123
  school difficulties in 20-year-olds who were born small for gestational age at term in regional cohort study, 111
  sex differences in secular changes in pubertal maturation, e65, 994
  sexuality education for children and (committee statement), 498
  snoring in 9- to 15-year-old children, 1149
Adoption
  immunization status of internationally adopted children (letter), 1050
  prevalence of infectious diseases among internationally adopted children, 608
  as risk factor for attempted suicide during adolescence, e30, 458
Adrenal hyperplasia, congenital
  neonatal screening for, e68, 994
  newborn screening in the Netherlands, 1320
Adverse drug effects
  acetaminophen toxicity in children (committee statement), 1020
  amoxycillin-clavulanic acid–related tooth discoloration in children (letter), 819
  analysis of musculoskeletal system in children and adolescents receiving anticonvulsant monotherapy with valproic acid or carbamazepine, e107, 1358
  bladder retention of urine as result of continuous intravenous infusion of fentanyl, 1012
  drug-induced antiepileptic hypersensitivity syndrome in pediatric patients, 485
  minocycline and pseudotumor cerebri (letter), 519
  1000-fold overdose of clonidine caused by compounding error in 5-year-old child with attention-deficit/hyperactivity disorder, 471
  toxicity of over-the-counter cough and cold medications, e52, 756
  transfer of drugs and other chemicals into human milk (committee statement), 776 (erratum, 1029)
Adverse vaccine reactions
  balancing risks and benefits: *primum non nocere* is too simplistic (commentary), 466
  disseminated vaccine strain varicella as acquired immunodeficiency syndrome-defining illness in previously undiagnosed child, e39, 464
  intussusception, infection, and immunization: summary of workshop on rotavirus, e37, 463
  no evidence for new variant of measles-mumps-rubella–induced autism, e58, 991
Aerosol therapy with valved holding chambers in young children: importance of facemask seal, 389
β-Agonists for asthma, best articles, 557

Agricultural injuries, prevention among children and adolescents (committee statement), 1016
Air bags, predictors of hazardous child seating behavior in fatal motor vehicle crashes: 1990 to 1998, 438
Aircraft, restraint use on (committee statement), 1218
Alcohol use
  and abuse (committee statement), 185
  age of drinking onset and involvement in physical fights after drinking, 872
  prenatal alcohol exposure and childhood behavior at age 6 to 7 years: dose-response effect, e34, 461
All-terrain vehicle injuries, population-based assessment of, 631
Allergy
  best articles, 531
  relation between infantile colic and asthma/atopy, 878
  respiratory infections in infants: interaction of parental allergy, child care, and siblings—The PIAMA Study, 943
  sensitization to common allergens and its association with allergic disorders at age 4 years: whole population birth cohort study, e33, 460
Allopurinol, neurocardiac protection trial in infants undergoing heart surgery using deep hypothermic circulatory arrest, 61
Alpha-fetoprotein, fatty acids, and cystic fibrosis, 1370
Altitude, pulmonary edema in 6 children with Down syndrome during travel to moderate altitudes, 443
Amblyopia, detection of red reflex asymmetry by pediatric residents using Brückner reflex versus MTI photoscreener, e74, 997
American Academy of Pediatrics (AAP)
  AAP and gun control (letter and reply), 1391
  Committee on Child Abuse and Neglect
    Addendum: distinguishing sudden infant death syndrome from child abuse fatalities, 812
    Shaken baby syndrome: rotational cranial injuries—Technical Report, 206
  Committee on Child Abuse and Neglect and Committee on Children with Disabilities: Assessment of maltreatment of children with disabilities, 508
  Committee on Child Health Financing and Committee on Substance Abuse: Improving substance abuse prevention, assessment, and treatment financing for children and adolescents, 1025
  Committee on Children with Disabilities: Developmental surveillance and screening of infants and young children, 192
  Committee on Drugs
    Acetaminophen toxicity in children, 1020
    Transfer of drugs and other chemicals into human milk, 776 (erratum, 1029)
  Committee on Injury and Poison Prevention
    Bicycle helmets, 1030
    Fireworks-related injuries to children, 190
    Injuries associated with infant walkers, 790
    Restraint use on aircraft, 1218
    School bus transportation of children with special health care needs, 516
  Committee on Injury and Poison Prevention and Committee on Community Health Services: Prevention of agricultural injuries among children and adolescents, 1016
  Committee on Pediatric Research and Committee on Bioethics: Human embryo research, 813 (erratum, 1221)
  Committee on Pediatric Workforce: Nondiscrimination in pediatric health care, 1215
  Committee on Psychosocial Aspects of Child and Family Health: The new morbidity revisited: A renewed commitment to the psychosocial aspects of pediatric care, 1227
  Committee on Psychosocial Aspects of Child and Family Health and American Pain Society Task Force on Pain in Infants, Children, and Adolescents: The assessment and management of acute pain in infants, children and adolescents, 793
  Committee on Psychosocial Aspects of Child and Family Health and Committee on Adolescence: Sexuality education for children and adolescents, 498
  Committee on Public Education: Media violence, 1222
  Committee on School Health: The role of the school nurse in providing school health services, 1231
  Committee on Sports Medicine and Fitness: Technical Report: Knee brace use in young athlete, 503
  Committee on Substance Abuse: Alcohol use and abuse: a pediatric concern, 185
  Provisional Section on Breastfeeding: WIC Program, 1216
  screening for anemia: AAP recommendations—a critique, e56, 757
  Section on Allergy and Immunology: Best articles, 531
  Section on Ophthalmology, American Association for Pediatric Ophthalmology and Strabismus, and American Academy of Ophthalmology: Screening examination of premature infants for retinopathy of prematurity, 809
  Subcommittee on Attention-Deficit/Hyperactivity Disorder, Committee on Quality Improvement: Clinical practice guideline: treatment of the school-aged child with attention-deficit/hyperactivity disorder, 1033
  Subcommittee on Management of Sinusitis and Committee on Quality Improvement: Clinical practice guideline: management of sinusitis, 798
  Task Force on Medical Informatics: Special requirements for electronic medical record systems in pediatrics, 513
  Task Force on Medical Management Guidelines: Guiding principles, attributes, and process to review medical management guidelines, 1378
  Technical Report
    Evidence for diagnosis and treatment of acute uncomplicated sinusitis in children, e57, 757
    Knee brace use in young athlete, 503
    Mercury in the environment: implications for pediatricians, 197
    Shaken baby syndrome: rotational cranial injuries, 206
Amoxycillin-clavulanic acid–related tooth discoloration in children (letter), 819
Amyloidosis, E148Q of MEFV gene causes amyloidosis in familial Mediterranean fever patients (letter and reply), 215
Anaerobic bacteria, recovery from four children with postthoracotomy sternal wound infection, e17, 172
Analgesia. *See also* Sedation
  assessment and management of acute pain in infants, children and adolescents (committee statement), 793
  gabapentin for treatment of pain in neonate, 482
  maternal epidural use and neonatal sepsis evaluation in afebrile mothers, 1099
  sedation and (letter and reply), 824
Anaphylaxis. *See also* Allergy
  best articles, 536
Anemia. *See also* Iron status
  randomized, controlled trial of single vs. 3-times-daily ferrous sulfate drops for treatment of anemia, 613
  screening for: AAP recommendations—a critique, e56, 757
  screening for iron deficiency by dietary history in high-risk population (letter and reply), 823
Annual summary of vital statistics: 2000, 1241
Anorectal manometry, effect on outcome of treatment in severe childhood constipation: randomized controlled trial, e9, 169
Anti-immunoglobulin E antibody, for treatment of childhood asthma, e36, 462
Antibiotics. *See* Antimicrobial therapy
Anticonvulsants
  analysis of musculoskeletal system in children and adolescents receiving anticonvulsant monotherapy with valproic acid or carbamazepine, e107, 1358
  drug-induced hypersensitivity syndrome in pediatric patients, 485

treatment of pain with gabapentin in neonate, 482
Antifungal therapy, treatment of invasive *Candida* infection in neonates with congenital cutaneous candidiasis (letter and reply), 216
Antiinflammatory therapy, asthma symptoms, morbidity, and antiinflammatory use in inner-city children, 277
Antimicrobial resistance
community intervention trial to promote judicious antibiotic use and reduce penicillin-resistant *Streptococcus pneumoniae* carriage in children, 575
high rates of multiple antibiotic resistance in *Streptococcus pneumoniae* from healthy children living in isolated rural communities, 856
molecular epidemiology of antibiotic-resistance Gram-negative bacilli in a neonatal intensive care unit during a nonoutbreak period, 1143
unexplained reduced microbiological efficacy of intramuscular benzathine penicillin G and of oral penicillin V in eradication of group A streptococci from children with acute pharyngitis, 1180
Antimicrobial therapy
amoxycillin-clavulanic acid–related tooth discoloration in children (letter), 819
antibiotics and sinusitis (letter and reply), 1387
clinical practice guideline: management of sinusitis (committee statement), 798
development and impact of a computerized pediatric antiinfective decision support program, e75, 997
impact of waiting room videotape message on parent attitudes toward pediatric antibiotic use, 591
improving parent knowledge about antibiotics: video intervention, 845
lumbar puncture in pediatric bacterial meningitis: defining the time interval for recovery of cerebrospinal fluid pathogens after parenteral antibiotic pretreatment, 1169
management of tick bites and early Lyme disease: survey of Connecticut physicians, 1367
minocycline and pseudotumor cerebri (letter), 519
reducing antibiotic use in children: randomized trial in 12 practices, 1
role of antibiotics in treatment of uncomplicated acute otitis media, 239
Antipyretics. *See also* Fever
acetaminophen toxicity in children (committee statement), 1020
alternating antipyretics (letter and reply), 1236
efficacy of initial 30 mg/kg loading dose of acetaminophen versus 15 mg/kg maintenance dose, e73, 997
Antiretroviral therapy. *See also* Human immunodeficiency virus infection
fluctuations in symptoms in human immunodeficiency virus-infected children: first 10 years of life, 116
human immunodeficiency virus postexposure prophylaxis for adolescents and children, e38, 463
impact of protease inhibitor-containing combination antiretroviral therapies on height and weight growth in HIV-infected children, e72, 996
Antiviral therapy
natural history of neonatal herpes simplex virus infections in acyclovir era, 223
safety and efficacy of high-dose intravenous acyclovir in management of neonatal herpes simplex virus infection, 230
Apnea
cardiorespiratory events in preterm infants referred for apnea monitoring studies, 1304
inter-neonatal intensive care unit variation in discharge timing: influence of apnea and feeding management, 928
objective sleepiness measures in pediatric obstructive sleep apnea, 693
respiratory instability of term and near-term healthy newborn infants in car safety seats, 647
Arachidonic acid
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
Assays. *See* Laboratory testing
Asthma
asthma hospitalization trends in Charleston, South Carolina, 1956 to 1997: twenty-fold increase among black children during a 30-year period, e97, 1353
best articles, 544
comparison of quality of care by specialist and generalist physicians as usual source of asthma care for children, 432
day care and (letter), 1237
effect of inhaled corticosteroids on growth (letter and reply), 1234
montelukast for treatment of persistent asthma in children aged 2 to 5 years, e48, 754
Navajo perceptions of asthma and asthma medications, e11, 170
onset and persistence of childhood asthma: predictors from infancy, e69, 995
patient self-management of acute asthma: adherence to national guidelines a decade later, 1332
relation between infantile colic and asthma/atopy, 878
sensitization to common allergens and its association with allergic disorders at age 4 years: whole population birth cohort study, e33, 460
symptoms, morbidity, and antiinflammatory use in inner-city children, 277
treatment with anti-immunoglobulin E antibody (omalizumab), e36, 462
Atelectasis, rescue use of DNase in critical lung atelectasis and mucus retention in premature neonates, 468
Athletes, young
creatine use among, 421
knee brace use in (technical report), 503
Atomoxetine, in treatment of children and adolescents with attention-deficit/hyperactivity disorder, e83, 1197
Atopy. *See also* Allergy
atopic dermatitis, best articles, 539
sensitization to common allergens and its association with allergic disorders at age 4 years: whole population birth cohort study, e33, 460
Atrioventricular canal, age at operation for children with (letter and reply), 217
Attention-deficit/hyperactivity disorder
atomoxetine in treatment of children and adolescents with, e83, 1197
clinical practice guideline: treatment of the school-aged child with (committee statement), 1033
1000-fold overdose of clonidine caused by compounding error in 5-year-old child with, 471
randomized, controlled trial of OROS methylphenidate once a day in children with, 883
utilization and cost of health care services for children with, 71
Audiometry, estimated prevalence of noise-induced hearing threshold shifts among children 6 to 19 years of age: Third NHANES, 1988–1994, United States, 40
Autism
effects of intravenous secretin on language and behavior of children with autism and gastrointestinal symptoms, e90, 1199
influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with fragile X syndrome, e88, 1198
no evidence for new variant of measles-mumps-rubella–induced autism, e58, 991
prevalence in a United States population: the Brick Township, New Jersey, investigation, 1155
Autoimmune neutropenia, congenital, in two premature neonates, 181

Baby-Friendly Hospital Initiative
improves breastfeeding initiation rates in a US hospital setting, 677
successful application contains lessons that must be applied to control of formula feeding in hospitals in industrialized countries (commentary), 766
Bacillus Calmette-Guérin, risk factors for positive Mantoux tuberculin skin tests in children in San Diego, California: evidence for boosting and possible foodborne transmission, 305
Bacteremia. *See also* Sepsis
C-reactive protein in febrile children 1 to 36 months of age with clinically undetectable serious bacterial infection, 1275
enhanced urinalysis improves identification of febrile infants ages 60 days and younger at low risk for serious bacterial illness, 866
management of febrile children in age of conjugate pneumococcal vaccine: cost-effectiveness analysis, 835
occult bacteremia from pediatric emergency department (letter and reply), 520
predictive model for serious bacterial infections among infants younger than 3 months of age, 311
serotype prevalence of occult pneumococcal bacteremia, e23, 456
Bacteriuria, effect of single-use sterile catheter for each void on frequency of bacteriuria in children with neurogenic bladder on intermittent catheterization for bladder emptying, e71, 996
Bartter syndrome, hypokalemic salt-losing tubulopathy with chronic renal failure and sensorineural deafness, e5, 168
Baylisascaris procyonis infection, eosinophil-associated inflammation and elaboration of eosinophil-derived proteins in 2 children with raccoon roundworm encephalitis, e93, 1201
Bed sharing. *See also* Sleep
association between sudden infant death syndrome and prone sleep position, bed sharing, and sleeping outside an infant crib in Alaska, 923
Behavior. *See also* Psychological health; Sexual behavior
children who return home from foster care: 6-year prospective study of behavioral health outcomes in adolescence, e10, 170
effects of intravenous secretin on language and behavior of children with autism and gastrointestinal symptoms, e90, 1199
estimating cost of developmental and behavioral screening of preschool children in general pediatric practice, 913
influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with fragile X syndrome, e88, 1198
neurobehavioral deficits in premature graduates of intensive care—potential medical and neonatal environmental risk factors, 1339
obsessive-compulsive scale of Child Behavior Checklist: specificity, sensitivity, and predictive power, e14, 171
prenatal alcohol exposure and childhood behavior at age 6 to 7 years: dose-response effect, e34, 461
Bicycle helmets
barriers to use of, e4, 167
committee statement, 1030
Biliary atresia, evaluation of triangular cord sign in diagnosis of, 416
Bilirubin
neonatal jaundice and kernicterus (commentary), 763
onset of jaundice in neonates with glucose-6-phosphate dehydrogenase deficiency, 956
prediction of hyperbilirubinemia in near-term and term infants, 31
problems with prediction of neonatal hyperbilirubinemia (commentary), 175
single dose of Sn-mesoporphyrin prevents development of severe hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient newborns, 25
Sn-mesoporphyrin interdiction of severe hyperbilirubinemia in Jehovah's Witness newborns as alternative to exchange transfusion, 1374
Billing
should we be teaching residents how to bill for their outpatient services? (commentary), 999
what if pediatric residents could bill for their outpatient services?, 827
Birth control, predictors of mother–adolescent discussions about condoms, e28, 458
Blindness. *See also* Ophthalmology
optic neuropathy in children with Lyme disease, 477
screening examination of premature infants for retinopathy of prematurity (committee statement), 809
sudden rise in prevalence of retinopathy of prematurity blindness? (letter), 526
Blood transfusion
effects of early erythropoietin therapy on transfusion requirements of preterm infants below 1250 grams birth weight, 934
Sn-Mesoporphyrin interdiction of severe hyperbilirubinemia in Jehovah's Witness newborns as alternative to exchange transfusion, 1374
Bloxsom air lock, e116, 1361
Blue balls (letter and reply), 1233
Body mass index
earlier onset of puberty in girls: relation to increased body mass index and race, 347
relationship of childhood obesity to coronary heart disease risk factors in adulthood: Bogalusa Heart Study, 712
Bogalusa Heart Study, relationship of childhood obesity to coronary heart disease risk factors in adulthood, 712
Bone
analysis of musculoskeletal system in children and adolescents receiving anticonvulsant monotherapy with valproic acid or carbamazepine, e107, 1358
bone mineral density and importance of gluten-free diet in patients with celiac disease in childhood, e89, 1199
femur fracture in infants: possible accidental etiology, 1009
severe osteopenia in young boy with Kostmann's congenital neutropenia treated with granulocyte colony-stimulating factor, e54, 756
Booster seats, trends in use among young children in crashes, e109, 1359
Borrelia burgdorferi
management of tick bites and early Lyme disease: survey of Connecticut physicians, 1367
optic neuropathy in children with Lyme disease, 477
safety and immunogenicity of recombinant *Borrelia burgdorferi* outer surface protein A vaccine against Lyme disease in healthy children and adolescents: randomized controlled trial, 123
Botulinum toxin type A, neuromuscular blockade in treatment of equinus foot deformity in cerebral palsy, 1062
Bradycardia
breath-holding spells and pacemaker implantation (commentary), 765
breath-holding spells associated with significant bradycardia: successful treatment with permanent pacemaker implantation, 698
cardiorespiratory events in preterm infants referred for apnea monitoring studies, 1304
Brain
brain white-matter lesions in celiac disease: prospective study of 75 diet-treated patients, e21, 455
children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
differences in brain temperature and cerebral blood flow during selective head versus whole-body cooling, 1103
eosinophil-associated inflammation and elaboration of eosinophil-derived proteins in 2 children with raccoon roundworm encephalitis, e93, 1201
impact of early intervention on outcome after mild traumatic brain injury in children, 1297

randomized, controlled trial of acetazolamide and furosemide in posthemorrhagic ventricular dilation in infancy: follow-up at 1 year, 597
shaken baby syndrome: rotational cranial injuries (committee statement), 206
structure of blood vessels in germinal matrix and autoregulation of cerebral blood flow in premature infants (letter and reply), 1050
time course of changes in diffusion-weighted magnetic resonance imaging in a case of neonatal encephalopathy with defined onset and duration of hypoxic-ischemic insult, 1211
unnecessary epidemic of folic acid-preventable spina bifida and anencephaly (letter and reply), 1048
vagal nerve stimulation in epileptic encephalopathies (letter), 221
Breastfeeding. *See also* Feeding
Baby-Friendly Hospital Initiative improves breastfeeding initiation rates in a US hospital setting, 677
decision to breastfeed in United States: does race matter?, 291
and early weaning practices in northeast Brazil, e66, 994
exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums, e67, 994
leptin levels in preterm human breast milk and infant formula, e15, 172
more research is needed to determine the effects of human milk on neonatal outcome (commentary), 465
pacifier use is associated with shorter breastfeeding duration among low-income women (letter), 526 (erratum, 826)
similar effects on infants of n-3 and n-6 fatty acids supplementation to pregnant and lactating women, e82, 1196
transfer of drugs and other chemicals into human milk (committee statement), 776 (erratum, 1029)
WIC Program (committee statement), 1216
Breath-holding spells
associated with significant bradycardia: successful treatment with permanent pacemaker implantation, 698
and pacemaker implantation (commentary), 765
Breathing
cardiorespiratory events in preterm infants referred for apnea monitoring studies, 1304
inter-neonatal intensive care unit variation in discharge timing: influence of apnea and feeding management, 928
objective sleepiness measures in pediatric obstructive sleep apnea, 693
respiratory instability of term and near-term healthy newborn infants in car safety seats, 647
work of breathing during constant- and variable-flow nasal continuous positive airway pressure in preterm neonates, 682
Bronchiectasis, abnormal central complex is a marker of severity in the presence of partial ciliary defect, e86, 1198
Bronchiolitis
effect of practice variation on resource utilization in infants hospitalized for viral lower respiratory illness, 851
uncertainty in management of viral lower respiratory tract disease (commentary), 1000
Bronchopulmonary dysplasia
barotrauma, oxygen toxicity, and chronic lung disease (letter and reply), 525
chronic oxygen dependency in infants born at less than 32 weeks' gestation: incidence and risk factors, e26, 457
matrix metalloproteinases-2, -8, and -9 and TIMP-2 in tracheal aspirates from preterm infants with respiratory distress, 686
rescue use of DNase in critical lung atelectasis and mucus retention in premature neonates, 468
Bruising, recent skin injuries in normal children, 271

C-reactive protein, in febrile children 1 to 36 months of age with clinically undetectable serious bacterial infection, 1275
Call centers, delivery of pediatric after-hours care by: multicenter study of parental perceptions and compliance, e111, 1359
Cancer, children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
Car safety seats, respiratory instability of term and near-term healthy newborn infants in, 647
Carbamazepine, analysis of musculoskeletal system in children and adolescents receiving anticonvulsant monotherapy with valproic acid or, e107, 1358
Carbon monoxide, prediction of hyperbilirubinemia in near-term and term infants, 31
Cardiac transplantation, varicella in pediatric heart transplant population on nonsteroid maintenance immunosuppression, e80, 1195
Cardiovascular health and disease
age at operation for children with atrioventricular canal (letter and reply), 217
age-related effects of genetic variation on lipid levels: Columbia University BioMarkers Study, e50, 755
allopurinol neurocardiac protection trial in infants undergoing heart surgery using deep hypothermic circulatory arrest, 61
breath-holding spells and pacemaker implantation (commentary), 765
breath-holding spells associated with significant bradycardia: successful treatment with permanent pacemaker implantation, 698
cardiorespiratory events in preterm infants referred for apnea monitoring studies, 1304
cardiovascular anomalies in patients diagnosed with chromosome 22q11 deletion beyond 6 months of age, e104, 1356
clinical auscultation skills in pediatric residents (letter), 1388
diagnosis of very long chain acyl-dehydrogenase deficiency from infant's newborn screening card, e19, 173
diagnostic accuracy of screening electrocardiograms in long QT syndrome I, 8
functional limitations in young children with congenital heart defects after cardiac surgery, 1325
neonatal aortic arch thrombosis as result of congenital cytomegalovirus infection, e114, 1360
possible steroid-induced recurrent patent ductus arteriosus after device closure (letter), 1046
relationship of childhood obesity to coronary heart disease risk factors in adulthood: Bogalusa Heart Study, 712
Celiac disease
bone mineral density and importance of gluten-free diet in patients with, e89, 1199
brain white-matter lesions in: prospective study of 75 diet-treated patients, e21, 455
Cephalosporins, high rates of multiple antibiotic resistance in *Streptococcus pneumoniae* from healthy children living in isolated rural communities: cephalosporin use and intrafamilial transmission, 856
Cerebral blood flow
differences in brain temperature and cerebral blood flow during selective head versus whole-body cooling, 1103
structure of blood vessels in germinal matrix and autoregulation of cerebral blood flow in premature infants (letter and reply), 1050
Cerebral palsy
botulinum toxin type A neuromuscular blockade in treatment of equinus foot deformity in, 1062
comparison of management strategies for extreme prematurity in New Jersey and the Netherlands, 1269
increased risk for developmental disabilities in children who have major birth defects, 728
Cerebrospinal fluid, lumbar puncture in pediatric bacterial meningitis: defining the time interval for recovery of cerebrospinal fluid pathogens after parenteral antibiotic pretreatment, 1169

Cervical spine injury, prospective multicenter study in children, e20, 455
Chickenpox
disseminated vaccine strain varicella as acquired immunodeficiency syndrome-defining illness in previously undiagnosed child, e39, 464
in pediatric heart transplant population on nonsteroid maintenance immunosuppression, e80, 1195
severe complications in previously healthy children in Germany, e79, 1194
Child abuse/neglect
assessment of maltreatment of children with disabilities (committee statement), 508
barriers to domestic violence screening in pediatric setting, 98
cause of infant and toddler subdural hemorrhage, 636
child sexual abuse and human papillomavirus infection (letter and reply), 1045
childhood neglect and cognitive development in extremely low birth weight infants: prospective study, 142
distinguishing sudden infant death syndrome from child abuse fatalities (committee statement), 812 (letter, 1237)
femur fracture in infants: possible accidental etiology, 1009
imperforate hymen: congenital or acquired from sexual abuse, e53, 756
pulmonary edema associated with child abuse, 769
recent skin injuries in normal children, 271
shaken baby syndrome: rotational cranial injuries (committee statement), 206
use of telehealth technology to extend child protection team services, 584
Child Behavior Checklist
obsessive-compulsive scale of: specificity, sensitivity, and predictive power, e14, 171
prenatal alcohol exposure and childhood behavior at age 6 to 7 years: dose-response effect, e34, 461
Child-Friendly Healthcare Initiative (letter and reply), 1045
Chlamydia trachomatis infection, prevalence of *Neisseria gonorrhoeae* infection and, in pediatric private practice, e103, 1356
Cholestasis, evaluation of triangular cord sign in diagnosis of biliary atresia, 416
Chronic health conditions. *See also* Disabilities
asthma hospitalization trends in Charleston, South Carolina, 1956 to 1997: twenty-fold increase among black children during a 30-year period, e97, 1353
asthma symptoms, morbidity, and antiinflammatory use in inner-city children, 277
barotrauma, oxygen toxicity, and chronic lung disease (letter and reply), 525
comparison of quality of care by specialist and generalist physicians as usual source of asthma care for children, 432
family pain history predicts child health status in children with chronic rheumatic disease, e47, 753
montelukast for treatment of persistent asthma in children aged 2 to 5 years, e48, 754
Navajo perceptions of asthma and asthma medications, e11, 170
onset and persistence of childhood asthma: predictors from infancy, e69, 995
patient self-management of acute asthma: adherence to national guidelines a decade later, 1332
physical growth and current health status of infants who were of extremely low birth weight and controls at adolescence, 407
relation between infantile colic and asthma/atopy, 878
sensitization to common allergens and its association with allergic disorders at age 4 years: whole population birth cohort study, e33, 460
treatment of childhood asthma with anti-immunoglobulin E antibody (omalizumab), e36, 462
who cares for Medicaid-enrolled children with chronic conditions?, 906
Ciliary ultrastructural defects, abnormal central complex is a marker of severity in the presence of partial ciliary defect, e86, 1198
Circumcision
again (letter and reply), 522 (erratum, 1054)
reply to Carole M. Lannon and Task Force on Circumcision (letter), 211
Clinical trials
allopurinol neurocardiac protection trial in infants undergoing heart surgery using deep hypothermic circulatory arrest, 61
atomoxetine in treatment of children and adolescents with attention-deficit/hyperactivity disorder, e83, 1197
botulinum toxin type A neuromuscular blockade in treatment of equinus foot deformity in cerebral palsy, 1062
caution about trial methodology and statistics (letter and reply), 1383
community intervention trial to promote judicious antibiotic use and reduce penicillin-resistant *Streptococcus pneumoniae* carriage in children, 575
continuous positive airway pressure: randomized, controlled trial in Australia (letter), 1383
effect of anorectal manometry on outcome of treatment in severe childhood constipation: randomized controlled trial, e9, 169
effectiveness of home visit to prevent childhood injury, 382
establishment of a clinical trials office at a children's hospital, 1129
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
of Kangaroo Mother Care: results of follow-up at 1 year of corrected age, 1072
prospective, randomized, controlled trial comparing synchronized nasal intermittent positive pressure ventilation vs. nasal continuous positive airway pressure as modes of extubation, 13
prospective multicenter study of cervical spine injury in children, e20, 455
randomized, controlled trial of acetazolamide and furosemide in posthemorrhagic ventricular dilation in infancy: follow-up at 1 year, 597
randomized, controlled trial of OROS methylphenidate once a day in children with attention-deficit/hyperactivity disorder, 883
randomized, controlled trial of single vs. 3-times-daily ferrous sulfate drops for treatment of anemia, 613
randomized, prospective study of low-dose versus high-dose inhaled nitric oxide in neonate with hypoxic respiratory failure, 949
randomized trial of nutrient-enriched formula vs. standard formula for postdischarge preterm infants, 703
randomized trial to reduce passive smoke exposure in low-income households with young children, 18
reducing antibiotic use in children: randomized trial in 12 practices, 1
safety and immunogenicity of recombinant *Borrelia burgdorferi* outer surface protein A vaccine against Lyme disease in healthy children and adolescents: randomized controlled trial, 123
unexplained reduced microbiological efficacy of intramuscular benzathine penicillin G and of oral penicillin V in eradication of group A streptococci from children with acute pharyngitis, 1180
zinc supplementation in infants born small for gestational age reduces mortality, 1280
Clonidine, 1000-fold overdose caused by compounding error in 5-year-old child with attention-deficit/hyperactivity disorder, 471
Cobalamin status in newborns, determinants of, 624

Cocaine exposure, prenatal, impact on intrauterine growth of full-term infants, 1309
Coding
should we be teaching residents how to bill for their outpatient services? (commentary), 999
what if pediatric residents could bill for their outpatient services?, 827
Cognition. *See also* Developmental disabilities; Mental retardation; Neurodevelopment
childhood neglect and cognitive development in extremely low birth weight infants: prospective study, 142
defining impact of hemophilia: Academic Achievement in Children with Hemophilia study, e105, 1357
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
prevalence of autism in a United States population: the Brick Township, New Jersey, investigation, 1155
Colic, infantile
excessive infant crying, 893
relation between asthma/atopy and, 878
smoking during pregnancy and, 342
systematic review of treatments for (letter and reply), 1047
Colony-stimulating factors
association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
caution about trial methodology and statistics (letter and reply), 1383
severe osteopenia in young boy with Kostmann's congenital neutropenia treated with granulocyte colony-stimulating factor, e54, 756
Columbia University BioMarkers Study, age-related effects of genetic variation on lipid levels, e50, 755
Commentaries
Balancing risks and benefits: *primum non nocere* is too simplistic, 466
Breath-holding spells and pacemaker implantation, 765
For a child, every moment is a teachable moment, 179
Influenza virus continues to pose new challenges, 1004
Is oxygen more toxic than currently believed?, 1203
More research is needed to determine the effects of human milk on neonatal outcome, 465
Nasal prongs continuous positive airway pressure: simple yet powerful tool, 759
Neonatal jaundice and kernicterus, 763
The new morbidity: where the rubber hits the road or the practitioner's guide to the new morbidity, 1206
Problems with prediction of neonatal hyperbilirubinemia, 175
Quality in pediatrics: progress report, 1362
The risks of sedation for electroencephalograms: data at last, 178
Sedation, risk, and safety: do we really have data at last?, 1006
Should we be teaching residents how to bill for their outpatient services?, 999
Successful application of the Baby-Friendly Hospital Initiative contains lessons that must be applied to control of formula feeding in hospitals in industrialized countries, 766
Targeted screening for elevated blood lead levels: populations at high risk, 1364
Uncertainty in the management of viral lower respiratory tract disease, 1000
Use of continuous positive airway pressure in preterm infants: comments and experience from New Zealand, 761
Zinc supplementation saves lives of children living in poverty, 1366
Community pediatrics
community intervention trial to promote judicious antibiotic use and reduce penicillin-resistant *Streptococcus pneumoniae* carriage in children, 575
impact of community-wide intervention to improve delivery of preventive services to children, e42, 750
practice of pediatric sleep medicine: results of community survey, e51, 755
targeted screening for elevated blood lead levels: populations at high risk (commentary), 1364
Complementary and alternative medicine
evidence-based massage therapy (letter), 1053
inadequate Internet resources cited (letter), 1237
Compliance
delivery of pediatric after-hours care by call centers: multicenter study of parental perceptions and compliance, e111, 1359
economic evaluation of 2-dose hepatitis B vaccination regimen for adolescents, 317
effectiveness of compliance with pediatric preventive care guidelines among Medicaid recipients, 90
patient self-management of acute asthma: adherence to national guidelines a decade later, 1332
Computed tomography
children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
concerns/questions about sedation and computed tomography scans (letter), 817
Congenital conditions
age at operation for children with atrioventricular canal (letter and reply), 217
congenital autoimmune neutropenia in two premature neonates, 181
congenital hypomyelination neuropathy in a newborn infant: unusual cause of diaphragmatic and vocal cord paralyses, e95, 1202
congenital rubella infection control problems (letter and reply), 1389
delayed separation of umbilical cord attributable to urachal anomalies, 493
functional limitations in young children with congenital heart defects after cardiac surgery, 1325
imperforate hymen: congenital or acquired from sexual abuse, e53, 756
increased risk for developmental disabilities in children who have major birth defects: population-based study, 728
limb deficiencies in newborn infants, e64, 993
neonatal aortic arch thrombosis as result of congenital cytomegalovirus infection, e114, 1360
neonatal screening for congenital adrenal hyperplasia, e68, 994
newborn screening for congenital adrenal hyperplasia in the Netherlands, 1320
parallel incidences of sudden infant death syndrome and infantile hypertrophic pyloric stenosis, e70, 996
possible steroid-induced recurrent patent ductus arteriosus after device closure (letter), 1046
severe osteopenia in young boy with Kostmann's congenital neutropenia treated with granulocyte colony-stimulating factor, e54, 756
syndromic ear anomalies and renal ultrasounds, e32, 460
treatment of invasive *Candida* infection in neonates with congenital cutaneous candidiasis (letter and reply), 216
unnecessary epidemic of folic acid-preventable spina bifida and anencephaly (letter and reply), 1048
Constipation, effect of anorectal manometry on outcome of treatment in severe childhood constipation: randomized controlled trial, e9, 169
Continuity of care, comparison in resident versus private practice, 1263
Continuous positive airway pressure. *See also* Ventilatory assistance
nasal prongs continuous positive airway pressure: simple yet powerful tool (commentary), 759
prospective, randomized, controlled trial comparing synchronized nasal intermittent positive pressure ventilation vs. nasal continuous positive airway pressure as modes of extubation, 13
randomized, controlled trial in Australia (letter), 1383
use in preterm infants: comments and experience from New Zealand (commentary), 761

Continuous positive airway pressure. *See also* Ventilatory assistance—*continued*
work of breathing during constant- and variable-flow nasal continuous positive airway pressure in preterm neonates, 682
Contraception, predictors of mother–adolescent discussions about condoms, e28, 458
Corticosteroids
for asthma (best articles), 558
asthma symptoms, morbidity, and antiinflammatory use in inner-city children, 277
early postnatal dexamethasone therapy for prevention of chronic lung disease, 741
effect of inhaled corticosteroids on growth (letter and reply), 1234
possible steroid-induced recurrent patent ductus arteriosus after device closure (letter), 1046
Cough, psychogenic (letter and reply), 820
Cough and cold preparations, toxicity of over-the-counter medications, e52, 756
Counseling
the new morbidity revisited: a renewed commitment to the psychosocial aspects of pediatric care (committee statement), 1227
sexuality education for children and adolescents (committee statement), 498
Creatine use among young athletes, 421
Critical care. *See also* Hospital care
are neonatal intensive care resources located according to need? regional variation in neonatologists, beds, and low birth weight newborns, 426
comparison of management strategies for extreme prematurity in New Jersey and the Netherlands, 1269
inter-neonatal intensive care unit variation in discharge timing: influence of apnea and feeding management, 928
neurobehavioral deficits in premature graduates of intensive care—potential medical and neonatal environmental risk factors, 1339
Crying
excessive infant crying, 893
relation between infantile colic and asthma/atopy, 878
smoking during pregnancy and infantile colic, 342
systematic review of treatments for infant colic (letter and reply), 1047
Cystic fibrosis
fatty acids, alpha-fetoprotein and, 1370
preimmunization anti-pneumococcal antibody levels are protective in majority of patients with, e62, 992
Cystitis, eosinophilic, in 4-year-old boy: successful long-term treatment with cyclosporin A, e113, 1360
Cytokines
neutrophil CD11b expression and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
reactive hyperemia and interleukin-6, interleukin-8, and tumor necrosis factor-α in diagnosis of early-onset neonatal sepsis, e61, 992
Cytomegalovirus infection, congenital, neonatal aortic arch thrombosis as result of, e114, 1360

Day care
asthma and (letter), 1237
respiratory infections in infants: interaction of parental allergy, child care, and siblings—The PIAMA Study, 943
role of child care in community-wide outbreak of hepatitis A, e78, 1194
Decision making, attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
Dentition, amoxycillin-clavulanic acid–related tooth discoloration in children (letter), 819
Depression
adolescents' perceptions of social status: development and evaluation of a new indicator, e31, 459
adoption as risk factor for attempted suicide during adolescence, e30, 458
prospective study of psychological distress and sexual risk behavior among black adolescent females, e85, 1197
Dermatology
best articles on atopic dermatitis, 539
drug-induced antiepileptic hypersensitivity syndrome in pediatric patients, 485
recent skin injuries in normal children, 271
staphylococcal scalded-skin syndrome in very low birth weight premature infant, e16, 172
treatment of extensive toxic epidermal necrolysis in children, 1162
treatment of invasive *Candida* infection in neonates with congenital cutaneous candidiasis (letter and reply), 216
unmasking of childhood hypothyroidism by disseminated xanthomas, e96, 1202
Development. *See also* Growth
childhood neglect and cognitive development in extremely low birth weight infants: prospective study, 142
developmental surveillance and screening of infants and young children (committee statement), 192
diaphragm dimensions of healthy preterm infant, e91, 1200
estimating cost of developmental and behavioral screening of preschool children in general pediatric practice, 913
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
outcome at 5 years of age of children 23 to 27 weeks' gestation: refining prognosis, 134
school difficulties in 20-year-olds who were born small for gestational age at term in regional cohort study, 111
Developmental disabilities
changing purpose of Prader-Willi syndrome clinical diagnostic criteria and proposed revised criteria, e92, 1200
diagnosis and treatment of feeding disorders in children with, 671
increased risk for, in children who have major birth defects, 728
influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with fragile X syndrome, e88, 1198
prevalence of autism in a United States population: the Brick Township, New Jersey, investigation, 1155
pulmonary edema in 6 children with Down syndrome during travel to moderate altitudes, 443
treadmill training of infants with Down syndrome: evidence-based developmental outcomes, e84, 1197
Devices and equipment
aerosol therapy with valved holding chambers in young children: importance of facemask seal, 389
clinical comparison of radiant warmer and incubator care for preterm infants from birth to 1800 grams, 395
effect of single-use sterile catheter for each void on frequency of bacteriuria in children with neurogenic bladder on intermittent catheterization for bladder emptying, e71, 996
injuries associated with infant walkers (committee statement), 790
Dexamethasone, early postnatal therapy for prevention of chronic lung disease, 741
Diabetes mellitus
childhood vaccinations, vaccination timing, and risk of type 1 diabetes mellitus, e112, 1360
improving management of diabetic ketoacidosis in children, 735
insulin lispro lowers postprandial glucose in prepubertal children with, 1175
Diagnosis. *See also* Screening

accuracy of screening electrocardiograms in long QT syndrome I, 8
changing purpose of Prader-Willi syndrome clinical diagnostic criteria and proposed revised criteria, e92, 1200
children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
enhanced urinalysis improves identification of febrile infants ages 60 days and younger at low risk for serious bacterial illness, 866
evaluation of triangular cord sign in diagnosis of biliary atresia, 416
evidence for diagnosis and treatment of acute uncomplicated sinusitis in children (technical report), e57, 757
neutrophil CD11b expression and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
newborns with suspected occult spinal dysraphism: cost-effectiveness analysis of diagnostic strategies, e101, 1355
pulmonary tuberculosis in children in a developing country, 448
rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection, e13, 171
reactive hyperemia and interleukin-6, interleukin-8, and tumor necrosis factor-α in diagnosis of early-onset neonatal sepsis, e61, 992
swallowing function and medical diagnoses in infants suspected of dysphagia, e106, 1358
and treatment of feeding disorders in children with developmental disabilities, 671
unmasking of childhood hypothyroidism by disseminated xanthomas, e96, 1202
of very long chain acyl-dehydrogenase deficiency from infant's newborn screening card, e19, 173

Dialysis
childhood methanol ingestion treated with fomepizole and hemodialysis, e77, 998
glucose monitoring with long-term subcutaneous microdialysis in neonates, 1187

Diaphragm
congenital hypomyelination neuropathy in a newborn infant: unusual cause of diaphragmatic and vocal cord paralyses, e95, 1202
dimensions of healthy preterm infant, e91, 1200

Diarrhea
acute *Helicobacter pylori* infection is followed by increase in diarrheal disease among Peruvian children, e87, 1198
exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums, e67, 994
intussusception, rotavirus diarrhea, and rotavirus vaccine use among children in New York State, 54

Diet and nutrition
bone mineral density and importance of gluten-free diet in patients with celiac disease in childhood, e89, 1199
brain white-matter lesions in celiac disease: prospective study of 75 diet-treated patients, e21, 455
creatine use among young athletes, 421
decision to breastfeed in United States: does race matter?, 291
determinants of cobalamin status in newborns, 624
diagnosis and treatment of feeding disorders in children with developmental disabilities, 671
experience with ketogenic diet in infants, 129
fat content of diet among preschool children in Southwest Britain: II. relationship with growth, blood lipids, and iron status, e49, 755
fatty acids, alpha-fetoprotein, and cystic fibrosis, 1370
folate and vitamin B12 supplementation in very low birth weight infants treated with erythropoietin (letter and reply), 217
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
infantile scurvy, e76, 997
iron supplementation during erythropoietin treatment (letter and reply), 1390
ketogenic diet: 3- to 6-year follow-up of 150 children enrolled prospectively, 898
leptin levels in preterm human breast milk and infant formula, e15, 172
maternal and infant factors associated with failure to thrive in children with vertically transmitted human immunodeficiency virus-1 infection, 1287
screening for iron deficiency by dietary history in high-risk population (letter and reply), 823
scurvy in year 2000, e55, 757
similar effects on infants of n-3 and n-6 fatty acids supplementation to pregnant and lactating women, e82, 1196
unnecessary epidemic of folic acid-preventable spina bifida and anencephaly (letter and reply), 1048
vitamin K status of premature infants, 1117
WIC Program (committee statement), 1216
zinc supplementation in infants born small for gestational age reduces mortality, 1280
zinc supplementation saves lives of children living in poverty (commentary), 1366

DiGeorge syndrome, cardiovascular anomalies in patients diagnosed with chromosome 22q11 deletion beyond 6 months of age, e104, 1356

Disabilities
assessment of maltreatment of children with (committee statement), 508
changing purpose of Prader-Willi syndrome clinical diagnostic criteria and proposed revised criteria, e92, 1200
developmental surveillance and screening of infants and young children (committee statement), 192
diagnosis and treatment of feeding disorders in children with developmental disabilities, 671
increased risk for developmental disabilities in children who have major birth defects, 728
influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with fragile X syndrome, e88, 1198
outcome at 5 years of age of children 23 to 27 weeks' gestation: refining prognosis, 134
prevalence of autism in a United States population: the Brick Township, New Jersey, investigation, 1155
treadmill training of infants with Down syndrome: evidence-based developmental outcomes, e84, 1197

Diuretics, thiazides arrest progression of nephrocalcinosis in children with X-linked hypophosphatemia, e6, 168

DNase, rescue use in critical lung atelectasis and mucus retention in premature neonates, 468

Docosahexaenoic acid
fatty acids, alpha-fetoprotein, and cystic fibrosis, 1370
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372

Domestic violence screening
barriers in pediatric setting, 98
maternal, in office-based pediatric practice, e43, 751

Down syndrome
age at operation for children with atrioventricular canal (letter and reply), 217
health supervision for children with (letter and reply), 1384
pulmonary edema in 6 children with Down syndrome during travel to moderate altitudes, 443
treadmil! training of infants with: evidence-based developmental outcomes, e84, 1197
Driveway injuries in children: risk factors, morbidity, and mortality, 326
Drowning, where children drown, United States, 1995, 85
Drug use
psychopharmacology for young children: clinical needs and research opportunities, 983
psychotropic medication in children: study from The Netherlands, e25, 457
reducing antibiotic use in children: randomized trial in 12 practices, 1
survey of use of off-label and unlicensed drugs in a Dutch children's hospital, 1089
Dying children
end-of-life care for neonates and infants: experience and effects of palliative care consultation service, 653
end-of-life care (letter), 1051
Dysphagia, swallowing function and medical diagnoses in infants suspected of, e106, 1358

Ear anomalies and renal ultrasounds, e32, 460
Ear infection. *See* Otitis media
Economic issues
characteristics and financial performance of pediatric faculty inpatient attending service: resource-based relative value scale analysis, 79
children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
cost-effectiveness analysis of intranasal influenza vaccine for prevention of influenza in healthy children, e24, 456
economic evaluation of 2-dose hepatitis B vaccination regimen for adolescents, 317
economic impact of infection control education program in specialized preschool setting, e102, 1356 establishment of a clinical trials office at a children's hospital, 1129
estimating cost of developmental and behavioral screening of preschool children in general pediatric practice, 913
improving substance abuse prevention, assessment, and treatment financing for children and adolescents (committee statement), 1025
management of febrile children in age of conjugate pneumococcal vaccine: cost-effectiveness analysis, 835
the new morbidity: where the rubber hits the road or the practitioner's guide to the new morbidity (commentary), 1206
newborns with suspected occult spinal dysraphism: cost-effectiveness analysis of diagnostic strategies, e101, 1355
should we be teaching residents how to bill for their outpatient services? (commentary), 999
switching to gatekeeping: changes in expenditures and utilization for children, 283
utilization and cost of health care services for children with attention-deficit/hyperactivity disorder, 71
what if pediatric residents could bill for their outpatient services?, 827
Eczema
best articles, 539
sensitization to common allergens and its association with allergic disorders at age 4 years: whole population birth cohort study, e33, 460
Eisenmenger syndrome, pulmonary edema in 6 children with Down syndrome during travel to moderate altitudes, 443
Electrocardiograms, screening, diagnostic accuracy in long QT syndrome I, 8
Electroencephalograms, sedation for, 163
letter, 1053
risks of (commentary), 178
Electronic medical record systems, special requirements for, 513
Embryo research (committee statement), 813 (erratum, 1221)
Emergency care
comparative practice patterns of emergency medicine physicians and pediatric emergency medicine physicians managing fever in young children, 354
effects of Medicaid managed care on health care use: infant emergency department and ambulatory services, 103
evaluation of resuscitation skills in new residents before and after Pediatric Advanced Life Support course, e110, 1359
methodologic flaws, wrong answers, and right questions: pediatric office emergencies (letter and reply), 1052
occult bacteremia from pediatric emergency department (letter and reply), 520
Encephalopathy
time course of changes in diffusion-weighted magnetic resonance imaging in a case of neonatal encephalopathy with defined onset and duration of hypoxic-ischemic insult, 1211
vagal nerve stimulation in epileptic encephalopathies (letter), 221
End-of-life care
(letter), 1051
for neonates and infants, experience and effects of palliative care consultation service, 653
Environmental health
best articles on environmental allergens, 531, 555
influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with fragile X syndrome, e88, 1198
lead poisoning among refugee children resettled in Massachusetts, 1995 to 1999, 158
mercury in the environment (technical report), 197
neurobehavioral deficits in premature graduates of intensive care—potential medical and neonatal environmental risk factors, 1339
pediatric residency training on tobacco, e8, 169
randomized trial to reduce passive smoke exposure in low-income households with young children, 18
statewide assessment of lead screening histories of preschool children enrolled in a Medicaid managed care program, e29, 458
targeted screening for elevated blood lead levels: populations at high risk (commentary), 1364
Eosinophilia
eosinophil-associated inflammation and elaboration of eosinophil-derived proteins in 2 children with raccoon roundworm encephalitis, e93, 1201
eosinophilic cystitis in 4-year-old boy: successful long-term treatment with cyclosporin A, e113, 1360
Epidemiology
acute *Helicobacter pylori* infection is followed by increase in diarrheal disease among Peruvian children, e87, 1198
annual summary of vital statistics: 2000, 1241
association between sudden infant death syndrome and prone sleep position, bed sharing, and sleeping outside an infant crib in Alaska, 923
asthma hospitalization trends in Charleston, South Carolina, 1956 to 1997: twenty-fold increase among black children during a 30-year period, e97, 1353
asthma symptoms, morbidity, and antiinflammatory use in inner-city children, 277
breastfeeding and early weaning practices in northeast Brazil, e66, 994
childhood hepatitis B virus infections in the United States before hepatitis B immunization, 1123
does parental disapproval of smoking prevent adolescents from becoming established smokers?, 1256

estimated prevalence of noise-induced hearing threshold shifts among children 6 to 19 years of age: Third NHANES, 1988–1994, United States, 40
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
Haemophilus influenzae type b disease among Amish children in Pennsylvania, e60, 992
hemolytic-uremic syndrome and *Escherichia coli* O121 at lake in Connecticut, 1999, e59, 991
immunologic and epidemiologic experience of vaccination with monocomponent pertussis toxoid vaccine, e115, 1361
increased risk for developmental disabilities in children who have major birth defects: population-based study, 728
intussusception, rotavirus diarrhea, and rotavirus vaccine use among children in New York State, 54
invasive serotype a *Haemophilus influenzae* infections with virulence genotype resembling *Haemophilus influenzae* type b, e18, 173
molecular epidemiology of antibiotic-resistance Gram-negative bacilli in a neonatal intensive care unit during a nonoutbreak period, 1143
parallel incidences of sudden infant death syndrome and infantile hypertrophic pyloric stenosis, e70, 996
population-based assessment of pediatric all-terrain vehicle injuries, 631
prevalence and predictors of immunization among inner-city infants: birth cohort study, 661
prevalence of autism in a United States population: the Brick Township, New Jersey, investigation, 1155
prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infection in pediatric private practice, e103, 1356
prevalence of infectious diseases among internationally adopted children, 608
rates of pediatric and adolescent injuries by year of age, e45, 752
relationship of childhood obesity to coronary heart disease risk factors in adulthood: Bogalusa Heart Study, 712
respiratory infections in infants: interaction of parental allergy, child care, and siblings—The PIAMA Study, 943
risk factors for positive Mantoux tuberculin skin tests in children in San Diego, California: evidence for boosting and possible foodborne transmission, 305
role of child care in community-wide outbreak of hepatitis A, e78, 1194
where children drown, United States, 1995, 85
Epilepsy. *See also* Seizures
experience with ketogenic diet in infants, 129
ketogenic diet: 3- to 6-year follow-up of 150 children enrolled prospectively, 898
vagal nerve stimulation in epileptic encephalopathies (letter), 221
Equinus foot deformity in cerebral palsy, botulinum toxin type A neuromuscular blockade in treatment of, 1062
Errata, 502, 507, 512, 826, 1029, 1054, 1221, 1240
Erythema migrans, management of tick bites and early Lyme disease: survey of Connecticut physicians, 1367
Erythropoietin
effects of early erythropoietin therapy on transfusion requirements of preterm infants below 1250 grams birth weight, 934
folate and vitamin B12 supplementation in very low birth weight infants treated with (letter and reply), 217
iron supplementation during treatment with (letter and reply), 1390
Escherichia coli O121, hemolytic-uremic syndrome and, at lake in Connecticut, 1999, e59, 991
Ethical issues
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
end-of-life care (letter), 1051
human embryo research (committee statement), 813 (erratum, 1221)
Islamic biomedical ethics, 965
Evidence-based medicine
evidence assessment of management of acute otitis media
research gaps and priorities for future research, 248
role of antibiotics in treatment of uncomplicated acute otitis media, 239
massage therapy (letter), 1053
Exercise, how much activity do youth get? quantitative review of heart-rate measured activity, e44, 752
Extracorporeal membrane oxygenation, randomized, prospective study of low-dose versus high-dose inhaled nitric oxide in neonate with hypoxic respiratory failure, 949

Facemask, aerosol therapy with valved holding chambers in young children: importance of facemask seal, 389
Familial Mediterranean fever, E148Q of MEFV gene causes amyloidosis in patients with (letter and reply), 215
Family. *See also* Mothers; Parents
high rates of multiple antibiotic resistance in *Streptococcus pneumoniae* from healthy children living in isolated rural communities: cephalosporin use and intrafamilial transmission, 856
randomized trial to reduce passive smoke exposure in low-income households with young children, 18
respiratory infections in infants: interaction of parental allergy, child care, and siblings—The PIAMA Study, 943
Fat, dietary
early adiposity rebound not associated with energy or fat intake in infancy (letter and reply), 218
fat content of diet among preschool children in Southwest Britain: II. relationship with growth, blood lipids, and iron status, e49, 755
Fatty acids
diagnosis of very long chain acyl-dehydrogenase deficiency from infant's newborn screening card, e19, 173
fatty acids, alpha-fetoprotein, and cystic fibrosis, 1370
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
similar effects on infants of n-3 and n-6 fatty acids supplementation to pregnant and lactating women, e82, 1196
Feeding
Baby-Friendly Hospital Initiative improves breastfeeding initiation rates in a US hospital setting, 677
breastfeeding and early weaning practices in northeast Brazil, e66, 994
decision to breastfeed in United States: does race matter?, 291
diagnosis and treatment of feeding disorders in children with developmental disabilities, 671
early adiposity rebound not associated with energy or fat intake in infancy (letter and reply), 218
exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums, e67, 994
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
inter-neonatal intensive care unit variation in discharge timing: influence of apnea and feeding management, 928
leptin levels in preterm human breast milk and infant formula, e15, 172

Feeding—*continued*
more research is needed to determine the effects of human milk on neonatal outcome (commentary), 465
pacifier use is associated with shorter breastfeeding duration among low-income women (letter), 526 (erratum, 826)
randomized trial of nutrient-enriched formula vs. standard formula for postdischarge preterm infants, 703
successful application of Baby-Friendly Hospital Initiative contains lessons that must be applied to control of formula feeding in hospitals in industrialized countries (commentary), 766
transfer of drugs and other chemicals into human milk (committee statement), 776 (erratum, 1029)
Femur fracture in infants, possible accidental etiology, 1009
Fentanyl, bladder retention of urine as result of continuous intravenous infusion of, 1012
Ferrous sulfate, randomized, controlled trial of single vs. 3-times-daily ferrous sulfate drops for treatment of anemia, 613
Fetus
fetal surgery for posterior urethral valves: long-term postnatal outcomes, e7, 169
intrauterine growth of full-term infants: impact of prenatal cocaine exposure, 1309
new and improved population-based Canadian reference for birth weight for gestational age, e35, 462
Fever
alternating antipyretics (letter and reply), 1236
antipyretic efficacy of initial 30 mg/kg loading dose of acetaminophen versus 15 mg/kg maintenance dose, e73, 997
C-reactive protein in febrile children 1 to 36 months of age with clinically undetectable serious bacterial infection, 1275
comparative practice patterns of emergency medicine physicians and pediatric emergency medicine physicians managing fever in young children, 354
enhanced urinalysis improves identification of febrile infants ages 60 days and younger at low risk for serious bacterial illness, 866
influenza A infection is important cause of febrile seizures, e63, 993
intrapartum maternal fever and neonatal outcome (letter and reply), 818
management of febrile children in age of conjugate pneumococcal vaccine: cost-effectiveness analysis, 835
predictive model for serious bacterial infections among infants younger than 3 months of age, 311
treatment of febrile seizures: influence of treatment efficacy and side-effect profile on value to parents, 1080
Firearms
AAP and gun control (letter and reply), 1391
gun storage—who's the right target? (letter), 823
Fireworks-related injuries to children (committee statement), 190
Fluids, improving management of diabetic ketoacidosis in children, 735
Folate
unnecessary epidemic of folic acid-preventable spina bifida and anencephaly (letter and reply), 1048
and vitamin B12 supplementation in very low birth weight infants treated with erythropoietin (letter and reply), 217
Fomepizole, childhood methanol ingestion treated with hemodialysis and, e77, 998
Food allergy, best articles, 533
FOPE II commentary (letter), 1392
Formula feeding. *See also* Feeding
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
leptin levels in preterm human breast milk and infant formula, e15, 172
randomized trial of nutrient-enriched formula vs. standard formula for postdischarge preterm infants, 703
successful application of Baby-Friendly Hospital Initiative contains lessons that must be applied to control of formula feeding in hospitals in industrialized countries (commentary), 766
Foster care
association of foster care or kinship care with adolescent sexual behavior and first pregnancy, e46, 753
children who return home from: 6-year prospective study of behavioral health outcomes in adolescence, e10, 170
Fragile X syndrome, influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with, e88, 1198
Furosemide, randomized, controlled trial of acetazolamide and furosemide in posthemorrhagic ventricular dilation in infancy: follow-up at 1 year, 597

Gabapentin, for treatment of pain in neonate, 482
Gastrointestinal system
acute *Helicobacter pylori* infection is followed by increase in diarrheal disease among Peruvian children, e87, 1198
bone mineral density and importance of gluten-free diet in patients with celiac disease in childhood, e89, 1199
brain white-matter lesions in celiac disease: prospective study of 75 diet-treated patients, e21, 455
diagnosis and treatment of feeding disorders in children with developmental disabilities, 671
effect of anorectal manometry on outcome of treatment in severe childhood constipation: randomized controlled trial, e9, 169
effects of intravenous secretin on language and behavior of children with autism and gastrointestinal symptoms, e90, 1199
evaluation of triangular cord sign in diagnosis of biliary atresia, 416
hemolytic-uremic syndrome and *Escherichia coli* O121 at lake in Connecticut, 1999, e59, 991
intussusception, infection, and immunization: summary of workshop on rotavirus, e37, 463
intussusception, rotavirus diarrhea, and rotavirus vaccine use among children in New York State, 54
parallel incidences of sudden infant death syndrome and infantile hypertrophic pyloric stenosis, e70, 996
pneumatosis intestinalis in non-neonatal pediatric patients, 402
Genetics
age-related effects of genetic variation on lipid levels: Columbia University BioMarkers Study, e50, 755
cardiovascular anomalies in patients diagnosed with chromosome 22q11 deletion beyond 6 months of age, e104, 1356
E148Q of MEFV gene causes amyloidosis in familial Mediterranean fever patients (letter and reply), 215
influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with fragile X syndrome, e88, 1198
thiazide diuretics arrest progression of nephrocalcinosis in children with X-linked hypophosphatemia, e6, 168
Genitalia
blue balls (letter and reply), 1233
circumcision again (letter and reply), 522 (erratum, 1054)
imperforate hymen: congenital or acquired from sexual abuse, e53, 756
reply to Carole M. Lannon and Task Force on Circumcision (letter), 211
Glucose
insulin lispro lowers postprandial glucose in prepubertal children with diabetes, 1175

monitoring with long-term subcutaneous microdialysis in neonates, 1187
Glucose-6-phosphate dehydrogenase deficiency
onset of jaundice in neonates with, 956
single dose of Sn-Mesoporphyrin prevents development of severe hyperbilirubinemia in newborns with, 25
Glycogen synthase deficiency, cause of ketotic hypoglycemia, 495
Granulocyte colony-stimulating factor, severe osteopenia in young boy with Kostmann's congenital neutropenia treated with, e54, 756
Granulocyte-macrophage colony-stimulating factor, caution about trial methodology and statistics (letter and reply), 1383
Growth. *See also* Development
comparison of body weight and height of Israeli schoolchildren with Tanner and Centers for Disease Control and Prevention growth charts, e108, 1358
effect of inhaled corticosteroids on (letter and reply), 1234
fat content of diet among preschool children in Southwest Britain: II. relationship with growth, blood lipids, and iron status, e49, 755
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
impact of protease inhibitor-containing combination antiretroviral therapies on height and weight growth in HIV-infected children, e72, 996
intrauterine growth of full-term infants: impact of prenatal cocaine exposure, 1309
maternal and infant factors associated with failure to thrive in children with vertically transmitted human immunodeficiency virus-1 infection, 1287
new and improved population-based Canadian reference for birth weight for gestational age, e35, 462
physical growth and current health status of infants who were of extremely low birth weight and controls at adolescence, 407
Guns
AAP and gun control (letter and reply), 1391
gun storage—who's the right target? (letter), 823

Haemophilus influenzae type b infection
among Amish children in Pennsylvania, e60, 992
invasive serotype a *Haemophilus influenzae* infections with virulence genotype resembling, e18, 173
Haemophilus influenzae type b vaccine, childhood vaccinations, vaccination timing, and risk of type 1 diabetes mellitus, e112, 1360
Hantavirus cardiopulmonary syndrome, infection with Sin Nombre hantavirus: clinical presentation and outcome in children and adolescents, e27, 457
Head injury
barriers to bicycle helmet use, e4, 167
bicycle helmets (committee statement), 1030
cause of infant and toddler subdural hemorrhage, 636
impact of early intervention on outcome after mild traumatic brain injury in children, 1297
shaken baby syndrome: rotational cranial injuries (committee statement), 206
Head lice infestation, single drug versus combination therapy (letter), 1393
Headache
children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
migraine treatment (letter), 817
Health care costs. *See also* Economic issues
children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
cost-effectiveness analysis of intranasal influenza vaccine for prevention of influenza in healthy children, e24, 456
economic evaluation of 2-dose hepatitis B vaccination regimen for adolescents, 317
economic impact of infection control education program in specialized preschool setting, e102, 1356
estimating cost of developmental and behavioral screening of preschool children in general pediatric practice, 913
management of febrile children in age of conjugate pneumococcal vaccine: cost-effectiveness analysis, 835
newborns with suspected occult spinal dysraphism: cost-effectiveness analysis of diagnostic strategies, e101, 1355
switching to gatekeeping: changes in expenditures and utilization for children, 283
utilization and cost of health care services for children with attention-deficit/hyperactivity disorder, 71
Health care professionals. *See also* Pediatricians
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
disturbed by questionnaire (letter and reply), 1388
role of the school nurse in providing school health services (committee statement), 1231
Health education
community intervention trial to promote judicious antibiotic use and reduce penicillin-resistant *Streptococcus pneumoniae* carriage in children, 575
economic impact of infection control education program in specialized preschool setting, e102, 1356
impact of waiting room videotape message on parent attitudes toward pediatric antibiotic use, 591
improving parent knowledge about antibiotics: video intervention, 845
sexuality education for children and adolescents (committee statement), 498
Health insurance
differential impact of recent Medicaid expansions by race and ethnicity, 1135
effects of Medicaid managed care on health care use: infant emergency department and ambulatory services, 103
improving substance abuse prevention, assessment, and treatment financing for children and adolescents (committee statement), 1025
switching to gatekeeping: changes in expenditures and utilization for children, 283
Health status
family pain history predicts child health status in children with chronic rheumatic disease, e47, 753
physical growth and current health status of infants who were of extremely low birth weight and controls at adolescence, 407
Hearing loss
estimated prevalence of noise-induced hearing threshold shifts among children 6 to 19 years of age, 40
hypokalemic salt-losing tubulopathy with chronic renal failure and sensorineural deafness, e5, 168
increased risk for developmental disabilities in children who have major birth defects, 728
maternal concern about positive test results in universal newborn hearing screening, 1111
Heart disease. *See* Cardiovascular health and disease
Heart rate, how much activity do youth get? quantitative review of heart-rate measured activity, e44, 752
Heart transplantation, varicella in pediatric heart transplant population on nonsteroid maintenance immunosuppression, e80, 1195
Helicobacter pylori infection, acute infection is followed by increase in diarrheal disease among Peruvian children, e87, 1198
Helmets, bicycle
barriers to use, e4, 167

Helmets, bicycle—*continued*
committee statement, 1030
Hematology
apparently severe late-onset neutropenia in two very low birth weight infants (letter and reply), 1238
association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
congenital autoimmune neutropenia in two premature neonates, 181
severe osteopenia in young boy with Kostmann's congenital neutropenia treated with granulocyte colony-stimulating factor, e54, 756
Hemochromatosis, neonatal, 960
Hemolytic-uremic syndrome, and *Escherichia coli* O121 at lake in Connecticut, 1999, e59, 991
Hemophilia, defining impact of: Academic Achievement in Children with Hemophilia study, e105, 1357
Hemorrhage
cause of infant and toddler subdural hemorrhage, 636
randomized, controlled trial of acetazolamide and furosemide in posthemorrhagic ventricular dilation in infancy: follow-up at 1 year, 597
Hepatitis
childhood hepatitis B virus infections in the United States before hepatitis B immunization, 1123
prevalence of infectious diseases among internationally adopted children, 608
prevention of hepatitis B in adolescents (letter), 1392
role of child care in community-wide outbreak of hepatitis A, e78, 1194
Hepatitis B vaccine
attitudes, practices, and preferences of pediatricians regarding initiation of hepatitis B immunization at birth, e98, 1354
balancing risks and benefits: *primum non nocere* is too simplistic (commentary), 466
childhood hepatitis B virus infections in the United States before hepatitis B immunization, 1123
childhood vaccinations, vaccination timing, and risk of type 1 diabetes mellitus, e112, 1360
economic evaluation of 2-dose hepatitis B vaccination regimen for adolescents, 317
Herpes simplex virus infection, neonatal
natural history in acyclovir era, 223
safety and efficacy of high-dose intravenous acyclovir in management of, 230
High altitude pulmonary edema, in 6 children with Down syndrome during travel to moderate altitudes, 443
Home care
effectiveness of home visit to prevent childhood injury, 382
evaluation of administration of activated charcoal in the home, e100, 1355
randomized comparison of home visits and hospital-based group follow-up visits after early postpartum discharge, 719
Hospital care
are neonatal intensive care resources located according to need? regional variation in neonatologists, beds, and low birth weight newborns, 426
asthma hospitalization trends in Charleston, South Carolina, 1956 to 1997: twenty-fold increase among black children during a 30-year period, e97, 1353
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
Baby-Friendly Hospital Initiative improves breastfeeding initiation rates in a US hospital setting, 677
Back to Sleep: good advice for parents but not for hospitals? (letter), 522
characteristics and financial performance of pediatric faculty inpatient attending service: resource-based relative value scale analysis, 79
comparative practice patterns of emergency medicine physicians and pediatric emergency medicine physicians managing fever in young children, 354
effect of practice variation on resource utilization in infants hospitalized for viral lower respiratory illness, 851
end-of-life care for neonates and infants: experience and effects of palliative care consultation service, 653
establishment of a clinical trials office at a children's hospital, 1129
inter-neonatal intensive care unit variation in discharge timing: influence of apnea and feeding management, 928
molecular epidemiology of antibiotic-resistance Gram-negative bacilli in a neonatal intensive care unit during a nonoutbreak period, 1143
occult bacteremia from pediatric emergency department (letter and reply), 520
predictors of influenza virus vaccination status in hospitalized children, e99, 1355
successful application of Baby-Friendly Hospital Initiative contains lessons that must be applied to control of formula feeding in hospitals in industrialized countries (commentary), 766
survey of use of off-label and unlicensed drugs in a Dutch children's hospital, 1089
treatment of extensive toxic epidermal necrolysis in children, 1162
Weight-by-Date chart: personalized tool for following hospitalized children (letter), 821
Human embryo research (committee statement), 813 (erratum, 1221)
Human immunodeficiency virus (HIV) infection
best articles, 570
disseminated vaccine strain varicella as acquired immunodeficiency syndrome-defining illness in previously undiagnosed child, e39, 464
fluctuations in symptoms in infected children: first 10 years of life, 116
impact of protease inhibitor-containing combination antiretroviral therapies on height and weight growth in HIV-infected children, e72, 996
maternal and infant factors associated with failure to thrive in children with vertically transmitted HIV infection, 1287
postexposure prophylaxis for adolescents and children, e38, 463
predictors of mother–adolescent discussions about condoms, e28, 458
rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection, e13, 171
rational testing of HIV-exposed infant, e3, 167
Human papillomavirus infection, child sexual abuse and (letter and reply), 1045
Hydrocephalus, randomized, controlled trial of acetazolamide and furosemide in posthemorrhagic ventricular dilation in infancy: follow-up at 1 year, 597
17-Hydroxyprogesterone
neonatal screening for congenital adrenal hyperplasia, e68, 994
neonatal screening for congenital adrenal hyperplasia in the Netherlands, 1320
Hyperbilirubinemia
neonatal, problems with prediction of (commentary), 175
neonatal jaundice and kernicterus (commentary), 763
onset in glucose-6-phosphate dehydrogenase–deficient neonates, 956
prediction in near-term and term infants, 31
single dose of Sn-Mesoporphyrin prevents development of severe hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient newborns, 25
Sn-Mesoporphyrin interdiction of severe hyperbilirubinemia in Jehovah's Witness newborns as alternative to exchange transfusion, 1374
Hyperlipidemia, unmasking of childhood hypothyroidism by disseminated xanthomas, e96, 1202

Hypersensitivity. *See also* Allergy
drug-induced antiepileptic hypersensitivity syndrome in pediatric patients, 485
Hypoglycemia, ketotic, due to liver glycogen synthase deficiency, 495
Hypokalemic salt-losing tubulopathy, with chronic renal failure and sensorineural deafness, e5, 168
Hypophosphatemia, X-linked, thiazide diuretics arrest progression of nephrocalcinosis in children with, e6, 168
Hypothermia
allopurinol neurocardiac protection trial in infants undergoing heart surgery using deep hypothermic circulatory arrest, 61
differences in brain temperature and cerebral blood flow during selective head versus whole-body cooling, 1103
Hypothyroidism, unmasking by disseminated xanthomas, e96, 1202
Hypoxia
association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
objective sleepiness measures in pediatric obstructive sleep apnea, 693
randomized, prospective study of low-dose versus high-dose inhaled nitric oxide in neonate with hypoxic respiratory failure, 949
time course of changes in diffusion-weighted magnetic resonance imaging in a case of neonatal encephalopathy with defined onset and duration of hypoxic-ischemic insult, 1211

Imaging
children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
concerns/questions about sedation and computed tomography scans (letter), 817
evaluation of triangular cord sign in diagnosis of biliary atresia, 416
prospective multicenter study of cervical spine injury in children, e20, 455
syndromic ear anomalies and renal ultrasounds, e32, 460
time course of changes in diffusion-weighted magnetic resonance imaging in a case of neonatal encephalopathy with defined onset and duration of hypoxic-ischemic insult, 1211
Immunization
attitudes, practices, and preferences of pediatricians regarding initiation of hepatitis B immunization at birth, e98, 1354
balancing risks and benefits: *primum non nocere* is too simplistic (commentary), 466
childhood hepatitis B virus infections in the United States before hepatitis B immunization, 1123
childhood vaccinations, vaccination timing, and risk of type 1 diabetes mellitus, e112, 1360
cost-effectiveness analysis of intranasal influenza vaccine for prevention of influenza in healthy children, e24, 456
disseminated vaccine strain varicella as acquired immunodeficiency syndrome-defining illness in previously undiagnosed child, e39, 464
economic evaluation of 2-dose hepatitis B vaccination regimen for adolescents, 317
effect of Vaccines for Children program on physician referral of children to public vaccine clinics, 297
effectiveness of compliance with pediatric preventive care guidelines among Medicaid recipients, 90
Haemophilus influenzae type b disease among Amish children in Pennsylvania, e60, 992
immunization status of internationally adopted children (letter), 1050
immunologic and epidemiologic experience of vaccination with monocomponent pertussis toxoid vaccine, e115, 1361
improving preventive service delivery through office systems, e41, 750
intussusception, infection, and immunization: summary of workshop on rotavirus, e37, 463
intussusception, rotavirus diarrhea, and rotavirus vaccine use among children in New York State, 54
management of febrile children in age of conjugate pneumococcal vaccine: cost-effectiveness analysis, 835
no evidence for new variant of measles-mumps-rubella–induced autism, e58, 991
predictors of influenza virus vaccination status in hospitalized children, e99, 1355
preimmunization anti-pneumococcal antibody levels are protective in majority of patients with cystic fibrosis, e62, 992
prevalence and predictors of immunization among inner-city infants: birth cohort study, 661
role of child care in community-wide outbreak of hepatitis A, e78, 1194
rotavirus vaccine story (letter and reply), 220
safety and immunogenicity of recombinant *Borrelia burgdorferi* outer surface protein A vaccine against Lyme disease in healthy children and adolescents: randomized controlled trial, 123
serotype prevalence of occult pneumococcal bacteremia, e23, 456
sustained efficacy during the first 6 years of life of 3-component acellular pertussis vaccines administered in infancy: Italian experience, e81, 1195
Immunology
association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
best articles on immunodeficiency diseases, 567
congenital autoimmune neutropenia in two premature neonates, 181
immunologic and epidemiologic experience of vaccination with monocomponent pertussis toxoid vaccine, e115, 1361
neutrophil CD11b expression and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
Immunosuppression
eosinophilic cystitis in 4-year-old boy: successful long-term treatment with cyclosporin A, e113, 1360
varicella in pediatric heart transplant population on nonsteroid maintenance immunosuppression, e80, 1195
Imperforate hymen, congenital or acquired from sexual abuse, e53, 756
Incubators, clinical comparison of radiant warmer and incubator care for preterm infants from birth to 1800 grams, 395
Infants. *See also* Neonates; Prematurity
age at operation for children with atrioventricular canal (letter and reply), 217
assessment and management of acute pain in infants, children and adolescents (committee statement), 793
association between sudden infant death syndrome and prone sleep position, bed sharing, and sleeping outside an infant crib in Alaska, 923
Back to Sleep: good advice for parents but not for hospitals? (letter), 522
breastfeeding and early weaning practices in northeast Brazil, e66, 994
C-reactive protein in febrile children 1 to 36 months of age with clinically undetectable serious bacterial infection, 1275
cardiovascular anomalies in patients diagnosed with chromosome 22q11 deletion beyond 6 months of age, e104, 1356
cause of infant and toddler subdural hemorrhage, 636
changes in stillbirth and infant mortality associated with increases in preterm birth among twins, 1055
decision to breastfeed in United States: does race matter?, 291

Infants. *See also* Neonates; Prematurity —*continued*
developmental surveillance and screening of infants and young children (committee statement), 192
early adiposity rebound not associated with energy or fat intake in infancy (letter and reply), 218
effect of practice variation on resource utilization in infants hospitalized for viral lower respiratory illness, 851
effects of Medicaid managed care on health care use: infant emergency department and ambulatory services, 103
end-of-life care for neonates and infants: experience and effects of palliative care consultation service, 653
enhanced urinalysis improves identification of febrile infants ages 60 days and younger at low risk for serious bacterial illness, 866
evaluation of triangular cord sign in diagnosis of biliary atresia, 416
excessive infant crying, 893
exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums, e67, 994
experience with ketogenic diet in, 129
femur fracture in: possible accidental etiology, 1009
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
growth and development in term infants fed long-chain polyunsaturated fatty acids: double-masked, randomized, parallel, prospective, multivariate study, 372
infantile scurvy, e76, 997
injuries associated with infant walkers (committee statement), 790
intrauterine growth of full-term infants: impact of prenatal cocaine exposure, 1309
leptin levels in preterm human breast milk and infant formula, e15, 172
maternal and infant factors associated with failure to thrive in children with vertically transmitted human immunodeficiency virus-1 infection, 1287
pacifier use is associated with shorter breastfeeding duration among low-income women (letter), 526 (erratum, 826)
parallel incidences of sudden infant death syndrome and infantile hypertrophic pyloric stenosis, e70, 996
pneumatosis intestinalis in non-neonatal pediatric patients, 402
possible steroid-induced recurrent patent ductus arteriosus after device closure (letter), 1046
predictive model for serious bacterial infections among infants younger than 3 months of age, 311
prevalence and predictors of immunization among inner-city infants: birth cohort study, 661
randomized, controlled trial of acetazolamide and furosemide in posthemorrhagic ventricular dilation in infancy: follow-up at 1 year, 597
randomized, controlled trial of Kangaroo Mother Care: results of follow-up at 1 year of corrected age, 1072
rational testing of HIV-exposed infant, e3, 167
relation between infantile colic and asthma/atopy, 878
respiratory infections in: interaction of parental allergy, child care, and siblings, 943
retropharyngeal aberrant thymus, e94, 1201
smoking during pregnancy and infantile colic, 342
sudden infant death syndrome and sleeping position (letter), 210
swallowing function and medical diagnoses in infants suspected of dysphagia, e106, 1358
systematic review of treatments for infant colic (letter and reply), 1047
treadmill training of infants with Down syndrome: evidence-based developmental outcomes, e84, 1197
zinc supplementation in infants born small for gestational age reduces mortality, 1280
Infectious disease
abnormal central complex is a marker of severity in the presence of partial ciliary defect, e86, 1198
acute *Helicobacter pylori* infection is followed by increase in diarrheal disease among Peruvian children, e87, 1198
antibiotics and sinusitis (letter and reply), 1387
best articles, 572
C-reactive protein in febrile children 1 to 36 months of age with clinically undetectable serious bacterial infection, 1275
child sexual abuse and human papillomavirus infection (letter and reply), 1045
childhood hepatitis B virus infections in the United States before hepatitis B immunization, 1123
community intervention trial to promote judicious antibiotic use and reduce penicillin-resistant *Streptococcus pneumoniae* carriage in children, 575
congenital rubella infection control problems (letter and reply), 1389
development and impact of a computerized pediatric antiinfective decision support program, e75, 997
early-onset neonatal sepsis in era of group B streptococcal prevention, 1094
economic impact of infection control education program in specialized preschool setting, e102, 1356
effect of practice variation on resource utilization in infants hospitalized for viral lower respiratory illness, 851
enhanced urinalysis improves identification of febrile infants ages 60 days and younger at low risk for serious bacterial illness, 866
eosinophil-associated inflammation and elaboration of eosinophil-derived proteins in 2 children with raccoon roundworm encephalitis, e93, 1201
exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums, e67, 994
fluctuations in symptoms in human immunodeficiency virus-infected children: first 10 years of life, 116
Haemophilus influenzae type b disease among Amish children in Pennsylvania, e60, 992
hemolytic-uremic syndrome and *Escherichia coli* O121 at lake in Connecticut, 1999, e59, 991
high rates of multiple antibiotic resistance in *Streptococcus pneumoniae* from healthy children living in isolated rural communities, 856
infection with Sin Nombre hantavirus: clinical presentation and outcome in children and adolescents, e27, 457
influenza A infection is important cause of febrile seizures, e63, 993
influenza virus continues to pose new challenges (commentary), 1004
intussusception, infection, and immunization: summary of workshop on rotavirus, e37, 463
invasive serotype a *Haemophilus influenzae* infections with virulence genotype resembling *Haemophilus influenzae* type b, e18, 173
lumbar puncture in pediatric bacterial meningitis: defining the time interval for recovery of cerebrospinal fluid pathogens after parenteral antibiotic pretreatment, 1169
management of febrile children in age of conjugate pneumococcal vaccine: cost-effectiveness analysis, 835
maternal and infant factors associated with failure to thrive in children with vertically transmitted human immunodeficiency virus-1 infection, 1287
molecular epidemiology of antibiotic-resistance Gram-negative bacilli in a neonatal intensive care unit during a nonoutbreak period, 1143
natural history of neonatal herpes simplex virus infections in acyclovir era, 223

neonatal aortic arch thrombosis as result of congenital cytomegalovirus infection, e114, 1360
occult bacteremia from pediatric emergency department (letter and reply), 520
optic neuropathy in children with Lyme disease, 477
perineal group A *Streptococcus* (letter and reply), 820
predictive model for serious bacterial infections among infants younger than 3 months of age, 311
prevalence among internationally adopted children, 608
prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infection in pediatric private practice, e103, 1356
pulmonary tuberculosis in children in a developing country, 448
rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer–assisted self-interviewing and noninvasive specimen collection, e13, 171
rational testing of HIV-exposed infant, e3, 167
recovery of anaerobic bacteria from four children with postthoracotomy sternal wound infection, e17, 172
respiratory infections in infants: interaction of parental allergy, child care, and siblings—The PIAMA Study, 943
risk factors for positive Mantoux tuberculin skin tests in children in San Diego, California: evidence for boosting and possible foodborne transmission, 305
role of antibiotics in treatment of uncomplicated acute otitis media, 239
safety and efficacy of high-dose intravenous acyclovir in management of neonatal herpes simplex virus infection, 230
serotype prevalence of occult pneumococcal bacteremia, e23, 456
staphylococcal scalded-skin syndrome in very low birth weight premature infant, e16, 172
treatment of invasive *Candida* infection in neonates with congenital cutaneous candidiasis (letter and reply), 216
uncertainty in management of viral lower respiratory tract disease (commentary), 1000
unexplained reduced microbiological efficacy of intramuscular benzathine penicillin G and of oral penicillin V in eradication of group A streptococci from children with acute pharyngitis, 1180

Influenza
cost-effectiveness analysis of intranasal vaccine for prevention of influenza in healthy children, e24, 456
influenza A infection is important cause of febrile seizures, e63, 993
influenza virus continues to pose new challenges (commentary), 1004
predictors of influenza virus vaccination status in hospitalized children, e99, 1355
uncertainty in management of viral lower respiratory tract disease (commentary), 1000

Injuries
AAP and gun control (letter and reply), 1391
associated with infant walkers (committee statement), 790
barriers to bicycle helmet use, e4, 167
bicycle helmets (committee statement), 1030
cause of infant and toddler subdural hemorrhage, 636
driveway injuries in children: risk factors, morbidity, and mortality, 326
effectiveness of home visit to prevent childhood injury, 382
femur fracture in infants: possible accidental etiology, 1009
fireworks-related injuries to children (committee statement), 190
impact of early intervention on outcome after mild traumatic brain injury in children, 1297
population-based assessment of pediatric all-terrain vehicle injuries, 631
predictors of hazardous child seating behavior in fatal motor vehicle crashes: 1990 to 1998, 438
prevention of agricultural injuries among children and adolescents (committee statement), 1016
prospective multicenter study of cervical spine injury in children, e20, 455
rates of pediatric and adolescent injuries by year of age, e45, 752
recent skin injuries in normal children, 271
restraint use on aircraft (committee statement), 1218
school bus transportation of children with special health care needs (committee statement), 516
scooter injuries, e2, 167
shaken baby syndrome: rotational cranial injuries (committee statement), 206
trends in booster seat use among young children in crashes, e109, 1359
where children drown, United States, 1995, 85

Insulin
improving management of diabetic ketoacidosis in children, 735
insulin lispro lowers postprandial glucose in prepubertal children with diabetes, 1175

Interleukins
neutrophil CD11b expression and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
reactive hyperemia and interleukin-6, interleukin-8, and tumor necrosis factor-α in diagnosis of early-onset neonatal sepsis, e61, 992

International health
acute *Helicobacter pylori* infection is followed by increase in diarrheal disease among Peruvian children, e87, 1198
breastfeeding and early weaning practices in northeast Brazil, e66, 994
Child-Friendly Healthcare Initiative (letter and reply), 1045
comparison of body weight and height of Israeli schoolchildren with Tanner and Centers for Disease Control and Prevention growth charts, e108, 1358
comparison of management strategies for extreme prematurity in New Jersey and the Netherlands, 1269
continuous positive airway pressure: randomized, controlled trial in Australia (letter), 1383
exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums, e67, 994
immunization status of internationally adopted children (letter), 1050
newborn screening for congenital adrenal hyperplasia in the Netherlands, 1320
prevalence of infectious diseases among internationally adopted children, 608
psychotropic medication in children: study from The Netherlands, e25, 457
pulmonary tuberculosis in children in a developing country, 448
rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer–assisted self-interviewing and noninvasive specimen collection, e13, 171
severe complications of varicella in previously healthy children in Germany, e79, 1194
survey of use of off-label and unlicensed drugs in a Dutch children's hospital, 1089
sustained efficacy during the first 6 years of life of 3-component acellular pertussis vaccines administered in infancy: Italian experience, e81, 1195
zinc supplementation saves lives of children living in poverty (commentary), 1366

Intracranial pressure elevation, optic neuropathy in children with Lyme disease, 477

Intrauterine growth
of full-term infants: impact of prenatal cocaine exposure, 1309
school difficulties in 20-year-olds who were born small for gestational age at term in regional cohort study, 111

Intraventricular hemorrhage, random-

ized, controlled trial of acetazolamide and furosemide in posthemorrhagic ventricular dilation in infancy: follow-up at 1 year, 597
Intussusception
infection and immunization: summary of workshop on rotavirus, e37, 463
rotavirus diarrhea, and rotavirus vaccine use among children in New York State, 54
Iron status
fat content of diet among preschool children in Southwest Britain: II. relationship with growth, blood lipids, and iron status, e49, 755
iron supplementation during erythropoietin treatment (letter and reply), 1390
neonatal hemochromatosis, 960
randomized, controlled trial of single vs. 3-times-daily ferrous sulfate drops for treatment of anemia, 613
screening for anemia: AAP recommendations—a critique, e56, 757
screening for iron deficiency by dietary history in high-risk population (letter and reply), 823
Ischemia-reperfusion injury, allopurinol neurocardiac protection trial in infants undergoing heart surgery using deep hypothermic circulatory arrest, 61
Islamic biomedical ethics, 965

Jaundice
neonatal jaundice and kernicterus (commentary), 763
onset in glucose-6-phosphate dehydrogenase–deficient neonates, 956
prediction of hyperbilirubinemia in near-term and term infants, 31
problems with prediction of neonatal hyperbilirubinemia (commentary), 175
single dose of Sn-Mesoporphyrin prevents development of severe hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient newborns, 25
Sn-Mesoporphyrin interdiction of severe hyperbilirubinemia in Jehovah's Witness newborns as alternative to exchange transfusion, 1374
Jehovah's Witnesses, Sn-Mesoporphyrin interdiction of severe hyperbilirubinemia in newborns as alternative to exchange transfusion, 1374
Joseph W. St. Geme, Jr Address 2001: can one have a successful academic career in 2001?, 1349
Juvenile rheumatoid arthritis, family pain history predicts child health status in children with chronic rheumatic disease, e47, 753

Kangaroo Mother Care, randomized, controlled trial: results of follow-up at 1 year of corrected age, 1072
Kernicterus, neonatal jaundice and (commentary), 763
Ketogenic diet
experience in infants, 129
3- to 6-year follow-up of 150 children enrolled prospectively, 898
Ketotic hypoglycemia, due to liver glycogen synthase deficiency, 495
Knee brace use in young athlete (technical report), 503
Kostmann's congenital neutropenia, severe osteopenia in young boy treated with granulocyte colony-stimulating factor, e54, 756

Laboratory testing. *See also* Diagnosis
enhanced urinalysis improves identification of febrile infants ages 60 days and younger at low risk for serious bacterial illness, 866
intention to return for Papanicolaou smears in adolescent girls and young women, 333
lumbar puncture in pediatric bacterial meningitis: defining the time interval for recovery of cerebrospinal fluid pathogens after parenteral antibiotic pretreatment, 1169
neutrophil CD11b expression and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
pulmonary tuberculosis in children in a developing country, 448
rational testing of HIV-exposed infant, e3, 167
Language, effects of intravenous secretin on language and behavior of children with autism and gastrointestinal symptoms, e90, 1199
Laxatives, effect of anorectal manometry on outcome of treatment in severe childhood constipation: randomized controlled trial, e9, 169
Lead exposure
lead poisoning among refugee children resettled in Massachusetts, 1995 to 1999, 158
statewide assessment of lead screening histories of preschool children enrolled in a Medicaid managed care program, e29, 458
targeted screening for elevated blood lead levels: populations at high risk (commentary), 1364
Leptin levels, in preterm human breast milk and infant formula, e15, 172
Leukotriene receptor antagonists for asthma
best articles, 565
montelukast for treatment of persistent asthma in children aged 2 to 5 years, e48, 754
Lice, head lice infestation: single drug versus combination therapy (letter), 1393
Limb deficiencies in newborn infants, e64, 993
Lipids
age-related effects of genetic variation on lipid levels: Columbia University BioMarkers Study, e50, 755
fat content of diet among preschool children in Southwest Britain: II. relationship with growth, blood lipids, and iron status, e49, 755
Liver disease
childhood hepatitis B virus infections in the United States before hepatitis B immunization, 1123
onset of jaundice in glucose-6-phosphate dehydrogenase–deficient neonates, 956
prevalence of infectious diseases among internationally adopted children, 608
prevention of hepatitis B in adolescents (letter), 1392
role of child care in community-wide outbreak of hepatitis A, e78, 1194
Long QT syndrome I, diagnostic accuracy of screening electrocardiograms in, 8
Low birth weight. *See also* Perinatal pediatrics; Prematurity
annual summary of vital statistics: 2000, 1241
apparently severe late-onset neutropenia in two very low birth weight infants (letter and reply), 1238
are neonatal intensive care resources located according to need? regional variation in neonatologists, beds, and low birth weight newborns, 426
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
childhood neglect and cognitive development in extremely low birth weight infants: prospective study, 142
clinical comparison of radiant warmer and incubator care for preterm infants from birth to 1800 grams, 395
effects of early erythropoietin therapy on transfusion requirements of preterm infants below 1250 grams birth weight, 934
folate and vitamin B12 supplementation in very low birth weight infants treated with erythropoietin (letter and reply), 217
high-frequency oscillation and chronic lung disease in very low birth weight infants (letter and reply), 212
physical growth and current health status of infants who were of extremely low birth weight and controls at adolescence, 407
randomized, controlled trial of Kangaroo Mother Care: results of follow-up at 1 year of corrected age, 1072
school difficulties in 20-year-olds who were born small for gestational age at term in regional cohort study, 111
staphylococcal scalded-skin syndrome in very low birth weight premature infant, e16, 172
zinc supplementation in infants born small for gestational age reduces mortality, 1280
Lumbar puncture, in pediatric bacte-

rial meningitis: defining the time interval for recovery of cerebrospinal fluid pathogens after parenteral antibiotic pretreatment, 1169
Lung function and disease
abnormal central complex is a marker of severity in the presence of partial ciliary defect, e86, 1198
asthma symptoms, morbidity, and antiinflammatory use in inner-city children, 277
barotrauma, oxygen toxicity, and chronic lung disease (letter and reply), 525
childhood outcome after early high-frequency oscillatory ventilation for neonatal respiratory distress syndrome, 617
comparison of quality of care by specialist and generalist physicians as usual source of asthma care for children, 432
early postnatal dexamethasone therapy for prevention of chronic lung disease, 741
effect of practice variation on resource utilization in infants hospitalized for viral lower respiratory illness, 851
exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums, e67, 994
high-frequency oscillation and chronic lung disease in very low birth weight infants (letter and reply), 212
is oxygen more toxic than currently believed? (commentary), 1203
nasal prongs continuous positive airway pressure: simple yet powerful tool (commentary), 759
Navajo perceptions of asthma and asthma medications, e11, 170
onset and persistence of childhood asthma: predictors from infancy, e69, 995
pulmonary edema associated with child abuse, 769
pulmonary edema in 6 children with Down syndrome during travel to moderate altitudes, 443
pulmonary tuberculosis in children in a developing country, 448
randomized, prospective study of low-dose versus high-dose inhaled nitric oxide in neonate with hypoxic respiratory failure, 949
relation between infantile colic and asthma/atopy, 878
rescue use of DNase in critical lung atelectasis and mucus retention in premature neonates, 468
respiratory infections in infants: interaction of parental allergy, child care, and siblings—The PIAMA Study, 943
risk factors for positive Mantoux tuberculin skin tests in children in San Diego, California: evidence for boosting and possible foodborne transmission, 305
treatment of childhood asthma with anti-immunoglobulin E antibody (omalizumab), e36, 462
uncertainty in management of viral lower respiratory tract disease (commentary), 1000
Lyme disease
management of tick bites and early Lyme disease: survey of Connecticut physicians, 1367
optic neuropathy in children with, 477
safety and immunogenicity of recombinant *Borrelia burgdorferi* outer surface protein A vaccine against Lyme disease in healthy children and adolescents: randomized controlled trial, 123

Macrophage colony-stimulating factor, association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
Magnetic resonance imaging
children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
time course of changes in diffusion-weighted magnetic resonance imaging in a case of neonatal encephalopathy with defined onset and duration of hypoxic-ischemic insult, 1211
Managed care
effects of Medicaid managed care on health care use: infant emergency department and ambulatory services, 103
statewide assessment of lead screening histories of preschool children enrolled in a Medicaid managed care program, e29, 458
switching to gatekeeping: changes in expenditures and utilization for children, 283
Mantoux tuberculin skin test, risk factors for positive tests in children in San Diego, California: evidence for boosting and possible foodborne transmission, 305
Massage therapy, evidence-based (letter), 1053
Matrix metalloproteinases-2, -8, and -9, and TIMP-2 in tracheal aspirates from preterm infants with respiratory distress, 686
Measles vaccine, no evidence for new variant of measles-mumps-rubella–induced autism, e58, 991
Media influences
for a child, every moment is a teachable moment (commentary), 179
media violence (committee statement), 1222
Medicaid
differential impact of recent Medicaid expansions by race and ethnicity, 1135
effectiveness of compliance with pediatric preventive care guidelines among Medicaid recipients, 90
effects of Medicaid managed care on health care use: infant emergency department and ambulatory services, 103
statewide assessment of lead screening histories of preschool children enrolled in a Medicaid managed care program, e29, 458
who cares for Medicaid-enrolled children with chronic conditions?, 906
Medical education
clinical auscultation skills in pediatric residents (letter), 1388
disturbed by questionnaire (letter and reply), 1388
evaluation of resuscitation skills in new residents before and after Pediatric Advanced Life Support course, e110, 1359
FOPE II commentary (letter), 1392
pediatric residency training on tobacco, e8, 169
should we be teaching residents how to bill for their outpatient services? (commentary), 999
what if pediatric residents could bill for their outpatient services?, 827
Medical informatics, special requirements for electronic medical record systems in pediatrics, 513
Medical record systems, electronic, special requirements for, 513
Meningitis
lumbar puncture in pediatric bacterial meningitis: defining the time interval for recovery of cerebrospinal fluid pathogens after parenteral antibiotic pretreatment, 1169
optic neuropathy in children with Lyme disease, 477
predictive model for serious bacterial infections among infants younger than 3 months of age, 311
Mental retardation
changing purpose of Prader-Willi syndrome clinical diagnostic criteria and proposed revised criteria, e92, 1200
increased risk for developmental disabilities in children who have major birth defects, 728
pulmonary edema in 6 children with Down syndrome during travel to moderate altitudes, 443
treadmill training of infants with Down syndrome: evidence-based developmental outcomes, e84, 1197
Mercury in the environment (technical report), 197
Metabolic disorders
diagnosis of very long chain acyl-dehydrogenase deficiency from infant's newborn screening card, e19, 173
liver glycogen synthase deficiency—cause of ketotic hypoglycemia, 495
National Institutes of Health Consensus Development Conference Statement: phenylketonuria: screening and management, 972

Metabolic disorders—*continued*
onset of jaundice in glucose-6-phosphate dehydrogenase–deficient neonates, 956
single dose of Sn-Mesoporphyrin prevents development of severe hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient newborns, 25
Methanol ingestion, treated with fomepizole and hemodialysis, e77, 998
Methyl ethyl ketone peroxide ingestion, toxicity and outcome in 6-year-old child, 473
Methylphenidate, randomized, controlled trial of OROS methylphenidate once a day in children with attention-deficit/hyperactivity disorder, 883
Microbiology, recovery of anaerobic bacteria from four children with postthoracotomy sternal wound infection, e17, 172
Migraine treatment (letter), 817
Minocycline and pseudotumor cerebri (letter), 519
Monitoring
glucose monitoring with long-term subcutaneous microdialysis in neonates, 1187
Weight-by-Date chart: personalized tool for following hospitalized children (letter), 821
Monoclonal antibodies, treatment of childhood asthma with anti-immunoglobulin E antibody (omalizumab), e36, 462
Monocytes, association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
Montelukast, for treatment of persistent asthma in children aged 2 to 5 years, e48, 754
Mortality
annual summary of vital statistics: 2000, 1241
association between sudden infant death syndrome and prone sleep position, bed sharing, and sleeping outside an infant crib in Alaska, 923
changes in stillbirth and infant mortality associated with increases in preterm birth among twins, 1055
comparison of management strategies for extreme prematurity in New Jersey and the Netherlands, 1269
distinguishing sudden infant death syndrome from child abuse fatalities (committee statement), 812 (letter, 1237)
driveway injuries in children: risk factors, morbidity, and mortality, 326
end-of-life care for neonates and infants: experience and effects of palliative care consultation service, 653
exclusive breastfeeding reduces acute respiratory infection and diarrhea deaths among infants in Dhaka slums, e67, 994
parallel incidences of sudden infant death syndrome and infantile hypertrophic pyloric stenosis, e70, 996
predictors of hazardous child seating behavior in fatal motor vehicle crashes: 1990 to 1998, 438
sudden infant death syndrome and sleeping position (letter), 210
where children drown, United States, 1995, 85
zinc supplementation in infants born small for gestational age reduces mortality, 1280
Mothers
intrapartum maternal fever and neonatal outcome (letter and reply), 818
maternal and infant factors associated with failure to thrive in children with vertically transmitted human immunodeficiency virus-1 infection, 1287
maternal concern about positive test results in universal newborn hearing screening, 1111
maternal domestic violence screening in office-based pediatric practice, e43, 751
maternal epidural use and neonatal sepsis evaluation in afebrile mothers, 1099
predictors of mother–adolescent discussions about condoms, e28, 458
randomized comparison of home visits and hospital-based group follow-up visits after early postpartum discharge, 719
similar effects on infants of n-3 and n-6 fatty acids supplementation to pregnant and lactating women, e82, 1196
smoking during pregnancy and infantile colic, 342
Motor development, treadmill training of infants with Down syndrome: evidence-based developmental outcomes, e84, 1197
Motor vehicles
driveway injuries in children: risk factors, morbidity, and mortality, 326
population-based assessment of pediatric all-terrain vehicle injuries, 631
predictors of hazardous child seating behavior in fatal motor vehicle crashes: 1990 to 1998, 438
respiratory instability of term and near-term healthy newborn infants in car safety seats, 647
school bus transportation of children with special health care needs (committee statement), 516
trends in booster seat use among young children in crashes, e109, 1359
Mumps vaccine, no evidence for new variant of measles-mumps-rubella–induced autism, e58, 991
Mycobacterial infection
prevalence of infectious diseases among internationally adopted children, 608
pulmonary tuberculosis in children in a developing country, 448
risk factors for positive Mantoux tuberculin skin tests in children in San Diego, California: evidence for boosting and possible foodborne transmission, 305

Nasal ventilation. *See also* Ventilatory assistance
prospective, randomized, controlled trial comparing synchronized nasal intermittent positive pressure ventilation vs. nasal continuous positive airway pressure as modes of extubation, 13
National Health and Nutrition Examination Survey (NHANES III)
estimated prevalence of noise-induced hearing threshold shifts among children 6 to 19 years of age: 1988–1994, United States, 40
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
Native Americans
infection with Sin Nombre hantavirus: clinical presentation and outcome in children and adolescents, e27, 457
Navajo perceptions of asthma and asthma medications, e11, 170
Necrotizing enterocolitis, pneumatosis intestinalis in non-neonatal pediatric patients, 402
Neisseria gonorrhoeae infection, prevalence of *Chlamydia trachomatis* infection and, in pediatric private practice, e103, 1356
Neonates. *See also* Infants; Low birth weight; Perinatal pediatrics; Prematurity
aortic arch thrombosis as result of congenital cytomegalovirus infection, e114, 1360
are neonatal intensive care resources located according to need? regional variation in neonatologists, beds, and low birth weight newborns, 426
association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
attitudes, practices, and preferences of pediatricians regarding initiation of hepatitis B immunization at birth, e98, 1354
Baby-Friendly Hospital Initiative improves breastfeeding initiation rates in a US hospital setting, 677
Back to Sleep: good advice for parents but not for hospitals? (letter), 522
changes in stillbirth and infant mortality associated with increases in preterm birth among twins, 1055
circumcisions: again (letter and reply), 522 (erratum, 1054)
congenital autoimmune neutropenia in two premature neonates, 181

congenital hypomyelination neuropathy in a newborn infant: unusual cause of diaphragmatic and vocal cord paralyses, e95, 1202
delayed separation of umbilical cord attributable to urachal anomalies, 493
determinants of cobalamin status in newborns, 624
diagnosis of very long chain acyl-dehydrogenase deficiency from infant's newborn screening card, e19, 173
diaphragm dimensions of healthy preterm infant, e91, 1200
early-onset neonatal sepsis in era of group B streptococcal prevention, 1094
early postnatal dexamethasone therapy for prevention of chronic lung disease, 741
end-of-life care for neonates and infants: experience and effects of palliative care consultation service, 653
glucose monitoring with long-term subcutaneous microdialysis in, 1187
importance of newborn screening (letter and reply), 821
intrapartum maternal fever and neonatal outcome (letter and reply), 818
limb deficiencies in newborn infants, e64, 993
maternal concern about positive test results in universal newborn hearing screening, 1111
maternal epidural use and neonatal sepsis evaluation in afebrile mothers, 1099
molecular epidemiology of antibiotic-resistance Gram-negative bacilli in a neonatal intensive care unit during a nonoutbreak period, 1143
more research is needed to determine the effects of human milk on neonatal outcome (commentary), 465
National Institutes of Health Consensus Development Conference Statement: phenylketonuria: screening and management, 972
natural history of neonatal herpes simplex virus infections in acyclovir era, 223
neonatal hemochromatosis, 960
neonatal jaundice and kernicterus (commentary), 763
neutrophil CD11b expression and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
new and improved population-based Canadian reference for birth weight for gestational age, e35, 462
newborn screening for congenital adrenal hyperplasia in the Netherlands, 1320
newborns with suspected occult spinal dysraphism: cost-effectiveness analysis of diagnostic strategies, e101, 1355
onset of jaundice in glucose-6-phosphate dehydrogenase–deficient neonates, 956
prediction of hyperbilirubinemia in near-term and term infants, 31
problems with prediction of neonatal hyperbilirubinemia (commentary), 175
prospective, randomized, controlled trial comparing synchronized nasal intermittent positive pressure ventilation vs. nasal continuous positive airway pressure as modes of extubation, 13
randomized, prospective study of low-dose versus high-dose inhaled nitric oxide in neonate with hypoxic respiratory failure, 949
randomized comparison of home visits and hospital-based group follow-up visits after early postpartum discharge, 719
randomized trial of nutrient-enriched formula vs. standard formula for postdischarge preterm infants, 703
reactive hyperemia and interleukin-6, interleukin-8, and tumor necrosis factor-α in diagnosis of early-onset neonatal sepsis, e61, 992
respiratory instability of term and near-term healthy newborn infants in car safety seats, 647
safety and efficacy of high-dose intravenous acyclovir in management of neonatal herpes simplex virus infection, 230
screening for congenital adrenal hyperplasia, e68, 994
similar effects on infants of n-3 and n-6 fatty acids supplementation to pregnant and lactating women, e82, 1196
single dose of Sn-Mesoporphyrin prevents development of severe hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient newborns, 25
Sn-Mesoporphyrin interdiction of severe hyperbilirubinemia in Jehovah's Witness newborns as alternative to exchange transfusion, 1374
successful application of Baby-Friendly Hospital Initiative contains lessons that must be applied to control of formula feeding in hospitals in industrialized countries (commentary), 766
survey of pediatrician practices in retrieving statewide authorized newborn screening results, e22, 455
time course of changes in diffusion-weighted magnetic resonance imaging in a case of neonatal encephalopathy with defined onset and duration of hypoxic-ischemic insult, 1211
treatment of invasive *Candida* infection in neonates with congenital cutaneous candidiasis (letter and reply), 216
treatment of pain with gabapentin in, 482
work of breathing during constant- and variable-flow nasal continuous positive airway pressure in preterm neonates, 682
Nephrocalcinosis, thiazide diuretics arrest progression of nephrocalcinosis in children with X-linked hypophosphatemia, e6, 168
Neural tube defects
newborns with suspected occult spinal dysraphism: cost-effectiveness analysis of diagnostic strategies, e101, 1355
unnecessary epidemic of folic acid-preventable spina bifida and anencephaly (letter and reply), 1048
Neurodevelopment
childhood outcome after early high-frequency oscillatory ventilation for neonatal respiratory distress syndrome, 617
diagnosis and treatment of feeding disorders in children with developmental disabilities, 671
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
impact of early intervention on outcome after mild traumatic brain injury in children, 1297
increased risk for developmental disabilities in children who have major birth defects: population-based study, 728
influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with fragile X syndrome, e88, 1198
neurobehavioral deficits in premature graduates of intensive care—potential medical and neonatal environmental risk factors, 1339
outcome at 5 years of age of children 23 to 27 weeks' gestation: refining prognosis, 134
prevalence of autism in a United States population: the Brick Township, New Jersey, investigation, 1155
school difficulties in 20-year-olds who were born small for gestational age at term in regional cohort study, 111
Neurogenic bladder, effect of single-use sterile catheter for each void on frequency of bacteriuria in children with neurogenic bladder on intermittent catheterization for bladder emptying, e71, 996
Neuropathy, congenital hypomyelination neuropathy in a newborn infant: unusual cause of diaphragmatic and vocal cord paralyses, e95, 1202
Neutropenia
apparently severe late-onset neutropenia in two very low birth weight infants (letter and reply), 1238
caution about trial methodology and statistics (letter and reply), 1383

Neutropenia—*continued*
congenital autoimmune neutropenia in two premature neonates, 181
severe osteopenia in young boy with Kostmann's congenital neutropenia treated with granulocyte colony-stimulating factor, e54, 756
Neutrophil CD11b expression, and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
Nitric oxide, randomized, prospective study of low-dose versus high-dose inhaled nitric oxide in neonate with hypoxic respiratory failure, 949
Noise-induced hearing threshold shifts, estimated prevalence among children 6 to 19 years of age: Third NHANES, 1988–1994, United States, 40
Nosocomial infection, molecular epidemiology of antibiotic-resistance Gram-negative bacilli in a neonatal intensive care unit during a nonoutbreak period, 1143
Nutrition. *See* Diet and nutrition

Obesity and overweight
earlier onset of puberty in girls: relation to increased body mass index and race, 347
early adiposity rebound not associated with energy or fat intake in infancy (letter and reply), 218
relationship of childhood obesity to coronary heart disease risk factors in adulthood: Bogalusa Heart Study, 712
Obsessive-compulsive scale of Child Behavior Checklist, specificity, sensitivity, and predictive power, e14, 171
Obstructive uropathy, fetal surgery for posterior urethral valves: long-term postnatal outcomes, e7, 169
Off-label drug use, survey of use of off-label and unlicensed drugs in a Dutch children's hospital, 1089
Omalizumab, treatment of childhood asthma with anti-immunoglobulin E antibody, e36, 462
Ophthalmology
detection of red reflex asymmetry by pediatric residents using Brückner reflex versus MTI photoscreener, e74, 997
is oxygen more toxic than currently believed? (commentary), 1203
optic neuropathy in children with Lyme disease, 477
screening examination of premature infants for retinopathy of prematurity (committee statement), 809
screening for retinopathy of prematurity (letter and reply), 1385
sudden rise in prevalence of retinopathy of prematurity blindness? (letter), 526
Osteopenia
bone mineral density and importance of gluten-free diet in patients with celiac disease in childhood, e89, 1199
in young boy with Kostmann's congenital neutropenia treatment with granulocyte colony-stimulating factor, e54, 756
Otitis media, acute
research gaps and priorities for future research, 248
role of antibiotics in treatment of uncomplicated infection, 239
Outcome
adult outcomes of pediatric recurrent abdominal pain, e1, 167
childhood outcome after early high-frequency oscillatory ventilation for neonatal respiratory distress syndrome, 617
children who return home from foster care: 6-year prospective study of behavioral health outcomes in adolescence, e10, 170
effect of anorectal manometry on outcome of treatment in severe childhood constipation: randomized controlled trial, e9, 169
fetal surgery for posterior urethral valves: long-term postnatal outcomes, e7, 169
at 5 years of age of children 23 to 27 weeks' gestation, 134
functional limitations in young children with congenital heart defects after cardiac surgery, 1325
impact of early intervention on outcome after mild traumatic brain injury in children, 1297
infection with Sin Nombre hantavirus: clinical presentation and outcome in children and adolescents, e27, 457
intrapartum maternal fever and neonatal outcome (letter and reply), 818
methyl ethyl ketone peroxide ingestion: toxicity and outcome in 6-year-old child, 473
more research is needed to determine the effects of human milk on neonatal outcome (commentary), 465
physical growth and current health status of infants who were of extremely low birth weight and controls at adolescence, 407
school difficulties in 20-year-olds who were born small for gestational age at term in regional cohort study, 111
treadmill training of infants with Down syndrome: evidence-based developmental outcomes, e84, 1197
Overdose, 1000-fold overdose of clonidine caused by compounding error in 5-year-old child with attention-deficit/hyperactivity disorder, 471
Oxygen saturation, cardiorespiratory events in preterm infants referred for apnea monitoring studies, 1304
Oxygen therapy
barotrauma, oxygen toxicity, and chronic lung disease (letter and reply), 525
chronic oxygen dependency in infants born at less than 32 weeks' gestation: incidence and risk factors, e26, 457
is oxygen more toxic than currently believed? (commentary), 1203

Pacemaker implantation
breath-holding spells and, 765
breath-holding spells associated with significant bradycardia: successful treatment with, 698
Pacifier use, association with shorter breastfeeding duration among low-income women (letter), 526 (erratum, 826)
Pain
adult outcomes of pediatric recurrent abdominal pain, e1, 167
assessment and management of acute pain in infants, children and adolescents (committee statement), 793
family pain history predicts child health status in children with chronic rheumatic disease, e47, 753
sedation and analgesia (letter and reply), 824
treatment with gabapentin in neonate, 482
Palliative care consultation service, end-of-life care for neonates and infants: experience and effects of, 653
Papanicolaou smears, intention to return for, in adolescent girls and young women, 333
Parents
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
Back to Sleep: good advice for parents but not for hospitals? (letter), 522
delivery of pediatric after-hours care by call centers: multicenter study of parental perceptions and compliance, e111, 1359
does parental disapproval of smoking prevent adolescents from becoming established smokers?, 1256
impact of waiting room videotape message on parent attitudes toward pediatric antibiotic use, 591
improving parent knowledge about antibiotics: video intervention, 845
parents' perceptions of primary care, 264
predictors of mother–adolescent discussions about condoms, e28, 458
respiratory infections in infants: interaction of parental allergy, child care, and siblings—The PIAMA Study, 943
treatment of febrile seizures: influence of treatment efficacy and side-effect profile on value to parents, 1080

Pediatricians. *See also* Physicians
are neonatal intensive care resources located according to need? regional variation in neonatologists, beds, and low birth weight newborns, 426
attitudes, practices, and preferences of pediatricians regarding initiation of hepatitis B immunization at birth, e98, 1354
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
characteristics and financial performance of pediatric faculty inpatient attending service: resource-based relative value scale analysis, 79
clinical auscultation skills in pediatric residents (letter), 1388
comparison of continuity in a resident versus private practice, 1263
comparison of quality of care by specialist and generalist physicians as usual source of asthma care for children, 432
evaluation of resuscitation skills in new residents before and after Pediatric Advanced Life Support course, e110, 1359
Islamic biomedical ethics: primer for the pediatrician, 965
Joseph W. St. Geme, Jr Address 2001: can one have a successful academic career in 2001?, 1349
pediatric generalists and subspecialists: determinants of career satisfaction, e40, 750
pediatric residency training on tobacco, e8, 169
practice of pediatric sleep medicine: results of community survey, e51, 755
should we be teaching residents how to bill for their outpatient services? (commentary), 999
survey of pediatrician practices in retrieving statewide authorized newborn screening results, e22, 455
what if pediatric residents could bill for their outpatient services?, 827
Pediatrics
barriers to domestic violence screening in pediatric setting, 98
delivery of pediatric after-hours care by call centers: multicenter study of parental perceptions and compliance, e111, 1359
FOPE II commentary (letter), 1392
the new morbidity: where the rubber hits the road or the practitioner's guide to the new morbidity (commentary), 1206
the new morbidity revisited: a renewed commitment to the psychosocial aspects of pediatric care (committee statement), 1227
nondiscrimination in pediatric health care (committee statement), 1215
quality in pediatrics: progress report (commentary), 1362
special requirements for electronic medical record systems, 513
Pediculosis, head lice infestation: single drug versus combination therapy (letter), 1393
Penicillin, unexplained reduced microbiological efficacy of intramuscular benzathine penicillin G and of oral penicillin V in eradication of group A streptococci from children with acute pharyngitis, 1180
Peptostreptococcus, recovery of anaerobic bacteria from four children with postthoracotomy sternal wound infection, e17, 172
Perinatal pediatrics. *See also* Low birth weight; Neonates; Prematurity
are neonatal intensive care resources located according to need? regional variation in neonatologists, beds, and low birth weight newborns, 426
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
barotrauma, oxygen toxicity, and chronic lung disease (letter and reply), 525
Bloxsom air lock, e116, 1361
clinical comparison of radiant warmer and incubator care for preterm infants from birth to 1800 grams, 395
comparison of management strategies for extreme prematurity in New Jersey and the Netherlands, 1269
early postnatal dexamethasone therapy for prevention of chronic lung disease, 741
effects of early erythropoietin therapy on transfusion requirements of preterm infants below 1250 grams birth weight, 934
folate and vitamin B12 supplementation in very low birth weight infants treated with erythropoietin (letter and reply), 217
high-frequency oscillation and chronic lung disease in very low birth weight infants (letter and reply), 212
inter-neonatal intensive care unit variation in discharge timing: influence of apnea and feeding management, 928
nasal prongs continuous positive airway pressure: simple yet powerful tool (commentary), 759
neonatal hemochromatosis, 960
neutrophil CD11b expression and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
onset in glucose-6-phosphate dehydrogenase–deficient neonates, 956
prediction of hyperbilirubinemia in near-term and term infants, 31
prospective, randomized, controlled trial comparing synchronized nasal intermittent positive pressure ventilation vs. nasal continuous positive airway pressure as modes of extubation, 13
randomized, prospective study of low-dose versus high-dose inhaled nitric oxide in neonate with hypoxic respiratory failure, 949
rescue use of DNase in critical lung atelectasis and mucus retention in premature neonates, 468
single dose of Sn-mesoporphyrin prevents development of severe hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient newborns, 25
time course of changes in diffusion-weighted magnetic resonance imaging in a case of neonatal encephalopathy with defined onset and duration of hypoxic-ischemic insult, 1211
use of continuous positive airway pressure in preterm infants: comments and experience from New Zealand (commentary), 761
work of breathing during constant- and variable-flow nasal continuous positive airway pressure in preterm neonates, 682
Pertussis vaccine
immunologic and epidemiologic experience of vaccination with monocomponent pertussis toxoid vaccine, e115, 1361
sustained efficacy during the first 6 years of life of 3-component acellular pertussis vaccines administered in infancy: Italian experience, e81, 1195
Peru, pulmonary tuberculosis in children in a developing country, 448
Pharyngitis, unexplained reduced microbiological efficacy of intramuscular benzathine penicillin G and of oral penicillin V in eradication of group A streptococci from children with acute pharyngitis, 1180
Phenylketonuria, National Institutes of Health Consensus Development Conference Statement: phenylketonuria: screening and management, 972
Phenylpropanolamine, toxicity of over-the-counter cough and cold medications, e52, 756
Physical activity, how much activity do youth get? quantitative review of heart-rate measured activity, e44, 752
Physicians
are neonatal intensive care resources located according to need? regional variation in neonatologists, beds, and low birth weight newborns, 426
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
characteristics and financial performance of pediatric faculty inpatient attending service: resource-based relative value scale analysis, 79

Physicians—*continued*
comparative practice patterns of emergency medicine physicians and pediatric emergency medicine physicians managing fever in young children, 354
comparison of quality of care by specialist and generalist physicians as usual source of asthma care for children, 432
effect of Vaccines for Children program on physician referral of children to public vaccine clinics, 297
pediatric generalists and subspecialists: determinants of career satisfaction, e40, 750
pediatric residency training on tobacco, e8, 169
survey of pediatrician practices in retrieving statewide authorized newborn screening results, e22, 455
who cares for Medicaid-enrolled children with chronic conditions?, 906
PIAMA Study, respiratory infections in infants: interaction of parental allergy, child care, and siblings, 943
Pneumatosis intestinalis, in non-neonatal pediatric patients, 402
Pneumococcal vaccine
management of febrile children in age of conjugate pneumococcal vaccine: cost-effectiveness analysis, 835
preimmunization anti-pneumococcal antibody levels are protective in majority of patients with cystic fibrosis, e62, 992
serotype prevalence of occult pneumococcal bacteremia, e23, 456
Poisoning
acetaminophen toxicity in children (committee statement), 1020
childhood methanol ingestion treated with fomepizole and hemodialysis, e77, 998
evaluation of administration of activated charcoal in the home, e100, 1355
lead poisoning among refugee children resettled in Massachusetts, 1995 to 1999, 158
mercury in the environment (technical report), 197
methyl ethyl ketone peroxide ingestion: toxicity and outcome in 6-year-old child, 473
1000-fold overdose of clonidine caused by compounding error in 5-year-old child with attention-deficit/hyperactivity disorder, 471
Posterior urethral valves, fetal surgery for: long-term postnatal outcomes, e7, 169
Poverty
adolescents' perceptions of social status: development and evaluation of a new indicator, e31, 459
effect of Vaccines for Children program on physician referral of children to public vaccine clinics, 297
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
pacifier use is associated with shorter breastfeeding duration among low-income women (letter), 526 (erratum, 826)
randomized trial to reduce passive smoke exposure in low-income households with young children, 18
zinc supplementation saves lives of children living in (commentary), 1366
Practice guidelines
asthma symptoms, morbidity, and antiinflammatory use in inner-city children, 277
comparative practice patterns of emergency medicine physicians and pediatric emergency medicine physicians managing fever in young children, 354
comparison of quality of care by specialist and generalist physicians as usual source of asthma care for children, 432
evidence for diagnosis and treatment of acute uncomplicated sinusitis in children (technical report), e57, 757
guiding principles, attributes, and process to review medical management guidelines (committee statement), 1378
management of sinusitis (committee statement), 798
National Institutes of Health Consensus Development Conference Statement: phenylketonuria: screening and management, 972
treatment of the school-aged child with attention-deficit/hyperactivity disorder (committee statement), 1033
Prader-Willi syndrome, changing purpose of clinical diagnostic criteria and proposed revised criteria, e92, 1200
Pregnancy
association of foster care or kinship care with adolescent sexual behavior and first pregnancy, e46, 753
maternal epidural use and neonatal sepsis evaluation in afebrile mothers, 1099
prospective study of psychological distress and sexual risk behavior among black adolescent females, e85, 1197
similar effects on infants of n-3 and n-6 fatty acids supplementation to pregnant and lactating women, e82, 1196
smoking during pregnancy and infantile colic, 342
Prematurity. *See also* Low birth weight; Neonates; Perinatal pediatrics
are neonatal intensive care resources located according to need? regional variation in neonatologists, beds, and low birth weight newborns, 426
attitudes of parents and health care professionals toward active treatment of extremely premature infants, 152
barotrauma, oxygen toxicity, and chronic lung disease (letter and reply), 525
cardiorespiratory events in preterm infants referred for apnea monitoring studies, 1304
changes in stillbirth and infant mortality associated with increases in preterm birth among twins, 1055
childhood neglect and cognitive development in extremely low birth weight infants: prospective study, 142
chronic oxygen dependency in infants born at less than 32 weeks' gestation: incidence and risk factors, e26, 457
clinical comparison of radiant warmer and incubator care for preterm infants from birth to 1800 grams, 395
comparison of management strategies for extreme prematurity in New Jersey and the Netherlands, 1269
congenital autoimmune neutropenia in two premature neonates, 181
diaphragm dimensions of healthy preterm infant, e91, 1200
early postnatal dexamethasone therapy for prevention of chronic lung disease, 741
effects of early erythropoietin therapy on transfusion requirements of preterm infants below 1250 grams birth weight, 934
growth and development in preterm infants fed long-chain polyunsaturated fatty acids: prospective, randomized controlled trial, 359
inter-neonatal intensive care unit variation in discharge timing: influence of apnea and feeding management, 928
matrix metalloproteinases-2, -8, and -9 and TIMP-2 in tracheal aspirates from preterm infants with respiratory distress, 686
neonatal screening for congenital adrenal hyperplasia, e68, 994
neurobehavioral deficits in premature graduates of intensive care—potential medical and neonatal environmental risk factors, 1339
outcome at 5 years of age of children 23 to 27 weeks' gestation: refining prognosis, 134
prospective, randomized, controlled trial comparing synchronized nasal intermittent positive pressure ventilation vs. nasal continuous positive airway pressure as modes of extubation, 13
randomized trial of nutrient-enriched formula vs standard formula for postdischarge preterm infants, 703
rescue use of DNase in critical lung atelectasis and mucus retention in premature neonates, 468

screening examination of premature infants for retinopathy of prematurity (committee statement), 809
screening for retinopathy of prematurity (letter and reply), 1385
staphylococcal scalded-skin syndrome in very low birth weight premature infant, e16, 172
structure of blood vessels in germinal matrix and autoregulation of cerebral blood flow in premature infants (letter and reply), 1050
sudden rise in prevalence of retinopathy of prematurity blindness? (letter), 526
use of continuous positive airway pressure in preterm infants: comments and experience from New Zealand (commentary), 761
vitamin K status of premature infants, 1117
work of breathing during constant- and variable-flow nasal continuous positive airway pressure in preterm neonates, 682
Prenatal drug exposure
intrauterine growth of full-term infants: impact of prenatal cocaine exposure, 1309
prenatal alcohol exposure and childhood behavior at age 6 to 7 years: dose-response effect, e34, 461
Prevention. *See also* Immunization; Safety issues
AAP and gun control (letter and reply), 1391
of agricultural injuries among children and adolescents (committee statement), 1016
barriers to bicycle helmet use, e4, 167
bicycle helmets (committee statement), 1030
does parental disapproval of smoking prevent adolescents from becoming established smokers?, 1256
early-onset neonatal sepsis in era of group B streptococcal prevention, 1094
early postnatal dexamethasone therapy for prevention of chronic lung disease, 741
economic impact of infection control education program in specialized preschool setting, e102, 1356
effectiveness of compliance with pediatric preventive care guidelines among Medicaid recipients, 90
effectiveness of home visit to prevent childhood injury, 382
gun storage—who's the right target? (letter), 823
of hepatitis B in adolescents (letter), 1392
human immunodeficiency virus postexposure prophylaxis for adolescents and children, e38, 463
impact of community-wide intervention to improve delivery of preventive services to children, e42, 750
improving preventive service delivery through office systems, e41, 750
improving substance abuse prevention, assessment, and treatment financing for children and adolescents (committee statement), 1025
Prevotella, recovery of anaerobic bacteria from four children with postthoracotomy sternal wound infection, e17, 172
Primary care
comparison of continuity in a resident versus private practice, 1263
improving preventive service delivery through office systems, e41, 750
maternal domestic violence screening in office-based pediatric practice, e43, 751
methodologic flaws, wrong answers, and right questions: pediatric office emergencies (letter and reply), 1052
the new morbidity: where the rubber hits the road or the practitioner's guide to the new morbidity (commentary), 1206
parents' perceptions of, 264
pediatric generalists and subspecialists: determinants of career satisfaction, e40, 750
switching to gatekeeping: changes in expenditures and utilization for children, 283
who cares for Medicaid-enrolled children with chronic conditions?, 906
Pseudotumor cerebri
minocycline and (letter), 519
optic neuropathy in children with Lyme disease, 477
Psychological health
adolescents' perceptions of social status: development and evaluation of a new indicator, e31, 459
adoption as risk factor for attempted suicide during adolescence, e30, 458
atomoxetine in treatment of children and adolescents with attention-deficit/hyperactivity disorder, e83, 1197
children who return home from foster care: 6-year prospective study of behavioral health outcomes in adolescence, e10, 170
clinical practice guideline: treatment of the school-aged child with attention-deficit/hyperactivity disorder (committee statement), 1033
influence of environmental and genetic factors on behavior problems and autistic symptoms in boys and girls with fragile X syndrome, e88, 1198
the new morbidity: where the rubber hits the road or the practitioner's guide to the new morbidity (commentary), 1206
the new morbidity revisited: a renewed commitment to the psychosocial aspects of pediatric care (committee statement), 1227
no evidence for new variant of measles-mumps-rubella–induced autism, e58, 991
obsessive-compulsive scale of Child Behavior Checklist: specificity, sensitivity, and predictive power, e14, 171
1000-fold overdose of clonidine caused by compounding error in 5-year-old child with attention-deficit/hyperactivity disorder, 471
prenatal alcohol exposure and childhood behavior at age 6 to 7 years: dose-response effect, e34, 461
prevalence of autism in a United States population: the Brick Township, New Jersey, investigation, 1155
prospective study of psychological distress and sexual risk behavior among black adolescent females, e85, 1197
psychogenic cough (letter and reply), 820
psychopharmacology for young children, 983
psychotropic medication in children: study from The Netherlands, e25, 457
randomized, controlled trial of OROS methylphenidate once a day in children with attention-deficit/hyperactivity disorder, 883
utilization and cost of health care services for children with attention-deficit/hyperactivity disorder, 71
Puberty
earlier onset of puberty in girls: relation to increased body mass index and race, 347
sex differences in secular changes in pubertal maturation, e65, 994
Public health
effect of Vaccines for Children program on physician referral of children to public vaccine clinics, 297
lead poisoning among refugee children resettled in Massachusetts, 1995 to 1999, 158
risk factors for positive Mantoux tuberculin skin tests in children in San Diego, California: evidence for boosting and possible foodborne transmission, 305
statewide assessment of lead screening histories of preschool children enrolled in a Medicaid managed care program, e29, 458
targeted screening for elevated blood lead levels: populations at high risk (commentary), 1364
Pulmonary edema
in 6 children with Down syndrome during travel to moderate altitudes, 443
associated with child abuse, 769
Pyloric stenosis, hypertrophic infantile, parallel incidences of sudden infant death syndrome and, e70, 996

Quality of care
clinical practice guideline: management of sinusitis (committee statement), 798
comparison of quality of care by specialist and generalist physicians as usual source of asthma care for children, 432
guiding principles, attributes, and process to review medical management guidelines (committee statement), 1378
impact of community-wide intervention to improve delivery of preventive services to children, e42, 750
improving preventive service delivery through office systems, e41, 750
parents' perceptions of primary care, 264
quality in pediatrics: progress report (commentary), 1362
switching to gatekeeping: changes in expenditures and utilization for children, 283

Race/ethnicity
asthma hospitalization trends in Charleston, South Carolina, 1956 to 1997: twenty-fold increase among black children during a 30-year period, e97, 1353
decision to breastfeed in United States: does race matter?, 291
differential impact of recent Medicaid expansions by race and ethnicity, 1135
earlier onset of puberty in girls: relation to increased body mass index and race, 347
nondiscrimination in pediatric health care (committee statement), 1215
prospective study of psychological distress and sexual risk behavior among black adolescent females, e85, 1197
Radiant warmers, clinical comparison of radiant warmer and incubator care for preterm infants from birth to 1800 grams, 395
Reactive hyperemia, and interleukin-6, interleukin-8, and tumor necrosis factor-α in diagnosis of early-onset neonatal sepsis, e61, 992
Refugees, lead poisoning among refugee children resettled in Massachusetts, 1995 to 1999, 158
Religious beliefs
Islamic biomedical ethics, 965
Sn-Mesoporphyrin interdiction of severe hyperbilirubinemia in Jehovah's Witness newborns as alternative to exchange transfusion, 1374
Renal disease
hypokalemic salt-losing tubulopathy with chronic renal failure and sensorineural deafness, e5, 168
thiazide diuretics arrest progression of nephrocalcinosis in children with X-linked hypophosphatemia, e6, 168
Research
establishment of a clinical trials office at a children's hospital, 1129
evidence assessment of management of acute otitis media: research gaps and priorities for future research, 248
human embryo research (committee statement), 813 (erratum, 1221)
more research is needed to determine the effects of human milk on neonatal outcome (commentary), 465
psychopharmacology for young children: clinical needs and research opportunities, 983
Residents
clinical auscultation skills in pediatric residents (letter), 1388
comparison of continuity in a resident versus private practice, 1263
detection of red reflex asymmetry by pediatric residents using Brückner reflex versus MTI photoscreener, e74, 997
disturbed by questionnaire (letter and reply), 1388
evaluation of resuscitation skills in new residents before and after Pediatric Advanced Life Support course, e110, 1359
pediatric residency training on tobacco, e8, 169
should we be teaching residents how to bill for their outpatient services? (commentary), 999
what if pediatric residents could bill for their outpatient services?, 827
Resource-based relative value scale
characteristics and financial performance of pediatric faculty inpatient attending service, 79
estimating cost of developmental and behavioral screening of preschool children in general pediatric practice, 913
Respiratory distress syndrome
childhood outcome after early high-frequency oscillatory ventilation for neonatal respiratory distress syndrome, 617
matrix metalloproteinases-2, -8, and -9 and TIMP-2 in tracheal aspirates from preterm infants with, 686
prospective, randomized, controlled trial comparing synchronized nasal intermittent positive pressure ventilation vs. nasal continuous positive airway pressure as modes of extubation, 13
Respiratory illness. *See* Lung function and disease
Resuscitation
Bloxsom air lock, e116, 1361
evaluation of resuscitation skills in new residents before and after Pediatric Advanced Life Support course, e110, 1359
Retinopathy of prematurity
is oxygen more toxic than currently believed? (commentary), 1203
screening examination of premature infants for (committee statement), 809
screening for (letter and reply), 1385
sudden rise in prevalence of retinopathy of prematurity blindness? (letter), 526
Rheumatoid arthritis, family pain history predicts child health status in children with chronic rheumatic disease, e47, 753
Rhinitis, sensitization to common allergens and its association with allergic disorders at age 4 years: whole population birth cohort study, e33, 460
Rickets, thiazide diuretics arrest progression of nephrocalcinosis in children with X-linked hypophosphatemia, e6, 168
Risk factors
adoption as risk factor for attempted suicide during adolescence, e30, 458
chronic oxygen dependency in infants born at less than 32 weeks' gestation: incidence and risk factors, e26, 457
driveway injuries in children: risk factors, morbidity, and mortality, 326
neurobehavioral deficits in premature graduates of intensive care—potential medical and neonatal environmental risk factors, 1339
onset and persistence of childhood asthma: predictors from infancy, e69, 995
for positive Mantoux tuberculin skin tests in children in San Diego, California: evidence for boosting and possible foodborne transmission, 305
predictors of hazardous child seating behavior in fatal motor vehicle crashes: 1990 to 1998, 438
prevalence and predictors of immunization among inner-city infants: birth cohort study, 661
relationship of childhood obesity to coronary heart disease risk factors in adulthood: Bogalusa Heart Study, 712
sedation, risk, and safety (commentary), 1006
snoring in 9- to 15-year-old children: risk factors and clinical relevance, 1149
targeted screening for elevated blood lead levels: populations at high risk (commentary), 1364
Rotavirus vaccine
intussusception, infection, and immunization: summary of workshop on rotavirus, e37, 463
intussusception, rotavirus diarrhea, and rotavirus vaccine use among children in New York State, 54
rotavirus vaccine story (letter and reply), 220
Rubella
congenital rubella infection control problems (letter and reply), 1389
no evidence for new variant of measles-mumps-rubella–induced autism, e58, 991
Rural health care
high rates of multiple antibiotic resistance in *Streptococcus pneumoniae* from healthy children living in isolated rural communities, 856

prevention of agricultural injuries among children and adolescents (committee statement), 1016

Safety issues
Back to Sleep: good advice for parents but not for hospitals? (letter), 522
barriers to bicycle helmet use, e4, 167
bicycle helmets (committee statement), 1030
creatine use among young athletes, 421
effectiveness of home visit to prevent childhood injury, 382
experience with ketogenic diet in infants, 129
gun storage—who's the right target? (letter), 823
injuries associated with infant walkers (committee statement), 790
is oxygen more toxic than currently believed? (commentary), 1203
population-based assessment of pediatric all-terrain vehicle injuries, 631
predictors of hazardous child seating behavior in fatal motor vehicle crashes: 1990 to 1998, 438
respiratory instability of term and near-term healthy newborn infants in car safety seats, 647
restraint use on aircraft (committee statement), 1218
risks of sedation for electroencephalograms (commentary), 178
safety and efficacy of high-dose intravenous acyclovir in management of neonatal herpes simplex virus infection, 230
safety and immunogenicity of recombinant *Borrelia burgdorferi* outer surface protein A vaccine against Lyme disease in healthy children and adolescents: randomized controlled trial, 123
school bus transportation of children with special health care needs (committee statement), 516
sedation, risk, and safety (commentary), 1006
trends in booster seat use among young children in crashes, e109, a1359
where children drown, United States, 1995, 85
School issues
clinical practice guideline: treatment of the school-aged child with attention-deficit/hyperactivity disorder (committee statement), 1033
defining impact of hemophilia: Academic Achievement in Children with Hemophilia study, e105, 1357
economic impact of infection control education program in specialized preschool setting, e102, 1356
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
role of the school nurse in providing school health services (committee statement), 1231
school bus transportation of children with special health care needs (committee statement), 516
school difficulties in 20-year-olds who were born small for gestational age at term in regional cohort study, 111
Scooter injuries, e2, 167
Screening
for anemia: AAP recommendations—a critique, e56, 757
barriers to domestic violence screening in pediatric setting, 98
detection of red reflex asymmetry by pediatric residents using Brückner reflex versus MTI photoscreener, e74, 997
developmental surveillance and screening of infants and young children (committee statement), 192
diagnosis of very long chain acyl-dehydrogenase deficiency from infant's newborn screening card, e19, 173
diagnostic accuracy of screening electrocardiograms in long QT syndrome I, 8
estimating cost of developmental and behavioral screening of preschool children in general pediatric practice, 913
examination of premature infants for retinopathy of prematurity (committee statement), 809
fatty acids, alpha-fetoprotein, and cystic fibrosis, 1370
health supervision for children with Down syndrome (letter and reply), 1384
importance of newborn screening (letter and reply), 821
intention to return for Papanicolaou smears in adolescent girls and young women, 333
for iron deficiency by dietary history in high-risk population (letter and reply), 823
maternal concern about positive test results in universal newborn hearing screening, 1111
maternal domestic violence screening in office-based pediatric practice, e43, 751
National Institutes of Health Consensus Development Conference Statement: phenylketonuria: screening and management, 972
neonatal screening for congenital adrenal hyperplasia, e68, 994
newborn screening for congenital adrenal hyperplasia in the Netherlands, 1320
for retinopathy of prematurity (letter and reply), 1385
statewide assessment of lead screening histories of preschool children enrolled in a Medicaid managed care program, e29, 458
survey of pediatrician practices in retrieving statewide authorized newborn screening results, e22, 455
targeted screening for elevated blood lead levels: populations at high risk (commentary), 1364
Scurvy
infantile, e76, 997
in year 2000, e55, 757
Secretin, intravenous, effects on language and behavior of children with autism and gastrointestinal symptoms, e90, 1199
Sedation
analgesia and (letter and reply), 824
bladder retention of urine as result of continuous intravenous infusion of fentanyl, 1012
concerns/questions about sedation and computed tomography scans (letter), 817
for electroencephalograms, 163
for electroencephalograms, risks of (commentary), 178
for electroencephalograms (letter), 1053
sedation, risk, and safety (commentary), 1006
Seizures
experience with ketogenic diet in infants, 129
influenza A infection is important cause of febrile seizures, e63, 993
ketogenic diet: 3- to 6-year follow-up of 150 children enrolled prospectively, 898
treatment of febrile seizures: influence of treatment efficacy and side-effect profile on value to parents, 1080
vagal nerve stimulation in epileptic encephalopathies (letter), 221
Sepsis. *See also* Bacteremia
association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
caution about trial methodology and statistics (letter and reply), 1383
early-onset neonatal sepsis in era of group B streptococcal prevention, 1094
maternal epidural use and neonatal sepsis evaluation in afebrile mothers, 1099
neutrophil CD11b expression and circulating interleukin-8 as diagnostic markers for early-onset neonatal sepsis, e12, 170
reactive hyperemia and interleukin-6, interleukin-8, and tumor necrosis factor-α in diagnosis of early-onset neonatal sepsis, e61, 992
Sexual abuse. *See also* Child abuse/neglect
and human papillomavirus infection (letter and reply), 1045
imperforate hymen: congenital or acquired from, e53, 756
Sexual behavior
association of foster care or kinship care with adolescent sexual behavior and first pregnancy, e46, 753
intention to return for Papanicolaou smears in adolescent girls and young women, 333
predictors of mother–adolescent discussions about condoms, e28, 458

Sexual behavior—*continued*
prospective study of psychological distress and sexual risk behavior among black adolescent females, e85, 1197
rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection, e13, 171
sexuality education for children and adolescents (committee statement), 498
Sexual development
earlier onset of puberty in girls: relation to increased body mass index and race, 347
sex differences in secular changes in pubertal maturation, e65, 994
Sexually transmitted disease
child sexual abuse and human papillomavirus infection (letter and reply), 1045
predictors of mother–adolescent discussions about condoms, e28, 458
prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infection in pediatric private practice, e103, 1356
rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection, e13, 171
Shaken baby syndrome: rotational cranial injuries (committee statement), 206
Siblings
changes in stillbirth and infant mortality associated with increases in preterm birth among twins, 1055
respiratory infections in infants: interaction of parental allergy, child care, and siblings—The PIAMA Study, 943
Sin Nombre hantavirus infection, clinical presentation and outcome in children and adolescents, e27, 457
Sinusitis
antibiotics and (letter and reply), 1387
clinical practice guideline (committee statement), 798
evidence for diagnosis and treatment of acute uncomplicated sinusitis in children (technical report), e57, 757
Skin conditions
best articles on atopic dermatitis, 539
drug-induced antiepileptic hypersensitivity syndrome in pediatric patients, 485
recent skin injuries in normal children, 271
staphylococcal scalded-skin syndrome in very low birth weight premature infant, e16, 172
treatment of extensive toxic epidermal necrolysis in children, 1162
treatment of invasive *Candida* infection in neonates with congenital cutaneous candidiasis (letter and reply), 216
unmasking of childhood hypothyroidism by disseminated xanthomas, e96, 1202
Sleep
association between sudden infant death syndrome and prone sleep position, bed sharing, and sleeping outside an infant crib in Alaska, 923
Back to Sleep: good advice for parents but not for hospitals? (letter), 522
objective sleepiness measures in pediatric obstructive sleep apnea, 693
practice of pediatric sleep medicine: results of community survey, e51, 755
snoring in 9- to 15-year-old children, 1149
sudden infant death syndrome and sleeping position (letter), 210
Smoking/tobacco exposure
does parental disapproval of smoking prevent adolescents from becoming established smokers?, 1256
pediatric residency training on tobacco, e8, 169
randomized trial to reduce passive smoke exposure in low-income households with young children, 18
smoking during pregnancy and infantile colic, 342
Sn-Mesoporphyrin
interdiction of severe hyperbilirubinemia in Jehovah's Witness newborns as alternative to exchange transfusion, 1374
single dose prevents development of severe hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient newborns, 25
Snoring, in 9- to 15-year-old children, 1149
Socioeconomic status
adolescents' perceptions of social status: development and evaluation of a new indicator, e31, 459
food insufficiency and American school-aged children's cognitive, academic, and psychosocial development, 44 (erratum, 826)
pacifier use is associated with shorter breastfeeding duration among low-income women (letter), 526 (erratum, 826)
randomized trial to reduce passive smoke exposure in low-income households with young children, 18
zinc supplementation saves lives of children living in poverty (commentary), 1366
Special health care needs. *See also* Chronic health conditions; Disabilities
role of the school nurse in providing school health services (committee statement), 1231
school bus transportation of children with (committee statement), 516
Spine
newborns with suspected occult spinal dysraphism: cost-effectiveness analysis of diagnostic strategies, e101, 1355
prospective multicenter study of cervical spine injury in children, e20, 455
unnecessary epidemic of folic acid-preventable spina bifida and anencephaly (letter and reply), 1048
Sports medicine
creatine use among young athletes, 421
knee brace use in young athlete (technical report), 503
Staphylococcus aureus
recovery of anaerobic bacteria from four children with postthoracotomy sternal wound infection, e17, 172
staphylococcal scalded-skin syndrome in very low birth weight premature infant, e16, 172
Sternal wound infection, postthoracotomy, recovery of anaerobic bacteria from four children with, e17, 172
Stimulants
clinical practice guideline: treatment of the school-aged child with attention-deficit/hyperactivity disorder (committee statement), 1033
psychotropic medication in children: study from The Netherlands, e25, 457
randomized, controlled trial of OROS methylphenidate once a day in children with attention-deficit/hyperactivity disorder, 883
Streptococcal infection
community intervention trial to promote judicious antibiotic use and reduce penicillin-resistant *Streptococcus pneumoniae* carriage in children, 575
early-onset neonatal sepsis in era of group B streptococcal prevention, 1094
high rates of multiple antibiotic resistance in *Streptococcus pneumoniae* from healthy children living in isolated rural communities, 856
management of febrile children in age of conjugate pneumococcal vaccine: cost-effectiveness analysis, 835
perineal group A *Streptococcus* (letter and reply), 820
preimmunization anti-pneumococcal antibody levels are protective in majority of patients with cystic fibrosis, e62, 992
serotype prevalence of occult pneumococcal bacteremia, e23, 456
unexplained reduced microbiological efficacy of intramuscular benzathine penicillin G and of oral penicillin V in eradication of group A streptococci from children with acute pharyngitis, 1180

Subdural hemorrhage, cause in infants and toddlers, 636
Substance use/abuse
age of drinking onset and involvement in physical fights after drinking, 872
alcohol use and abuse (committee statement), 185
does parental disapproval of smoking prevent adolescents from becoming established smokers?, 1256
improving substance abuse prevention, assessment, and treatment financing for children and adolescents (committee statement), 1025
intrauterine growth of full-term infants: impact of prenatal cocaine exposure, 1309
pediatric residency training on tobacco, e8, 169
prenatal alcohol exposure and childhood behavior at age 6 to 7 years: dose-response effect, e34, 461
rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection, e13, 171
smoking during pregnancy and infantile colic, 342
transfer of drugs and other chemicals into human milk (committee statement), 776 (erratum, 1029)
Sudden infant death syndrome (SIDS)
association with prone sleep position, bed sharing, and sleeping outside an infant crib in Alaska, 923
distinguishing from child abuse fatalities (committee statement), 812 (letter, 1237)
parallel incidence with infantile hypertrophic pyloric stenosis, e70, 996
surprised by publication (letter and reply), 1239
Suicide, adoption as risk factor for attempted suicide during adolescence, e30, 458
Sumatriptan, migraine treatment (letter), 817
Surgery
age at operation for children with atrioventricular canal (letter and reply), 217
allopurinol neurocardiac protection trial in infants undergoing heart surgery using deep hypothermic circulatory arrest, 61
fetal surgery for posterior urethral valves: long-term postnatal outcomes, e7, 169
functional limitations in young children with congenital heart defects after cardiac surgery, 1325
recovery of anaerobic bacteria from four children with postthoracotomy sternal wound infection, e17, 172
Swallowing function, and medical diagnoses in infants suspected of dysphagia, e106, 1358

Technical reports
evidence for diagnosis and treatment of acute uncomplicated sinusitis in children, e57, 757
knee brace use in young athlete, 503
mercury in the environment, 197
shaken baby syndrome: rotational cranial injuries, 206
Technology
delivery of pediatric after-hours care by call centers: multicenter study of parental perceptions and compliance, e111, 1359
development and impact of a computerized pediatric antiinfective decision support program, e75, 997
rapid assessment of sexual behavior, drug use, human immunodeficiency virus, and sexually transmitted diseases in northern Thai youth using audio-computer-assisted self-interviewing and noninvasive specimen collection, e13, 171
use of telehealth technology to extend child protection team services, 584
Terminal illness
end-of-life care for neonates and infants: experience and effects of palliative care consultation service, 653
end-of-life care (letter), 1051
Thiazide diuretics, arrest progression of nephrocalcinosis in children with X-linked hypophosphatemia, e6, 168
Thrombocytopenia, association between serum macrophage colony-stimulating factor levels and monocyte and thrombocyte counts in healthy, hypoxic, and septic term neonates, 329
Thymus, retropharyngeal aberrant, e94, 1201
Tic disorders, psychogenic cough (letter and reply), 820
Tick bites, management of early Lyme disease and: survey of Connecticut physicians, 1367
Tissue inhibitor of metalloproteinase (TIMP), matrix metalloproteinases-2, -8, and -9 and TIMP-2 in tracheal aspirates from preterm infants with respiratory distress, 686
Toddlers/preschool children
cause of infant and toddler subdural hemorrhage, 636
economic impact of infection control education program in specialized preschool setting, e102, 1356
estimating cost of developmental and behavioral screening of preschool children in general pediatric practice, 913
fat content of diet among preschool children in Southwest Britain: II. relationship with growth, blood lipids, and iron status, e49, 755
montelukast for treatment of persistent asthma in children aged 2 to 5 years, e48, 754
psychopharmacology for young children: clinical needs and research opportunities, 983
sensitization to common allergens and its association with allergic disorders at age 4 years: whole population birth cohort study, e33, 460
statewide assessment of lead screening histories of preschool children enrolled in a Medicaid managed care program, e29, 458
Toxic epidermal necrolysis, treatment in children, 1162
Transplantation, varicella in pediatric heart transplant population on nonsteroid maintenance immunosuppression, e80, 1195
Trauma. *See* Injuries
Travel, pulmonary edema in 6 children with Down syndrome during travel to moderate altitudes, 443
Triangular cord sign in diagnosis of biliary atresia, 416
Trisomy 21
age at operation for children with atrioventricular canal (letter and reply), 217
health supervision for children with Down syndrome (letter and reply), 1384
pulmonary edema in 6 children with Down syndrome during travel to moderate altitudes, 443
treadmill training of infants with Down syndrome: evidence-based developmental outcomes, e84, 1197
Tuberculosis
prevalence of infectious diseases among internationally adopted children, 608
pulmonary, in children in a developing country, 448
risk factors for positive Mantoux tuberculin skin tests in children in San Diego, California: evidence for boosting and possible food-borne transmission, 305
Tubulopathy, hypokalemic salt-losing tubulopathy with chronic renal failure and sensorineural deafness, e5, 168
Tumor necrosis factor-α, and reactive hyperemia and interleukin-6 and interleukin-8 in diagnosis of early-onset neonatal sepsis, e61, 992
Tumors, children with headache suspected of having a brain tumor: cost-effectiveness analysis of diagnostic strategies, 255
Twins, changes in stillbirth and infant mortality associated with increases in preterm birth among, 1055

Ultrasonography
evaluation of triangular cord sign in diagnosis of biliary atresia, 416
syndromic ear anomalies and renal ultrasounds, e32, 460
Umbilical cord, delayed separation attributable to urachal anomalies, 493
Urachal anomalies, delayed separation of umbilical cord attributable to, 493

Urban health care
asthma symptoms, morbidity, and antiinflammatory use in inner-city children, 277
prevalence and predictors of immunization among inner-city infants: birth cohort study, 661
Urinary system
bladder retention of urine as result of continuous intravenous infusion of fentanyl, 1012
eosinophilic cystitis in 4-year-old boy: successful long-term treatment with cyclosporin A, e113, 1360
fetal surgery for posterior urethral valves: long-term postnatal outcomes, e7, 169
Urinary tract infection
C-reactive protein in febrile children 1 to 36 months of age with clinically undetectable serious bacterial infection, 1275
circumcisions: again (letter and reply), 522 (erratum, 1054)
effect of single-use sterile catheter for each void on frequency of bacteriuria in children with neurogenic bladder on intermittent catheterization for bladder emptying, e71, 996
predictive model for serious bacterial infections among infants younger than 3 months of age, 311
Utilization of health care resources
effect of practice variation on resource utilization in infants hospitalized for viral lower respiratory illness, 851
effects of Medicaid managed care on health care use: infant emergency department and ambulatory services, 103
Navajo perceptions of asthma and asthma medications, e11, 170
physical growth and current health status of infants who were of extremely low birth weight and controls at adolescence, 407
switching to gatekeeping: changes in expenditures and utilization for children, 283
utilization and cost of health care services for children with attention-deficit/hyperactivity disorder, 71

Vaccines. *See* Adverse vaccine reactions; Immunization
Vaccines for Children program, effect on physician referral of children to public vaccine clinics, 297
Vagal nerve stimulation, in epileptic encephalopathies (letter), 221
Valproic acid, analysis of musculoskeletal system in children and adolescents receiving anticonvulsant monotherapy with carbamazepine or, e107, 1358
Varicella
disseminated vaccine strain varicella as acquired immunodeficiency syndrome-defining illness in previously undiagnosed child, e39, 464
in pediatric heart transplant population on nonsteroid maintenance immunosuppression, e80, 1195
severe complications in previously healthy children in Germany, e79, 1194
Velocardiofacial syndrome, cardiovascular anomalies in patients diagnosed with chromosome 22q11 deletion beyond 6 months of age, e104, 1356
Ventilatory assistance
aerosol therapy with valved holding chambers in young children: importance of facemask seal, 389
barotrauma, oxygen toxicity, and chronic lung disease (letter and reply), 525
childhood outcome after early high-frequency oscillatory ventilation for neonatal respiratory distress syndrome, 617
chronic oxygen dependency in infants born at less than 32 weeks' gestation: incidence and risk factors, e26, 457
continuous positive airway pressure: randomized, controlled trial in Australia (letter), 1383
high-frequency oscillatory ventilation (letter), 819
nasal prongs continuous positive airway pressure: simple yet powerful tool (commentary), 759
prospective, randomized, controlled trial comparing synchronized nasal intermittent positive pressure ventilation vs. nasal continuous positive airway pressure as modes of extubation, 13
use of continuous positive airway pressure in preterm infants: comments and experience from New Zealand (commentary), 761
work of breathing during constant- and variable-flow nasal continuous positive airway pressure in preterm neonates, 682
Video intervention
impact of waiting room videotape message on parent attitudes toward pediatric antibiotic use, 591
improving parent knowledge about antibiotics, 845
Violence. *See also* Child abuse/neglect
age of drinking onset and involvement in physical fights after drinking, 872
barriers to domestic violence screening in pediatric setting, 98
maternal domestic violence screening in office-based pediatric practice, e43, 751
media violence (committee statement), 1222
Vision impairment
increased risk for developmental disabilities in children who have major birth defects, 728
is oxygen more toxic than currently believed? (commentary), 1203
optic neuropathy in children with Lyme disease, 477
screening examination of premature infants for retinopathy of prematurity (committee statement), 809
screening for retinopathy of prematurity (letter and reply), 1385
sudden rise in prevalence of retinopathy of prematurity blindness? (letter), 526
Vital statistics, annual summary: 2000, 1241
Vitamins
folate and vitamin B12 supplementation in very low birth weight infants treated with erythropoietin (letter and reply), 217
unnecessary epidemic of folic acid-preventable spina bifida and anencephaly (letter and reply), 1048
vitamin K status of premature infants, 1117
Vocal cord paralysis, congenital hypomyelination neuropathy in a newborn infant: unusual cause of diaphragmatic paralysis and, e95, 1202

Walking
injuries associated with infant walkers (committee statement), 790
treadmill training of infants with Down syndrome: evidence-based developmental outcomes, e84, 1197
Weight. *See also* Growth; Low birth weight
comparison of body weight and height of Israeli schoolchildren with Tanner and Centers for Disease Control and Prevention growth charts, e108, 1358
earlier onset of puberty in girls: relation to increased body mass index and race, 347
impact of protease inhibitor-containing combination antiretroviral therapies on height and weight growth in HIV-infected children, e72, 996
new and improved population-based Canadian reference for birth weight for gestational age, e35, 462
relationship of childhood obesity to coronary heart disease risk factors in adulthood: Bogalusa Heart Study, 712
Weight-by-Date chart: personalized tool for following hospitalized children (letter), 821
WIC Program (committee statement), 1216

X-linked hypophosphatemia, thiazide diuretics arrest progression of nephrocalcinosis in children with, e6, 168

Zinc supplementation
in infants born small for gestational age reduces mortality, 1280
saves lives of children living in poverty (commentary), 1366